

FIA Bibliography(20)

Akio Yuchi
Nagoya Institute of Technology

FIA-related papers and monographs appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

2532. FIA Bibliography(19)
H. Wada, H. Yamada, and A. Yuchi, J. Flow Injection Anal., 10, 114 (1993).
2533. Glucose monitoring of fermentation with an FIA wall-jet electrode system
Y. L. Huang, S. B. Khoo, and M. G. S. Yap, Am. Biotechnol. Lab., 11, 18 (1993).
2534. Computer-aided detection of failures in flow injection analysis systems
J. Brandt and B. Hitzmann, Am. Biotechnol. Lab., 11, 78 (1993).
2535. Automated determination of total acidity in wines by flow injection analysis
M. Peris-Tortajada, A. Maquieira, and R. Puchades, Am. J. Enol. Vitic., 44, 118 (1993).
2536. A flow-injection biosensor system for the amperometric determination of creatinine: Simultaneous compensation of endogenous interferents
C. S. Rui, K. Sonomoto, H. I. Ogawa, and Y. Kato, Anal. Biochem., 210, 163 (1993).
2537. Organic-phase enzyme electrode for the determination of trace water in nonaqueous media
J. Wang and A. J. Reviejo, Anal. Chem., 65, 845 (1993).
2538. Flow injection donnan dialysis preconcentration of trace metal cations for inductively coupled plasma atomic emission spectrometry
N. Kasthurikrishnan and J. A. Koropchak, Anal. Chem., 65, 857 (1993).
2539. Noncompetitive flow injection immunoassay for a hapten, .alpha.-(difluoromethyl)ornithine
P. C. Gunaratna and G. S. Wilson, Anal. Chem., 65, 1152 (1993).
2540. Determination of rhenium and platinum in natural waters and sediments, and iridium in sediments by flow injection isotope dilution inductively coupled plasma mass

spectrometry

D. C. Colodner, E. A. Boyle, and J. M. Edmond, *Anal. Chem.*, 65, 1419 (1993).

2541. Process analytical chemistry
K. R. Beebe, W. W. Blaser, R. A. Bredeweg, J. P. Chauvel Jr., R. S. Harner, M. LaPack, A. Leugers, D. P. Martin, L. G. Wright, and E. D. Yalvac, *Anal. Chem.*, 65, 199r (1993).
2542. Expansion of dynamic range of flame atomic absorption spectrometry by an efficient flow injection dilution system based on dispersion of microliter-volume samples
Z. Fang, B. Welz, and M. Sperling, *Anal. Chem.*, 65, 1682 (1993).
2543. On-line monitoring of hydrophobic compounds at self-assembled monolayer modified amperometric flow detectors
J. Wang, H. Wu, and L. Angnes, *Anal. Chem.*, 65, 1893 (1993).
2544. Membrane interface for on-line supercritical fluid extraction/flow injection analysis
J. D. Brewster, R. J. Maxwell, and J. W. Hampson, *Anal. Chem.*, 65, 2137 (1993).
2545. Influence of ring substituents and matrix on lithium/sodium selectivity of 14-crown-4 and benzo-13-crown-4 compounds
R. A. Bartsch, M. J. Goo, G. D. Christian, X. Wen, B. P. Czech, E. Chapoteau, and A. Kumar, *Anal. Chim. Acta*, 272, 285, (1993).
2546. Electrochemical detection for flow analysis and liquid chromatography: present status and some roads to the future
K. Stulik, *Anal. Chim. Acta*, 273, 435 (1993).
2547. Flow-injection analysis with electrochemical detection for determination of salicylic acid in pharmaceutical preparations
M. Neumayr, O. Friedrich, G. Sontag, and F. Pittner, *Anal. Chim. Acta*, 273, 469 (1993).
2548. Flow-injection analysis for the measurement of penicillin V in fermentation media
M. Carlsen, L. H. Christensen, and J. Nielsen, *Anal. Chim. Acta*, 274, 117 (1993).
2549. Segmental flow injection with ion-selective electrodes for the determination of fluoride in water
J. A. Borzitsky, A. V. Dvinin, O. M. Petrukhin, and Y. I. Urusov, *Anal. Chim. Acta*, 274, 125 (1993).
2550. Direct determination of benzene in gasoline by flow-injection Fourier transform infrared spectrometry
M. Gallignani, S. Garrigues, and M. de la Guardia, *Anal. Chim. Acta*, 274, 267 (1993).

2551. Entrapped copper(II) carbonate for indirect determination of glycine by flow injection atomic absorption spectrometry
J. V. G. Mateo and J. M. Calatayud, *Anal. Chim. Acta*, 274, 275 (1993).
2552. Extraction of dicyanoaurate(I) using supported liquid membranes in a flow-injection manifold: evaluation of extractants
D. E. Barnes, M. J. C. Taylor, G. D. Marshall, and J. F. Van Staden, *Anal. Chim. Acta*, 274, 283 (1993).
2553. Determination of nitrate in natural water with the photo-induced conversion of nitrate to nitrite
K. Takeda and K. Fujiwara, *Anal. Chim. Acta*, 276, 25 (1993).
2554. Determination of urease activity by flow-injection analysis using an ammonium-selective optrode as the detector
H. Li and O. S. Wolfbeis, *Anal. Chim. Acta*, 276, 115 (1993).
2555. Multi-site detection in flow analysis. Part 2. Monosegmented systems with relocating detectors for the spectrophotometric determination of boron in plants
A. R. A. Nogueira, S. M. B. Brienza, E. A. G. Zagatto, J. L. F. Costa Lima, and A. N. Araujo, *Anal. Chim. Acta*, 276, 121 (1993).
2556. Double-membrane phase separator for liquid-liquid extraction in flow-injection analysis
T. Sakai, Y. S. Chung, N. Ohno, and S. Motomizu, *Anal. Chim. Acta*, 276, 127 (1993).
2557. Flow-injection spectrophotometric enzymic and non-enzymic methods for the determination of direct and total bilirubin in serum
J. M. Fernandez-Romero, M. D. Luque de Castro, and M. Valcarcel, *Anal. Chim. Acta*, 276, 271 (1993).
2558. Chemically modified ion-sensitive field-effect transistors: elimination of the liquid junction potential in a double sensor flow-injection analysis cell
P. L. H. M. Cobben, R. J. M. Egberink, J. G. Bomer, R. Schouwenaar, Z. Brzozka, M. Bos, P. Bergveld, and D. N. Reinhoudt, *Anal. Chim. Acta*, 276, 347 (1993).
2559. Comparison between different inorganic supports for the immobilization of amyloglucosidase and α -amylase to be used in enzyme reactors in flow-injection systems, Part I. Hydrolysis of maltose, maltooligosaccharides and soluble starch
J. Emneus and L. Gorton, *Anal. Chim. Acta*, 276, 303 (1993).
2560. Comparison between different inorganic supports for the

- immobilization of amyloglucosidase and .alpha.-amylase to be used in enzyme reactors in flow-injection systems, Part II. Hydrolysis of glycogen
J. Emneus and L. Gorton, *Anal. Chim. Acta*, 276, 319 (1993).
2561. Evaluation of flow-injection techniques for microwave plasma torch atomic emission spectrometry
Y. Madrid, M. Wu, Q. Jin, and G. M. Hieftje, *Anal. Chim. Acta*, 277, 1 (1993).
2562. Chemiluminescence reaction of thiazide compounds with tris(2,2'-bipyridine)ruthenium(III)
J. A. Holeman and N. D. Danielson, *Anal. Chim. Acta*, 277, 55 (1993).
2563. Flow-injection analysis of glucose at an amperometric glucose sensor based on electrochemical codeposition of palladium and glucose oxidase on a glassy carbon electrode
Q. Chi and S. Dong, *Anal. Chim. Acta*, 278, 17 (1993).
2564. Flow-injection sample preparation for organotin speciation analysis of water by capillary gas chromatography-microwave-induced plasma atomic emission spectrometry
J. Szpunar-Lobinska, M. Ceulemans, R. Lobinski, and F. C. Adams, *Anal. Chim. Acta*, 278, 99 (1993).
2565. Determination of mercury in urine by flow-injection cold vapor atomic absorption spectrometry
T. Guo and J. Baasner, *Anal. Chim. Acta*, 278, 189 (1993).
2566. Trioctyltin chloride as carrier for a chloride-selective electrode in flow-injection potentiometry
P. C. Hauser, *Anal. Chim. Acta*, 278, 227 (1993).
2567. Random walk simulation of flow injection analysis. Evaluation of dispersion profiles
P. D. Wentzell, M. R. Bowdridge, E. L. Taylor, and C. MacDonald, *Anal. Chim. Acta*, 278, 293 (1993).
2568. Mathematical model of flow-injection analysis. First-order chemical reaction in a straight tube
V. P. Andreev and M. I. Khidekel, *Anal. Chim. Acta*, 278, 307 (1993).
2569. Online monitoring of penicillin V during penicillin fermentations: a comparison of two different methods based on flow-injection analysis
M. Carlsen, C. Johansen, R. W. Min, J. Nielsen, H. Meier, and F. Lantreibecq, *Anal. Chim. Acta*, 279, 51 (1993).
2570. Fluorescence-based flow-injection determination of biotin and biotinylated compounds
T. Smith-Palmer, M. S. Barbarakis, T. Cynkowski, and L. G. Bachas, *Anal. Chim. Acta*, 279, 287 (1993).

2571. Spectrofluorimetric determination of emetine by flow injection using barium peroxide and UV derivatization
C. Gomez Benito, T. Garcia Sancho, and J. Martinez Calatayud, *Anal. Chim. Acta*, 279, 293 (1993).
2572. Polypyrrole-dodecyl sulfate electrode as a microsensor for electroinactive cations in flow-injection analysis and ion chromatography
R. Carabias Martinez, F. Becerro Dominguez, F. Martin Gonzalez, J. Hernandez Mendez, and R. Cordova Orellana, *Anal. Chim. Acta*, 279, 299 (1993).
2573. Determination of xylose and glucose in a flow-injection system with PQQ-dependent aldose dehydrogenase
M. Smolander, J. Cooper, W. Schuhmann, M. Haemmerle, and H.-L. Schmidt, *Anal. Chim. Acta*, 280, 119 (1993).
2574. Immobilization of hexacyanoferrate(III) for a flow injection-spectrophotometric determination of promazine
A. Kojlo, H. Puzanowska-Tarasiewicz, and C. J. Martinez, *Anal. Lett.*, 26, 593 (1993).
2575. Decolorization reactions between chromium(VI) and three color reagents. Determination of chromium(VI) by flow injection analysis
X. Chen, Y. Xu, and Z. Hu, *Anal. Lett.*, 26, 605 (1993).
2576. Overhead projector flow injection analysis
K. Grudpan and T. Thanasarn, *Anal. Proc.*, 30, 10 (1993).
2577. Biosensors for the analysis of pesticide residues
C. Tran-Minh, *Anal. Proc.*, 30, 73 (1993).
2578. Flow injection studies of cyclodextrin-enhanced fluorescence in the amino acid-thiol-o-phthalaldehyde reaction
M. Y. Khokhar and J. N. Miller, *Anal. Proc.*, 30, 93 (1993).
2579. Having led this horse to water can we make it think?
P. MacLaurin, P. J. Worsfold, P. Norman, and M. Crane, *Anal. Proc.*, 30, 143 (1993).
2580. Very near-infrared dyes as labels in immunoassays
D. A. Palmer and J. N. Miller, *Anal. Proc.*, 30, 144 (1993).
2581. Analysis for trace metals in sea-water by inductively coupled plasma mass spectrometry and related techniques
M. J. Bloxham, S. J. Hill, and P. J. Worsfold, *Anal. Proc.*, 30, 159 (1993).
2582. Flow injection-acid hydrolysis technique for determination of organic phosphates
Y. Ikeguchi, H. Nakamura, and T. Nakajima, *Anal. Sci.*, 9 397 (1993).

2583. Neural network based recognition of flow injection patterns
M. Nartnett, D. Diamond, and P. G. Barker, *Analyst*, 118,
347 (1993) .
2584. Extraction-spectrofluorimetric method for the determination
of erythromycin and its esters in pharmaceutical
formulations using manual and flow-injection procedures
A. Sanz, V. Tomas, C. Martinez-Lozano, and T. Perez-Ruiz,
Analyst, 118, 567 (1993).
2585. Chemometric optimization and flow injection method for the
determination of norfloxacin in drug formulations
S. M. Sultan and F. E. O. Suliman, *Analyst*, 118, 573
(1993).
2586. Partial least squares resolution of multianalyte flow
injection data
P. MacLaurin, P. J. Worsfold, P. Norman, and M. Crane,
Analyst, 118, 617 (1993).
2587. Determination of iodide ion in impregnated charcoals by
flow injection
C. D. Monks, D. Nacapricha, and C. G. Taylor, *Analyst*, 118,
623 (1993).
2588. Flow injection chemiluminometric determination of
epinephrine, norepinephrine, dopamine and L-dopa
N. T. Deftereos, A. C. Calokerinos, and C. E. Efstathiou,
Analyst, 118, 627 (1993).
2589. Determination of ascorbic acid by flow injection with
chemiluminescence detection
A. A. Alwarthan, *Analyst*, 118, 639 (1993).
2590. Flow injection chemiluminescence method for the selective
determination of chromium(III)
R. Escobar, Q. Lin, A. Guiraum and F. F. de la Rosa,
Analyst, 118, 643 (1993).
2591. Trial measurements in flow analysis
B. Freire dos Reis, E. A. G. Zagatto, P. B. Martelli and S.
M. B. Brienza, *Analyst*, 118, 719 (1993).
2592. Immobilization of glutamate oxidase on non-porous glass
beads. Automated flow injection system for the assay of
glutamic acid in food sample and pharmaceuticals
C. D. Stalikas, M. I. Karayannis and S. M. Tzouwara-
Karayanni, *Analyst*, 118, 723 (1993).
2593. Substitution of peroxidase in trinder's reagent with
ion(III) for the determination of hydrogen peroxide in
enzymic reactions by applying flow injection
E. R. Kiranas, S. M. Tzouwara-Karayanni and M. I.
Karayannis, *Analyst*, 118, 727 (1993).

2594. Permeation flow analysis of polymer networks
K. G. Haeusler and T. Kretzschmar, *Angew. Makromol. Chem.*,
208, 183 (1993).
2595. Determination of lipid hydroperoxides in native low-density
lipoprotein by a chemiluminescent flow-injection assay
L. Cominacini, A. M. Pastorino, A. McCarthy, M. Campagnola,
U. Garbin, A. Davoli, A. DeSantis, and V. LoCascio,
Biochim. Biophys. Acta, 1165, 279 (1993).
2596. Multifunctional flow-injection biosensor for the
simultaneous measurement of creatinine, glucose, and urea
C. S. Rui, H. I. Ogawa, K. Sonomoto, and Y. Kato, *Biosci.,
Biotechnol., Biochem.*, 57, 191 (1993).
2597. Selectivity of conducting polymer electrodes and their
application in flow injection analysis of amino acids
J. C. Cooper, M. Haemmerle, W. Schuhmann, and H. L.
Schmidt, *Biosens. Bioelectron.*, 8, 65 (1993).
2598. Simultaneous enzymic/electrochemical determination of
glucose and L-glutamine in hybridoma media by flow-
injection analysis
M. E. Meyerhoff, M. Trojanowicz, and B. O. Palsson,
Biotechnol. Bioeng., 41, 964 (1993).
2599. Studies on the spectrophotometric determination and
electrochemical behavior of heavy lanthanide ions in
nonaqueous system and heavy metal chelate complexes with
bidentate ligands. Part I. Flow injection
Spectrophotometric determination of heavy lanthanide ions
with xylenol orange
S. W. Kang, C. M. Park, K. H. Cho, and H. S. Han, *Bull.
Korean Chem. Soc.*, 14, 59 (1993).
2600. Flow injection analysis. Its application to organic
analysis
T. Yao, *Bunseki*, 59 (1993).
2601. Determination of boron by spectrophotometric FIA using
azomethine H
K. Nose, M. Zenki, and Y. Shimoishi, *Bunseki Kagaku*, 42,
351 (1993).
2602. Flow injection type electrogravimetric analysis system
incorporated with quartz crystal microbalance method
Y. Ninomiya, S. Oda, and N. Oyama, *Bunseki Kagaku*, 42, T93
(1993).
2603. Flow-injection analysis for hydrogen peroxide using a
titanium(IV)-porphyrin complex
C. Mathubara, N. Nakamichi, and N. Kawamoto, *Bunseki
Kagaku*, 42, 363 (1993).

2604. Bed reactor for use in unsegmented continuous flow analysis of inorganic species
M. J. Calatayud and J. V. Mateo Garcia, *Chem. Anal. (Warsaw)*, 38, 1 (1993).
2605. Two Australian inventions in scientific instrumentation get together: flame atomic absorption spectrometry and discontinuous flow analysis
G. M. Kinber, B. L. Krieger, M. Selby, F. O. Smith, E. E. Turak, J. D. Petty, and R. M. Peachey, *Chem. Aust.*, 60, 172 (1993).
2606. Steady-state flow analysis. A new approach to rapid and sensitive analysis for long period reactions in continuous-flow system
C. Zhang, Y. Narusawa, and S. Kitahara, *Chem. Lett.*, 877 (1993).
2607. Determination of thorium with DBF-arsenazo by flow-injection analysis
Y. Yang, R. Cai, and Y. Zeng, *Chin. J. Chem.*, 11, 66 (1993).
2608. Attractive wet chemistry with flow-injection methods
B. Winter, *CLB Chem. Labor Biotech.*, 44, 6 (1993).
2609. Liposome-based flow-injection immunoassay for determining theophylline in serum
L. Locascio-Brown, A. L. Plant, R. Chesler, M. Kroll, M. Ruddel, and R. A. Durst, *Clin. Chem.*, 39, 386 (1993).
2610. Automated enzymic determination of sodium in serum
R. Quiles, J. M. Fernandez-Romero, E. Fernandez, M. D. Luque de Castro, and M. Valcarcel, *Clin. Chim.*, 39, 500 (1993).
2611. A rapid and sensitive flow injection technique for the analysis of ammonium in soil extracts
B. J. R. Alves, R. M. Boddey, and S. S. Urquilaga, *Commun. Soil Sci. Plant Anal.*, 24, 277 (1993).
2612. Determination of glucose in microliter samples of in vivo ultrafiltrates and microdialyzates using amperometric flow injection analysis with an enzyme reactor
E. M. Janle, S. R. Ash, W. E. Zopp, and P. T. Kissinger, *Curr. Sep.*, 12, 14 (1993).
2613. Flow injection analysis for chloride, sulfate and phosphate with a displacement-reaction column
A. Yamada, K. Hodouchi, and H. Matsubara, *Denki Kagaku oyobi Kogyo Butsuri Kagaku*, 61, 834 (1993).
2614. Novel FIA amperometric biosensor system for the determination of glutamine in cell culture systems
K. B. Male, J. H. T. Luong, R. Tom, and S. Mercille, *Enzyme*

Microb. Technol., 15, 26 (1993).

2615. Use of .beta.-galactosidase tag in on-line monitoring production of fusion proteins and gene expression in *Escherichia coli*
A. Benito, F. Valero, J. Lafuente, M. Vidal, J. Cairo, C. Sola, and A. Villaverde, *Enzyme Microb. Technol.*, 15, 66 (1993).
2616. Chemiluminescent flow injection analysis of glucose in drinks with a bienzyme fiber optic biosensor
L. J. Blum, *Enzyme Microb. Technol.*, 15, 407 (1993).
2617. On-line chemiluminescence assay using FIA and fiber optics for urinary and blood glucose
M. V. Cattaneo, J. H. T. Luong, *Enzyme Microb. Technol.*, 15, 424 (1993).
2618. Flow injection fluorescence microscopy: a novel tool for the study of cells through controlled perfusion
K. M. Scudder, G. D. Christian, and J. Ruzicka, *Exp. Cell Res.*, 205, 197 (1993)
2619. Simultaneous spectrophotometric determination of lead, vanadium and copper by using pH gradient technique in flow injection analysis and Kalman filter
G. Zhang, Q. Huang, D. Mao, and T. Chen, *Fenxi Huaxue*, 21, 63 (1993).
2620. Determination of chloride ion by flow injection-cathodic potentiometric stripping analysis
Z. Li, S. Zhang, *Fenxi Huaxue*, 21, 263 (1993).
2621. Determination of trace arsenic, selenium, molybdenum, sulfur and chromium with on-line flow injection anion exchange preconcentration inductively coupled plasma-atomic emission spectrometry
E. Liu, W. Chen, and C. Zhao, *Fenxi Huaxue*, 21, 328 (1993).
2622. Spectrophotometric determination of cyanide in wastewater in a flow injection analysis system with gas-diffusion separation
H. Ma, J. Liu, J. Feng, and H. Li, *Fenxi Huaxue*, 21, 449 (1993).
2623. Study on the surface state of wall-jet glass carbon electrode in differential pulse anodic stripping voltammetry with flow injection system
X. Wu, T. Ying, H. Mao, and D. Qi, *Fenxi Huaxue*, 21, 480 (1993).
2624. Study and application of the liquid curtain electrode
J. Chen, C. Zhang, H. Liu, Z. Wu, and H. Miao, *Fenxi Huaxue*, 21, 732 (1993).

2625. Determination of iodide in table salt by flow injection analysis using Pyrocatechol Violet
A. Cerda, R. Forteza, and V. Cerda, Food Chem., 46, 95 (1993).
2626. A new flow-injection spectrophotometric method for the determination of tannins in tea and beer using iron(III) and 1,10-phenanthroline
C. Tomas, M. Celeste, A. Cladera, E. Gomez, J. M. Estela, and V. Cerda, Food Chem., 47, 201 (1993).
2627. Fluorimetric flow-injection determination of hydroperoxides in foodstuffs
T. Perez-Ruiz, C. Martinez-Lozano, V. Tomas, and O. Val, Food Chem., 46, 301 (1993).
2628. Rapid determination of calcium, magnesium, iron, and zinc in flours using flow injection flame atomic absorption spectrometry for slurry atomization
P. Vinas, N. Campillo, I. Lopez Garcia, and C. M. Hernandez, Food Chem., 46, 307 (1993).
2629. Flow injection flame atomic spectrometric determination of iron, calcium, magnesium, sodium and potassium in ceramic materials by using a variable-volume injector
M. de la Guardia, A. Morales-Rubio, V. Carbonell, A. Salvador, J. L. Burguera, and M. Burguera, Fresenius' J. Anal. Chem., 345, 579 (1993).
2630. FIA titrations of sulfide, cysteine and thiol-containing drugs with chemiluminescent detection
I. Lopez Garcia, P. Vinas, and J. A. Martines Gil, Fresenius' J. Anal. Chem., 345, 723 (1993).
2631. A multivariable linear investigation of two-phase flow instabilities in parallel boiling channels under high pressure
M. Xiao, X. J. Chen, M. Y. Zhang, T. N. Veziroglu, and S. Kakac, Int. J. Multiphase Flow, 19, 65 (1993).
2632. A flow-injection analyzer for determining the bitterness of wort and beer
S. Sakuma, C. Kikuchi, M. Kowaka, and M. Mawatari, J. Am. Soc. Brew. Chem., 51, 51 (1993).
2633. Optimization and use of flow injection vapor generation inductively coupled plasma mass spectrometry for the determination of arsenic, antimony and mercury in water and sea-water at ultratrace levels
A. Stroh and U. Voellkopf, J. Anal. At. Spectrom., 8, 35 (1993).
2634. Flow injection-electrothermal atomic absorption spectrometry for arsenic speciation using the Fleitmann reaction

- M. Burguera and J. L. Burguera, *J. Anal. At. Spectrom.*, 8, 229 (1993).
2635. Determination of lead in biological materials by microwave-assisted mineralization and flow injection electrothermal atomic absorption spectrometry
J. L. Burguera and M. Burguera, *J. Anal. At. Spectrom.*, 8, 235 (1993).
2636. Trace enrichment and determination of gold by flow injection inductively coupled plasma spectrometry. Part 1. Inductively coupled plasma atomic emission spectrometry
M. M. Gomez and C. W. McLeod, *J. Anal. At. Spectrom.*, 8, 461 (1993).
2637. Determination of trace and ultra-trace amounts of germanium in environmental samples by preconcentration in a graphite furnace using a flow injection hydride generation technique
G. Tao and Z. Fang, *J. Anal. At. Spectrom.*, 8, 577 (1993).
2638. Examination of separation efficiencies of mercury vapor for different gas-liquid separators in flow injection cold vapor atomic absorption spectrometry with amalgam preconcentration
C. P. Hanna, P. E. Haigh, J. F. Tyson, and S. McIntosh, *J. Anal. At. Spectrom.*, 8, 585 (1993).
2639. Performance of a modular thermospray interface for signal enhancement in flame atomic absorption spectrometry coupled on-line to flow injection or liquid chromatography
E. H. Larsen and J. S. Blais, *J. Anal. At. Spectrom.*, 8, 659 (1993).
2640. Flow-injection chemiluminescence study of acridinium ester stability and kinetics of decomposition
J. S. Littig and T. A. Nieman, *J. Biolumin. Chemilumin.*, 8, 25 (1993).
2641. Development of a flow injection analysis-mediated biosensor for sulfite
C. A. Groom, J. H. T. Luong, and C. Masson, *J. Biotechnol.*, 27, 117 (1993).
2642. Control of microbial activity by flow injection analysis during high cell density cultivation of *Escherichia coli*
T. Ding, U. Bilitewski, R. D. Schmid, D. J. Korz, and E. A. Sanders, *J. Biotechnol.*, 27, 143 (1993).
2643. The \$25 flow-injection analyzer: an affordable instrument for every laboratory
L. C. Davis, *J. Chem. Educ.*, 70, 511 (1993).
2644. Detection systems with a photodiode-array detector for flow-injection and high-performance liquid chromatographic determination of phosphinate, phosphonate and diphosphonate

- T. Nakazato and N. Yoza, *J. Chromatogr.*, 641, 221 (1993).
2645. Measurement of trace metallic contaminants on silicon wafer surfaces in native and dielectric silicon oxides by vapor phase decomposition flow injection inductively coupled plasma-mass spectrometry
J. Fucsko, S. S. Tan, and M. K. Balazs, *J. Electrochem. Soc.*, 140, 1105 (1993).
2646. Optical sensors in flow injection analysis
O. S. Wolfbeis, *J. Mol. Struct.*, 292, 133 (1993).
2647. Measuring glucose and urea by flow injection analysis with FTIR detection
E. Rosenberg and R. Kellner, *J. Mol. Struct.*, 294, 9 (1993).
2648. Determination of thiol-containing drugs by chemiluminescence-flow injection analysis
P. Vinas, L. Garcia, and G. J. A. Martinez, *J. Pharm. Biomed. Anal.*, 11, 15 (1993).
2649. The study of the differential pulse voltammetric behavior of ergot alkaloids and their determination by d.c. amperometric detection in a FIA system
J. Inczffy, Z. B. Somodi, Z. Pap-Sziklay, and G. Farsang, *J. Pharm. Biomed. Anal.*, 11, 191 (1993).
2650. Study of pH measurement of rainwater of low electric conductivity. pH measurement by using a reference electrode unit for flow analysis
M. Matsumoto, T. Tanaka, N. Ueda, and S. Tomita, *Kankyo Gijutsu*, 22, 165 (1993).
2651. Ruthenium complex luminescence
K. Uchikura, *Kuromatogurafi*, 14, 7, (1993).
2652. A modified flow injection analysis method to quantify DNA strand-breaks
K. Saravanan, P. V. Venkatesan, and B. Nagarajan, *Med. Sci. Res.*, 21, 535 (1993).
2653. Development of a flow injection analysis system utilizing piezoelectric crystals for the determination of cyanide employing small sample sizes
R. L. Bunde and J. J. Rosentreter, *Microchem. J.*, 47, 148 (1993).
2654. Flow-injection fluorometric determination of novalgin in pharmaceutical preparations
T. Perez-Ruiz, C. Martinez-Lozano, V. Tomas, and J. Carpena, *Microchem. J.*, 47, 296 (1993).
2655. Microchemical determination of iodate and iodide in sea waters by flow injection analysis

- K. Oguma, K. Kitada, and R. Kuroda, *Mikrochim. Acta*, 110, 71 (1993).
2656. Mass flow analysis at two sewage sludge incineration plants. Methods and results. Disposal of solid residues
B. Staeubli and C. Keller, *Muell Abfall*, 25, 82 (1993).
2657. Separation techniques in flow-injection analysis
W. Frenzel, *Nachr. Chem., Tech. Lab.*, 41, 456 (1993).
2658. Effect of boundary conditions and finite difference schemes on the numerical analysis of a flow past a square cylinder
T. Yoshida, I. Nakamura, and T. Watanabe, *Nippon Kikai Gakkai Ronbunshu, B-hen*, 59, 374 (1993).
2659. Petrov-Galerkin finite element analysis using exponential functions for square cavity flow
H. Sato, N. Tosaka, and K. Kakuda, *Nippon Kikai Gakkai Ronbunshu, B-hen*, 59, 1436 (1993).
2660. Three-dimensional viscous flow analysis of compressor cascade channels
H. Yoshida, T. Kawashima, and K. Sakagawa, *Nippon Kikai Gakkai Ronbunshu, B-hen*, 59, 1524 (1993).
2661. The analysis of void waves in two-phase flow
R. T. Lahey Jr., J-W. Park, and D. A. Drew, *Nucl. Eng. Des.*, 141, 203 (1993).
2662. Flow-injection spectrophotometric determination of hyrcanoside in tablets
P. Solich, R. Karlicek, and L. Opletal, *Pharmazie*, 48, 194 (1993).
2663. Development of a flow injection immuno-analysis (FIIA) for pesticide determination by means of fluorescence detection
M. Wortberg, C. Middendorf, J. Krause, and K. Cammann, *Proc. SPIE-Int. Soc. Opt. Eng.*, 1885, 165 (1993).
2664. Application of the flow injection analysis technique in food technology
R. Karlicek, *Prum. Potravin*, 44, 166 (1993).
2665. Microcomputer-controlled flow-injection analysis system for automatic dilution in atomic absorption spectrometry
B. Freire dos Reis, P. B. Martelli, A. A. Menegario, and M. F. Gine, *Quim. Nova*, 16, 109 (1993).
2666. Flow-injection/ion-exchange system for chemical analysis: basic configurations
E. A. G. Zagatto, S. M. B. Brienza, M. A. Z. Arruda, and A. O. Jacintho, *Quim. Nova*, 16, 130 (1993).
2667. Simple standard-addition system for flow-injection analysis
M. C. Ugulino de Araujo, C. Pasquini, and R. E. Bruns,

Quim. Nova, 16, 182 (1993).

2668. Flow injection thermospray mass spectrometry for the automated analysis of potential agricultural chemicals
M. J. Hayward, J. T. Snodgrass, and M. L. Thomson, Rapid Commun. Mass Spectrom., 7, 85 (1993).
2669. Determination of urinary arsenic and impact of dietary arsenic intake
X. C. Le, W. R. Cullen, and K. J. Reimer, Talanta, 40, 185 (1993).
2670. Sandwich-type flow through fiber-optic cells for optical absorbance measurements
P. K. Dasgupta, H. S. Bellamy, and H. Liu, Talanta, 40, 341 (1993).
2671. Application of ion-exchange-resin phase spectrophotometry to flow-injection analysis system - I. Determination of trace zinc in hair of children
R. Liu, D. Liu, and A. Sun, Talanta, 40, 381 (1993).
2672. Flow-injection determination of 9,10-phenanthrenequinone with catalytic photometric detection
N. Kiba, H. Suzuki, E. Goto, and M. Furusawa, Talanta, 40, 405 (1993).
2673. Simultaneous determination of multiple components by flow-injection analysis. Determination of copper and zinc in serum by using zincon as coloring reagent
R. Liu, D. Liu, and A. Sun, Talanta, 40, 511 (1993).
2674. A flow injection system with ion-exchange for spectrophotometric determination of copper in rocks
E. M. Pedrazzi and R. E. Santelli, Talanta, 40, 551 (1993).
2675. Flow injection titrimetric analysis for vitamin C in pharmaceutical products
S. M. Sultan, Talanta, 40, 593 (1993).
2676. Flow-injection method for the assay of the antiarrhythmic procainamide hydrochloride in drug formulations utilizing statistical optimization techniques
S. M. Sultan and F. E. O. Suliman, Talanta, 40, 623 (1993).
2677. Computer assisted optimization of a flow-injection method for the assay of promethazine, chlorpromazine and trimeprazine in drug formulations
S. M. Sultan, Talanta, 40, 681 (1993).
2678. Interference by volatile nitrogen oxides in the determination of mercury by flow injection cold vapor atomic absorption spectrometry
L. Rokkjaer, B. Hoyer, and N. Jensen, Talanta, 40, 729 (1993).

2679. Comparison of photometry and conductometry for the determination of total carbonate by gas permeation flow injection analysis
V. Kuban and P. K. Dasgupta, *Talanta*, 40, 831 (1993).
2680. Kinetic enzymatic determination of ethanol/methanol mixture by the stopped-flow technique
E. Forster, M. Silva, M. Otto, and D. Perez-Bendito, *Talanta*, 40, 855 (1993).
2681. Design and performance of a new continuous-flow sample-introduction system for flame infrared-emission spectrometry: application in process analysis, flow injection analysis, and ion-exchange high-performance liquid chromatography
C. K. Y. Lam, Y. Zhang, M. A. Busch, and K. W. Busch, *Talanta*, 40, 867 (1993).
2682. Investigation of the composition of complexes and the stoichiometry of non-complex reactions by flow injection method
J. Liu and H. Ma, *Talanta*, 40, 969 (1993).
2683. Spectrophotometric determination of hydrogen peroxide with 1-anilino-naphthalene-8-sulfonic acid and 4-aminoantipyrine with hematin as catalyst
H. K. Chung, P. K. Dasgupta, and J. N. Marx, *Talanta*, 40, 981 (1993).
2684. Flow-injection determination of L-tyrosine in serum with immobilized tyrosinase
N. Kiba, H. Suzuki, and M. Furusawa, *Talanta*, 40, 995 (1993).
2685. Immobilization of reagents by polymeric materials. Determination of metamizol
L. Lahuerta Zamora and J. Martinez Calatayud, *Talanta*, 40, 1067 (1993).
2686. The design of an on-line flow injection system with a gravitational phase separator for flame atomic absorption spectrometry and its analytical performance
S. Lin and H. Hwang, *Talanta*, 40, 1077 (1993).
2687. Comparison of the simplex and Powell methods with a weighted response function for the optimization of FIA systems
L. M. B. C. Alvares-Ribeiro, A. A. S. C. Machado, J. Alonso, J. Bartroli, and M. del Valle, *Talanta*, 40, 1113 (1993).
2688. Development of a polypyrrole-based amperometric detector for the determination of certain anions in water samples
P. Ward and M. R. Smyth, *Talanta*, 40, 1131 (1993).

2689. Simple, rapid, and precise determination of manganese in iron and steel by flow-injection analysis
T. Yamane and M. Saito, Tetsu to Hagane, 79, 492 (1993).
2690. Flow-injection analysis with Fourier transform infrared spectrometric detection: a potential tool for the analysis in complex matrixes
E. Rosenberg and R. Kellner, Vib. Spectrosc., 5, 33 (1993).
2691. Method for determination of analgin using flow injection spectrophotometry
W. Z. Liu, C. D. Wang, and H. Chen, Yaoxue Xuebao, 28, 317 (1993).
2692. Continuous-flow analysis. Photometric determination of nitrite
A. G. Shirinova, T. V. Rodionova, V. M. Ivanov, M. K. Beklemishev, and Yu. A. Zolotov, Zh. Anal. Khim., 48, 55 (1993).
-
- 1987-10-30 15:00 二五 本
-