

## FIA Bibliography(28)

Norio TESHIMA, University of Tsukuba

FIA-related papers and monographs which appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

### 4027. FIA Bibliography(27)

N. Teshima, *J. Flow Injection Anal.*, **14**, 68 (1997).

4028. New chemiluminescence reaction system for analysis of polyhydroxy-compounds-determination of uric acid in urine

M. L. Feng, Y. W. Huang, Z. J. Zhang, *Acta Chimica Sinica*, **55**, 806 (1997).

4029. Determination of nitrate in carbon black by flow injection analysis (FIA) with potentiometric detection

I. G. Canal, J. L. F. C. Lima, M. C. B. S. M. Montenegro, R. Prezolmos, *Analisis*, **25**, 32 (1997).

4030. Flow-injection fluorimetric analysis of several aminophenothiazines based on photooxidation

B. Laassis, J. J. Aaron, *Analisis*, **25**, 183 (1997).

4031. Clean method for the simultaneous determination of propyphenazone and caffeine in pharmaceuticals by flow injection fourier transform infrared spectrometry

Z. Bouhsain, S. Garrigues, M. Delaguardia, *Analyst*, **122**, 441 (1997).

4032. Amperometric bienzymic sensor for aspartame

D. Compagnone, D. Osullivan, G. G. Guilbault, *Analyst*, **122**, 487 (1997).

4033. Modulation of the pH in the determination of phosphate with flow injection and fourier transform infrared detection

R. Vonach, B. Lendl, R. Kellner, *Analyst*, **122**, 525 (1997).

4034. Determination of amyloglucosidase activity using flow injection analysis with fourier transform infrared spectrometric detection

R. Schindler, B. Lendl, R. Kellner, *Analyst*, **122**, 531 (1997).

4035. Assessment of different fluorimetric reactions for cyanide determination in flow systems

E. Miralles D. Prat, R. Compano, M. Granados, *Analyst*, **122**, 553 (1997).

4036. Use of a bentonite-modified carbon paste electrode for the determination of some phenols in a flow system by differential-pulse voltammetry

I. N. Rodriguez, J. A. M. Leyva, J. L. H. H. Decisneros, *Analyst*, **122**, 601 (1997).

4037. Simultaneous spectrophotometric determination of calcium and magnesium in mineral waters by means of multivariate partial least-squares regression

F. Blasco, M. J. Medinahernandez, S. Sagrado, F. M. Fernandez, *Analyst*, **122**, 639 (1997).

4038. Determination of thallium in river sediment by flow injection on-line sorption preconcentration in a knotted reactor coupled with electrothermal atomic absorption spectrometry

E. Ivanova, X. P. Yan, W. Vanmol, F. Adams, *Analyst*, **122**, 667 (1997).

4039. Fully automatic on-line separation preconcentration system for electrothermal atomic absorption spectrometry-determination of cadmium and lead in sea-water

F. M. Fernandez, J. D. Stripeikis, M. B. Tudino, O. E. Troccoli, *Analyst*, **122**, 679 (1997).

4040. Multivariate statistical process control applied to sulfate determination by sequential injection analysis

A. Rius, M. P. Callao, F. X. Rius, *Analyst*, **122**, 737 (1997).

4041. Miniaturized graphite sensors doped with metal-bathophenanthroline complexes for the selective potentiometric determination of uric acid in biological fluids

S. S. M. Hassan, N. M. H. Rizk, *Analyst*, **122**, 815 (1997).

4042. Flow-through cell based on an array of gold microelectrodes obtained from modified integrated circuit chips

- M. A. Augelli, V. B. Nascimento, J. J. Pedrotti, I. G. R. Gutz, L. Angnes, *Analyst*, **122**, 843 (1997).
4043. Microfabricated flow chamber for fluorescence-based chemistries and stopped-flow injection cytometry  
P. S. Hodder, G. Blankenstein, J. Ruzicka, *Analyst*, **122**, 883 (1997).
4044. Determination of phenoxy acid herbicides from aqueous samples by improved clean-up on polymeric pre-columns at high pH  
R. B. Geerdink, S. Vantolwildenburg, W. M. A. Niessen, U. A. T. Brinkman, *Analyst*, **122**, 889 (1997).
4045. Sequential injection analysis technique for the concentration, stoichiometry and formation constant studies of promethazine hydrochloride complexed with palladium(II) in hydrochloric acid  
S. M. Sultan, N. I. Desai, *Analyst*, **122**, 911 (1997).
4046. Determination of selenium by atomic absorption spectrometry with simultaneous retention of selenium(IV) and tetrahydroborate(III) on an anion-exchange resin followed by flow injection hydride generation from the solid phase  
P. E. Carrero, J. F. Tyson, *Analyst*, **122**, 915 (1997).
4047. Amperometric determination of hydrogen peroxide with a manganese dioxide-modified carbon paste electrode using flow injection analysis  
K. Schachl, H. Alemu, K. Kalcher, J. Jezkova, I. Svancara, K. Vytras, *Analyst*, **122**, 985 (1997).
4048. Simultaneous determination of silicate in waste water by sequential injection analysis  
F. Mastorres, A. Munoz, J. M. Estela, V. Cerda, *Analyst*, **122**, 1033 (1997).
4049. Flow injection photometric determination of zinc and copper with zincon based on the variation of the stability of the complexes with pH  
P. Richter, M. I. Toral, A. E. Tapia, E. Fuenzalida, *Analyst*, **122**, 1045 (1997).
4050. Bioelectrochemical determination of citric acid in real samples using a fully automated flow injection manifold  
M. I. Prodromidis, S. M. Tzouwarakarayanni, M. I. Karayannis, P. M. Vadgama, *Analyst*, **122**, 1101 (1997).
4051. Microbial detection by a glucose biosensor coupled to a microdialysis fibre  
F. Palmisano, A. Desantis, G. Tantillo, T. Volpicella, P. G. Zambonin, *Analyst*, **122**, 1125 (1997).
4052. Clinical Chemistry  
D. J. Anderson, B. C. Guo, Y. Xu, L. M. Ng, L. J. Kricka, K. J. Skogerboe, D. S. Hage, L. Schoeff, J. Wang, L. J. Sokoll, D. W. Chan, K. M. Ward, K. A. Davis, *Anal. Chem.*, **69**, R165 (1997).
4053. Factors affecting zone variance in a capillary flow injection system  
D. M. Spence, S. R. Crouch, *Anal. Chem.*, **69**, 165 (1997).
4054. High-throughput fast-scan anodic stripping voltammetry in a microflow system  
F. M. Zhou, J. T. Aronson, M. W. Ruegnitz, *Anal. Chem.*, **69**, 728 (1997).
4055. Flow injection fourier transform infrared determination of caffeine in soft drinks  
Y. Daghbouche, S. Garrigues, M. T. Vidal, M. Delaguardia, *Anal. Chem.*, **69**, 1086 (1997).
4056. Stopless flow injection in asymmetrical flow field-flow fractionation using a frit inlet  
M. H. Moon, H. Kwon, I. Park, *Anal. Chem.*, **69**, 1436 (1997).
4057. Potentiometric nonlinear multivariate calibration with genetic algorithm and simplex optimization  
M. Hartnett, D. Diamond, *Anal. Chem.*, **69**, 1909 (1997).
4058. Fourier transform infrared detection in miniaturized total analysis systems for sucrose  
B. Lendl, R. Schindler, J. Frank, R. Kellner, J. Drott, T. Laurell, *Anal. Chem.*, **69**, 2877 (1997).
4059. On-line isotope dilution analysis with ICPMS using reverse flow injection  
D. Beauchemin, A. A. Specht, *Anal. Chem.*, **69**, 3183 (1997).
4060. Flow injection renewable surface immunoassay for real time monitoring of biospecific interactions  
B. Willumsen, G. D. Christian, J. Ruzicka, *Anal. Chem.*, **69**, 3482 (1997).
4061. A flow injection microdialysis sampling chemiluminescence system for in vivo on-line monitoring of glucose in intravenous and subcutaneous tissue fluid microdialysates  
Q. Fang, X. T. Shi, Y. Q. Sun, Z. L. Fang, *Anal. Chem.*, **69**, 3570 (1997).

4062. Oligosaccharide dehydrogenase-modified graphite electrodes for the amperometric determination of sugars in a flow injection system  
M. Tessema, E. Csoregi, T. Ruzgas, G. Kenausis, T. Solomon, L. Gorton, *Anal. Chem.*, **69**, 4039 (1997).
4063. Flow injection with diamond thin-film detectors  
S. Jolley, M. Koppang, T. Jackson, G. M. Swain, *Anal. Chem.*, **69**, 4099 (1997).
4064. A ion chromatographic method for measuring less than 5 µg/L bromate ion in drinking water  
B. D. Walters, G. Gordon, B. Bubnis, *Anal. Chem.*, **69**, 4275 (1997).
4065. Pulsed-amperometric detection of urea in blood samples on a conducting polypyrrole-urease biosensor  
S. B. Adeloju, S. J. Shaw, G. G. Wallace, *Anal. Chim. Acta*, **341**, 155 (1997).
4066. Determination of chlorine dioxide using 4-aminoantipyrine and phenol by flow injection analysis  
T. Watanabe, T. Ishii, Y. Yoshimura, H. Nakazawa, *Anal. Chim. Acta*, **341**, 257 (1997).
4067. Flow injection determination of  $Al^{3+}$  and  $Al_3O_4(OH)_{24}(H_2O)_{12}^{7+}$  species using a 1.3-s reaction with 8-quinolinol-derivatised fractogel  
S. L. Simpson, K. J. Powell, N. H. S. Nilsson, *Anal. Chim. Acta*, **343**, 19 (1997).
4068. Flow injection determination of anionic surfactants based on the solvatochromism of p-diphenylaminoazobenzene sulfonate  
J. F. Liu, *Anal. Chim. Acta*, **343**, 33 (1997).
4069. Determination of ascorbic acid in a mixture of ascorbic acid and uric acid at a chemically modified electrode  
Z. Q. Gao, K. S. Siow, A. Ng, Y. M. Zhang, *Anal. Chim. Acta*, **343**, 49 (1997).
4070. Calibration methods for determination of ammonium and excess acid in kjeldahl digests by flow injection analysis  
R. Tryzell, B. Karlberg, *Anal. Chim. Acta*, **343**, 183 (1997).
4071. Flow injection-assisted optical sensor for determination of iron(II) and iron(III) in natural water  
A. C. L. Daconceicao, M. T. Tena, M. M. C. Dossantos, M. L. S. Goncalves, M. D. L. Decastro, *Anal. Chim. Acta*, **343**, 191 (1997).
4072. Indirect adsorption detection-an alternative pulsed electrochemical detection waveform  
M. A. Doscotch, J. A. Jones, L. E. Welch, *Anal. Chim. Acta*, **344**, 55 (1997).
4073. Selective determination of protolytes by flow injection analysis - a guide for the rational selection of reagent composition  
F. Albertus, I. Cortes, L. G. Danielsson, F. Ingman, *Anal. Chim. Acta*, **344**, 271 (1997).
4074. Determination of ammonia in water and industrial effluent streams with the indophenol blue method using sequential injection analysis  
J. F. Vanstaden, R. E. Taljaard, *Anal. Chim. Acta*, **344**, 281 (1997).
4075. The aluminium(III)-4-nitrocatechol system - potentiometry, voltammetry and application to the determination of reactive Al(III)  
A. J. Downard, R. J. Lenihan, S. L. Simpson, B. Osullivan, K. J. Powell, *Anal. Chim. Acta*, **345**, 5 (1997).
4076. Complex formation of 2-(5-nitro-2-pyridylazo)-5-(N-propyl-N-sulfo-propylamino)phenol with lead, cadmium and manganese for their sensitive spectrophotometric detection in flow injection and ion chromatography systems  
T. Yamane, Y. Yamaguchi, *Anal. Chim. Acta*, **345**, 139 (1997).
4077. Flow methods for the determination of polycyclic aromatic hydrocarbons using low power photomultiplier tube and charge coupled device chemiluminescence detection  
K. N. Andrew, M. G. Sanders, S. Forbes, P. J. Worsfold, *Anal. Chim. Acta*, **346**, 113 (1997).
4078. Combination of flow injection with capillary electrophoresis .1. The basic system  
Z. L. Fang, Z. S. Liu, Q. Shen, *Anal. Chim. Acta*, **346**, 135 (1997).
4079. Design and development of a miniaturised total chemical analysis system for on-line lactate and glucose

monitoring in biological samples

E. Dempsey, D. Diamond, M. R. Smyth, G. Urban, G. Jobst, I. Moser, E. M. J. Verpoorte, A. Manz, H. M. Widmer, K. Rabenstein, R. Freaney, *Anal. Chim. Acta*, **346**, 341 (1997).

4080. Dispersion behaviour of solid particles in flow-injection analysis  
M. Hulsman, M. Bos, W. E. Vanderlinden, *Anal. Chim. Acta*, **346**, 351 (1997).
4081. Amperometric detection of phenols using peroxidase-modified graphite electrodes  
A. Lindgren, J. Emneus, T. Ruzgas, L. Gorton, G. Markovarga, *Anal. Chim. Acta*, **347**, 51 (1997).
4082. Flow injection enzyme immunoassay of atrazine herbicide in water  
B. Bjarnason, N. Bousios, S. Eremin, G. Johansson, *Anal. Chim. Acta*, **347**, 111 (1997).
4083. Development of a highly sensitive enzyme-linked immunosorbent assay for atrazine-performance evaluation by flow injection immunoassay  
J. Gascon, A. Oubina, B. Ballesteros, D. Barcelo, F. Camps, M. P. Marco, M. A. Gonzalezmartinez, S. Morais, R. Puchades, A. Maquieira, *Anal. Chim. Acta*, **347**, 149 (1997).
4084. Prototype of a newly developed immunochemical detection system for the determination of pesticide residues in water  
P. M. Kramer, B. A. Baumann, P. G. Stoks, *Anal. Chim. Acta*, **347**, 187 (1997).
4085. Simultaneous determination of Fe(II) and Fe(III) by flow injection analysis. A mathematical simulation of the detector response  
M. Novic, M. Novic, Z. J. upan, N. Zafran, B. Pihlar, *Anal. Chim. Acta*, **348**, 101 (1997).
4086. On-line automated analytical signal diagnosis in sequential injection analysis using artificial neural networks  
I. Ruisanchez, J. Lozano, M. S. Larrechi, F. X. Rius, J. Zupan, *Anal. Chim. Acta*, **348**, 113 (1997).
4087. Quality compromises incorporated in simplex optimisation of a flow injection system  
E. Vereda, A. Rios, M. Valcarcel, *Anal. Chim. Acta*, **348**, 129 (1997).
4088. Computational neural networks for the evaluation of biosensor FIA measurements  
B. Hitzmann, A. Ritzka, R. Ulber, T. Scheper, K. Schugerl, *Anal. Chim. Acta*, **348**, 135 (1997).
4089. Use of pH gradients in continuous-flow systems and multivariate regression techniques applied to the determination of methionine and cysteine in pharmaceuticals  
F. Blasco, M. J. Medinahernandez, S. Sagrado, *Anal. Chim. Acta*, **348**, 151 (1997).
4090. A new evaluation technique for FIA measurements -projective reference evaluation  
B. Hitzmann, A. Lohn, M. Arndt, R. Ulber, C. Muller, *Anal. Chim. Acta*, **348**, 161 (1997).
4091. Figures of merit in multivariate calibration-determination of four pesticides in water by flow injection analysis and spectrophotometric detection  
J. Ferre, R. Boque, B. Fernandezband, M. S. Larrechi, F. X. Rius, *Anal. Chim. Acta*, **348**, 167 (1997).
4092. Rapid flow injection analysis method for successive determination of ammonia, nitrite, and nitrate in water by gus-phase chemiluminescence  
T. Aoki, S. Fukuda, Y. Hosoi, H. Mukai, *Anal. Chim. Acta*, **349**, 11 (1997).
4093. Speciation determination of Aluminium (Al<sup>3+</sup>) by flow injection amperometry via the 1,2-dihydroxyanthraquinone-3-sulfonic acid complex  
A. J. Downard, K. J. Powell, S. D. Money, *Anal. Chim. Acta*, **349**, 111 (1997).
4094. A novel gas-diffusion/flow-injection system coupled with a bulk acoustic wave impedance sensor for total inorganic carbonate and its application to determination of total inorganic and total organic carbon in waters  
X. L. Su, L. H. Nie, S. Z. Yao, *Anal. Chim. Acta*, **349**, 143 (1997).
4095. Coupling of membrane-immobilized enzyme reaction and heteropoly acid luminol chemiluminescence reaction for the determination of adenosine-5'-triphosphate  
T. Fujiwara, K. Kurahashi, T. Kumamaru, *Anal. Chim. Acta*, **349**, 159 (1997).
4096. Simultaneous amperometric determination of some mono-, di-, and oligosaccharides in flow injection and liquid chromatography using two working enzyme electrodes with different selectivity

- M. Tessema, T. Larsson, T. Buttler, E. Csoregi, T. Ruzgas, M. Nordling, S. E. Lindquist, G. Pettersson, L. Gorton, *Anal. Chim. Acta*, **349**, 179 (1997).
4097. Fast automated determination of toxicologically relevant arsenic in urine by flow injection hydride generation atomic absorption spectrometry  
T. Guo, J. Baasner, D. L. Tsalev, *Anal. Chim. Acta*, **349**, 313 (1997).
4098. Simultaneous amperometric and potentiometric detection of inorganic anions in flow system using platinum and silver silver chloride electrodes  
Z. Chen, D. B. Hibbert, *Anal. Chim. Acta*, **350**, 1 (1997).
4099. Lithium determination in artificial serum using flow injection systems with a selective solid-state tubular electrode based on nasicon membranes  
M. Cretin, L. Alerm, J. Bartroli, P. Fabry, *Anal. Chim. Acta*, **350**, 7 (1997).
4100. Determination of manganese in natural water and effluent streams using a solid-phase lead(IV) dioxide reaction in a flow-injection system  
J. F. Vanstaden, L. G. Kluever, *Anal. Chim. Acta*, **350**, 15 (1997).
4101. Evaluation of spectrophotometric methods for determination of orthophosphates by sequential injection analysis  
A. Munoz, F. M. Torres, J. M. Estela, V. Cerda, *Anal. Chim. Acta*, **350**, 21 (1997).
4102. Non-linearity with metal-metal ligand complex reactions in flow injection systems-metal-thiocyanate reactions  
J. F. Vanstaden, C. Saling, D. Malan, R. E. Taljaard, *Anal. Chim. Acta*, **350**, 37 (1997).
4103. Glucose determination in blood sample using flow injection analysis and an amperometric biosensor based on glucose oxidase immobilized on hexacyanoferrate modified nickel electrode  
S. Milardovic, I. Kruhak, D. Ivekovic, V. Rumenjak, M. Tkalcec, B. S. Grabaric, *Anal. Chim. Acta*, **350**, 91 (1997).
4104. Application of factorial design to improve a FIA system for penicillin determination  
M. M. M. B. Duarte, G. D. O. Neto, L. T. Kubota, J. L. L. Filho, M. F. Pimentel, F. Lima, V. Lins, *Anal. Chim. Acta*, **350**, 353 (1997).
4105. Flow injection analysis methods for determination of diffusion coefficients  
G. W. Zou, Z. Liu, C. X. Wang, *Anal. Chim. Acta*, **350**, 359 (1997).
4106. Measurement of sulfite using sulfite oxidase and luminol chemiluminescence  
S. Sasaki, Y. Arikawa, M. Shimomura, K. Ikebukuro, I. Karube, *Analytical Communications*, **34**, 299 (1997).
4107. Enzymatic determination of ethanol using reagentless electrocatalyzed luminol chemiluminescence  
J. E. Atwater, J. R. Akse, J. Dehart, R. R. Wheeler, *Anal. Lett.*, **30**, 1445 (1997).
4108. Hybrid biosensor for simultaneous electrochemical and thermometric detection  
B. Xie, X. J. Tang, U. Wollenberger, G. Johansson, L. Gorton, F. Scheller, B. Danielsson, *Anal. Lett.*, **30**, 2141 (1997).
4109. Increased sensitivity potentiometric detectors for FIA  
C. M. C. M. Couto, J. L. F. C. Lima, M. C. B. S. M. Montenegro, *Anal. Sci.*, **13**, 403 (1997).
4110. Sequential determination of calcium and magnesium cations in haemodialysis solutions by FIA  
R. A. S. Lapa, J. L. F. C. Lima, M. H. Vela, E. Barrado, *Anal. Sci.*, **13**, 409 (1997).
4111. An immobilized acetylcholinesterase flow-injection conductometric system for the determination of paraoxon  
T. C. Rodrigues, M. Tubino, O. E. S. Godinho, G. D. Neto, *Anal. Sci.*, **13**, 423 (1997).
4112. Potentiometric FIA system with reactor based on natural urease source and tubular detector of ammonium ions. Determination of urea in fertilizers  
L. R. Junior, G. D. Neto, J. L. F. C. Lima, M. C. B. S. M. Montenegro, V. L. Silva, *Anal. Sci.*, **13**, 589 (1997).
4113. High-sensitivity determination of emetine dithiocarbamate copper(II) complex using the electrogenerated

- chemiluminescence detection of tris(2,2'-bipyridine)ruthenium(II)  
K. Tsukagoshi, K. Miyamoto, E. Saiko, R. Nakajima, T. Hara, K. Fujinaga, *Anal. Sci.*, **13**, 639 (1997).
4114. Direct and individual determination of  $\alpha$ -,  $\beta$ - and  $\gamma$ -cyclodextrins by flow injection analysis/electrospray ionization mass spectrometry  
K. Kishimoto, H. Nakamura, *Anal. Sci.*, **13**, 815 (1997).
4115. Immobilization of xanthine oxidase and its use in the quantitation of hypoxanthine in fish muscle tissue extracts using a flow injection method  
D. A. Balladin, D. Narinesingh, V. A. Stoute, T. T. Ngo, *Applied Biochemistry & Biotechnology*, **62**, 317 (1997).
4116. On-line enzyme activity determination using the stopped-flow technique-application to laccase activity in pulp mill waste-water treatment  
X. Font, G. Caminal, X. Gabarrell, J. Lafuente, M. T. Vicent, *Applied Microbiology & Biotechnology*, **48**, 168 (1997).
4117. Flow-injection chemiluminescence method for the determination of hydrocortisone and progesterone  
H. N. Li, Y. X. Ci, *Applied Spectroscopy*, **51**, 1484 (1997).
4118. Light-emitting diodes as sensors for colorimetric analyses  
R. J. Berry, J. E. Harris, R. R. Williams, *Applied Spectroscopy*, **51**, 1521 (1997).
4119. Serum level of Zn, Cu and Fe in healthy schoolchildren residing in Merida, Venezuela  
O. M. Alarcon, J. R. Fuller, T. M. Silva, C. Angarita, E. Teran, M. Navas, P. Solano, M. Agostinelli, *Archivos Latinoamericanos de Nutricion*, **47**, 118 (1997).
4120. Comparison of digestion methods for the determination of total mercury in environmental samples by flow injection CV-AAS  
H. Lippo, T. Jauhainen, P. Peramaki, *At. Spectrosc.*, **18**, 102 (1997).
4121. Postcolumn chemiluminescence as a detection technique in the liquid chromatographic analysis of  $\beta$ -lactam ring containing compounds  
J. H. Miyawa, S. G. Schulman, J. H. Perrin, *Biomedical Chromatography*, **11**, 224 (1997).
4122. Electrochemiluminescence flow injection immunoassay for atrazine  
R. Wilson, M. H. Brarker, D. J. Schiffrin, R. Abuknesha, *Biosensors & Bioelectronics*, **12**, 277 (1997).
4123. A tryptophan-2-monooxygenase based amperometric biosensor for L-tryptophan determination - use of a competitive inhibitor as a tool for selectivity increase  
A. L. Simonian, E. I. Rainina, P. F. Fitzpatrick, J. R. Wild, *Biosensors & Bioelectronics*, **12**, 363 (1997).
4124. Chemiluminescence biosensors using tris(2,2'-bipyridyl)ruthenium(II) and dehydrogenases immobilized in cation exchange polymers  
A. F. Martin, T. A. Nieman, *Biosensors & Bioelectronics*, **12**, 479 (1997).
4125. Development of an amperometric flow injection immunoanalysis system for the determination of the herbicide 2,4-dichlorophenoxyacetic acid in water  
D. Trau, T. Theuerl, M. Wilmer, M. Meusel, F. Spener, *Biosensors & Bioelectronics*, **12**, 499 (1997).
4126. On-line monitoring of glucose in mammalian cell culture using a flow injection analysis (FIA) mediated biosensor  
K. B. Male, P. O. Gartu, A. A. Kamen, J. H. T. Luong, *Biotechnology & Bioengineering*, **55**, 497 (1997).
4127. Process monitoring of acetic acid in escherichia coli cultivation using electrochemical detection in a flow injection system  
X. J. Tang, A. Tocaj, O. Holst, G. Johansson, *Biotechnology Techniques*, **11**, 683 (1997).
4128. Copper oxide-modified polymeric electrodes for amperometric detection of carbohydrates in LCEC analysis  
H. Chung, J. Park, *Bulletin of the Korean Chemical Society*, **18**, 952 (1997).
4129. Development of a determination method for acetylcholinesterase activity by FIA with electrochemical detection  
M. Goto, M. Kobayashi, *Bunseki Kagaku*, **46**, 293 (1997).

4130. Determination for sulfated bile acids using an immobilized enzyme reactor based on FIA chemiluminescence  
X. F. Gao, H. S. Ji, K. Ikebukuro, S. Baba, I. Karube, Y. S. Li, *Bunseki Kagaku*, **46**, 357 (1997).
4131. Studies on rapid and high-performance analytical systems for the process quality and quantity control of the nonferrous metal-refining industry  
Y. Sayama, *Bunseki Kagaku*, **46**, 407 (1997).
4132. Molecular weight distribution and (1→3)(1→4)-β-D-glucan content of consecutive extracts various oat and barley cultivars  
M. U. Beer, P. J. Wood, J. Weisz, *Cereal Chemistry*, **74**, 476 (1997).
4133. Development and application of graphite-teflon composite coating electrode  
H. D. Xu, Y. J. Luo, M. Z. Zou, *Chemical Journal of Chinese Universities-Chinese*, **18**, 535 (1997).
4134. Conductimetric gas separation flow injection determination of ammonia in gaseous process streams  
V. Kuban, *Collection of Czechoslovak Chemical Communications*, **62**, 609 (1997).
4135. TTF-TCNQ complex based printed biosensor for long-term operation  
G. F. Khan, *Electroanalysis*, **9**, 325 (1997).
4136. Continuous flow and flow injection stripping voltammetric determination of silver(I), mercury(II), and bismuth(III) at a bulk modified graphite tube electrode  
R. D. Ye, S. B. Khoo, *Electroanalysis*, **9**, 481 (1997).
4137. Flow injection, amperometric determination of ethanol in wines after solid-phase extraction  
Z. L. Chen, J. J. Yu, D. B. Hibbert, *Electroanalysis*, **9**, 541 (1997).
4138. The determination of ethanol in wine by voltammetry with an internal standard  
J. J. Yu, W. G. Huang, D. B. Hibbert, *Electroanalysis*, **9**, 544 (1997).
4139. Voltammetric behaviour and ion chromatographic detection of nitrite at a dispersed platinum glassy carbon electrode  
I. G. Casella, A. M. Salvi, *Electroanalysis*, **9**, 596 (1997).
4140. Electrochemical oxidation and determination of heparin at electrodes modified with ruthenium oxide or copper oxide  
K. Lewinski, Y. Hu, C. C. Griffin, J. A. Cox, *Electroanalysis*, **9**, 675 (1997).
4141. Separation of the depolarizer from surface active substances in the tubes of a flow injection system  
W. W. Kubiak, M. M. Stozik, *Electroanalysis*, **9**, 781 (1997).
4142. A photo-cured coated wire potassium ion-selective electrode for use in flow injection potentiometry  
P. W. Alexander, T. Dimitrakopoulos, D. B. Hibbert, *Electroanalysis*, **9**, 813 (1997).
4143. Potentiometric detection of metal ions separated by liquid chromatography using a tungsten oxide electrode  
Z. L. Chen, P. W. Alexander, *Electroanalysis*, **9**, 818 (1997).
4144. Sol-gel-derived cobalt phthalocyanine-dispersed carbon composite electrodes for electrocatalysis and amperometric flow detection  
J. Wang, P. V. A. Pamidi, C. Parrado, D. S. Park, J. Pingarron, *Electroanalysis*, **9**, 908 (1997).
4145. Detection of methamidophos in vegetables using a photometric flow injection system  
J. Lui, A. Gunther, U. Bilitewski, *Environmental Monitoring & Assessment*, **44**, 375 (1997).
4146. Mass spectrometric detection and identification of polar pesticides and their degradation products a comparison of different ionization methods  
H. F. Schroder, *Environmental Monitoring & Assessment*, **44**, 503 (1997).
4147. Influence of various filters on the concentration of pesticides dissolved in water  
C. Mouvet, C. Jucker, *Environmental Science & Technology*, **31**, 2434 (1997).
4148. Monitoring of the glucose concentration during microbial fermentation using a novel mass-producible biosensor suitable for on-line use  
I. E. Tothill, J. D. Newman, S. F. White, A. P. F. Turner, *Enzyme & Microbial Technology*, **20**, 590 (1997).

4149. Potentiometric determination of chloride in parenteral and haemodialysis solutions by FIA  
R. A. S. Lapa, J. L. F. C. Lima, E. Barrado, H. Vela, *Farmaco*, **52**, 127 (1997).
4150. Relationship between the volume of mixing tanks and injected sample volume in flow injection analysis  
W. Ningsheng, W. Guosheng, S. Wenjuan, *Fenxi Huaxue*, **25**, 765 (1997).
4151. Flow injection/chemiluminescence determination of persantin  
N. Feng, Z. Luduan, F. Manliang, L. Jiuru, *Fenxi Huaxue*, **25**, 879 (1997).
4152. Determination of isoniazide by flow injection analysis/chemiluminescence method  
Z. Fang, W. Yuanyuan, G. Zheng, W. Hongxuan, *Fenxi Huaxue*, **25**, 927 (1997).
4153. Determination of trace nitrite in food and water by flow injection/coupling chemiluminescence analysis  
Y. Weiping, Z. Zhujun, L. Jiuru, L. Baolin, *Fenxi Huaxue*, **25**, 955 (1997).
4154. Electrocatalytic oxidation of epinephrine at a methylene green chemically modified carbon paste electrode and its flow injection analysis application  
Y. Aimin, Z. Jie, C. Hongyuan, *Fenxi Huaxue*, **25**, 959 (1997).
4155. A flow-through electrochemical measurement system for studying photo-generated species  
L. Jin, S. Lianyong, L. Huashui, L. Zhonghua, *Fenxi Huaxue*, **25**, 978 (1997).
4156. Flow injection analysis-atomic absorption spectrometry for the determination of vitamin B<sub>6</sub> in pharmaceutical preparations  
L. Huiyun, X. Qiang, X. Zhihai, Z. Xiaoli, *Fenxi Huaxue*, **25**, 984 (1997).
4157. Reversed flow injection catalytic spectrophotometry for determination of trace iron  
L. Xiuping, C. Haohan, Z. Zhiqi, *Fenxi Huaxue*, **25**, 986 (1997).
4158. Determination of trace thalium in geochemical samples by flow injection/on-line extraction/flame atomic absorption spectrometry  
A. Jun, T. Zhiyong, J. Zexiang, *Fenxi Huaxue*, **25**, 988 (1997).
4159. Automatic determination of 5-hydroxymethylfurfural (5-HMF) by a flow injection method  
F. Delaiglesia, F. Lazaro, R. Puchades, A. Maquieira, *Food Chemistry*, **60**, 245 (1997).
4160. The determination of the authenticity of wine from its trace element composition  
M. J. Baxter, H. M. Crews, M. J. Dennis, I. Goodall, D. Anderson, *Food Chemistry*, **60**, 443 (1997).
4161. Simultaneous determination of metal ion concentrations in binary mixtures with a multi-led photometer  
P. C. Hauser, T. W. T. Rupasinghe, *Fresenius' J. Anal. Chem.*, **357**, 1056 (1997).
4162. In-line flow injection extraction preconcentration through a passive hydrophilic membrane-determination of total phenols in oil by flow injection analysis  
J. F. Vanstaden, H. E. Britz, *Fresenius' J. Anal. Chem.*, **357**, 1066 (1997).
4163. Cyclodextrin based optosenser for the determination of quinine  
Z. L. Gong, Z. J. Zhang, *Fresenius' J. Anal. Chem.*, **357**, 1093 (1997).
4164. An optosenser for tryptophan with C18 silica gel as a substrate  
Z. L. Gong, Z. J. Zhang, *Fresenius' J. Anal. Chem.*, **357**, 1097 (1997).
4165. Colorimetric determination of iron in infant fortified formulas by sequential injection analysis  
A. N. Araujo, J. Gracia, J. L. F. CLima, M. P. M. Lucia, M. F. S. Saraiva, *Fresenius' J. Anal. Chem.*, **357**, 1153 (1997).
4166. Determination of acetaldehyde in liquid, solid and semi-solid food after pervaporation-derivatization  
I. Papaefstathiou, U. Bilitewski, M. D. L. Decastro, *Fresenius' J. Anal. Chem.*, **357**, 1168 (1997).
4167. Flow injection determination of silver with spectrophotometric detection  
A. A. Ensafi, K. Zarei, *Fresenius' J. Anal. Chem.*, **358**, 475 (1997).
4168. Sequential flow-injection spectrophotometric determination of iron(II) and iron(III) by copper(II) catalyzed reaction with tiron  
M. Endo, S. Abe, *Fresenius' J. Anal. Chem.*, **358**, 546 (1997).
4169. Determination of procaine hydrochloride by ion-pairing flow injection analysis with piezoelectric detection



- Z. H. Mo, J. Luo, X. H. Long, Z. L. Xia, *Fresenius' J. Anal. Chem.*, **358**, 556 (1997).
4170. Gaseous sample introduction for the determination of silicon by ICP-AES  
A. L. Molinero, A. Morales, A. Villareal, J. R. Castillo, *Fresenius' J. Anal. Chem.*, **358**, 599 (1997).
4171. Flow injection system with gas diffusion for the sequential determination of total nitrogen and phosphorus in vegetables  
J. L. F. C. Lima, A. O. S. S.Rangel, M. R. S. Souto, *Fresenius' J. Anal. Chem.*, **358**, 657 (1997).
4172. Application of factorial designs and simplex optimization in the development of flow injection hydride generation graphite furnace atomic absorption spectrometry (FI-HG-GFAAS) procedures as demonstrated for the determination of trace levels of germanium  
B. Hilligsoe, E. H. Hansen, *Fresenius' J. Anal. Chem.*, **358**, 775 (1997).
4173. Optimized pressure-pulse splitless injection and electron-capture, negative detection for the congener specific determination of compounds of technical toxaphene  
R. Bartha, W. Vetter, B. Luckas, *Fresenius' J. Anal. Chem.*, **358**, 812 (1997).
4174. Determination of total arsenic in urine by hydride AAS after UV-digestion  
R. Ritsema, E. Vanheerde, *Fresenius' J. Anal. Chem.*, **358**, 838 (1997).
4175. Comparizon of liquid chromatography mass spectrometry interfaces for the analysis of polar metabolites of benzo[a]pyrene  
R. Koeber, R. Niessner, J. M. Bayona, *Fresenius' J. Anal. Chem.*, **359**, 267 (1997).
4176. Determination of the alcohol denaturants denatonium benzoate (Bitrex) and diethyl phthalate by direct flow injection APCI-MS analysis  
M. H. E. Alvarezpineiro, M. J. L. Dealdavillaizan, P. Paseirolosada, M. A. Lageyusty, *HRC-Journal of High Resolution Chromatography*, **20**, 321 (1997).
4177. Spectrophotometric flow injection determination of thiocyanate  
A. A. Ensafi, *Indian Journal of Chemistry Section A-Inorganic Bio-Inorganic Physical Theoretical & Analytical Chemistry*, **36**, 344 (1997).
4178. Determination of phosphorus content in steels using flow injection into an argon-water carrier for inductively coupled plasma mass spectrometry  
A. G. Coedo, T. Dorado, I. Padilla, F. J. Aiguacil, *ISIJ International*, **37**, 878 (1997).
4179. Fabrication and characterization of IrO<sub>2</sub>-based microsensors for fast detection of carbon dioxide  
J. C. Lue, S. C. Chao, *Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers*, **36**, 2292 (1997).
4180. Determination of lead contamination in spanish wines and other alcoholic beverages by flow injection atomic absorption spectrometry  
C. M. Mena, C. Cabrera, M. L. Lorenzo, M. C. Lopez, *J. Agric. Food Chem.*, **45**, 1812 (1997).
4181. Determination of acidity of coffee by flow injection analysis with electrochemical detection  
T. Fuse, F. Kusu, K. Tamura, *J. Agric. Food Chem.*, **45**, 2124 (1997).
4182. Fullerene - a sensitive and selective sorbent for the continuous preconcentration and atomic absorption determination of cadmium  
Y. P. Depena, M. Gallego, M. Valcarcel, *J. Anal. At. Spectrom.*, **12**, 453 (1997).
4183. Flow injection on-line sorption separation and preconcentration with a knotted reactor for electrothermal atomic absorption spectrometric determination of lead in biological and environmental samples  
X. P. Yan, F. Adams, *J. Anal. At. Spectrom.*, **12**, 459 (1997).
4184. Determination of selenium in geochemical samples by flow injection hydride generation inductively coupled plasma atomic emission spectrometry following on-line removal of iron interference by anion exchange  
L. D. Martinez, E. Saidman, E. Marchevsky, R. Olsina, *J. Anal. At. Spectrom.*, **12**, 487 (1997).
4185. Automated on-line preconcentration for trace metals determination in water samples by inductively coupled plasma mass spectrometry

- A. P. Packer, M. F. Gine, C. E. S. Miranda, B. F. Dosreis, *J. Anal. At. Spectrom.*, **12**, 563 (1997).
4186. Determination of cadmium by flow injection isotope dilution inductively coupled plasma mass spectrometry with vapour generation sample introduction  
T. J. Hwang, S. J. Jiang, *J. Anal. At. Spectrom.*, **12**, 579 (1997).
4187. Investigations into the role of modifiers for entrapment of hydrides in flow injection hydride generation electrothermal atomic absorption spectrometry as exemplified by the determination of germanium  
B. Hilligsoe, J. E. T. Andersen, E. H. Hansen, *J. Anal. At. Spectrom.*, **12**, 585 (1997).
4188. Continuous hydride generation system for the determination of trace amounts of bismuth in metallurgical materials by atomic absorption spectrometry using an on-line stripping-type generator/gas liquid separator  
S. Cadore, N. Baccan, *J. Anal. At. Spectrom.*, **12**, 637 (1997).
4189. Flow injection for automation in atomic spectrometry - invited lecture  
J. L. Burguera, M. Burguera, *J. Anal. At. Spectrom.*, **12**, 643 (1997).
4190. On-line removal of anions for plant analysis by inductively coupled plasma mass spectrometry  
A. A. Menegario, M. F. Gine, *J. Anal. At. Spectrom.*, **12**, 671 (1997).
4191. Automated on-line preconcentration system for electrothermal atomic absorption spectrometry for the determination of copper and molybdenum in sea-water  
Y. H. Sung, Z. S. Liu, S. D. Huang, *J. Anal. At. Spectrom.*, **12**, 841 (1997).
4192. Flow injection on-line sorption separation and preconcentration with a knotted reaction for electrothermal atomic absorption spectrometric determination of lead in biological and environmental samples (VOL 12, PG 459, 1997)  
X. P. Yan, F. Adams, *J. Anal. At. Spectrom.*, **12**, 867 (1997).
4193. Determination of trace and ultratrace elements in human serum with a double focusing magnetic sector inductively coupled plasma mass spectrometer  
J. Riondato, F. Vanhaecke, L. Moens, R. Dams, *J. Anal. At. Spectrom.*, **12**, 933 (1997).
4194. Inductively coupled plasma mass spectrometry for direct multi-element analysis of diluted human blood and serum  
E. Barany, I. A. Bergdahl, A. Schutz, S. Skerfving, A. Oskarsson, *J. Anal. At. Spectrom.*, **12**, 1005 (1997).
4195. On-line dilution for ICP-MS with a flow injection recirculating loop manifold  
J. F. Tyson, H. H. Ge, E. R. Denoyer, *J. Anal. At. Spectrom.*, **12**, 1163 (1997).
4196. Direct determination of mercury in sediments by atomic absorption spectrometry  
C. E. C. Magalhaes, F. J. Krug, A. H. Fostier, H. Berndt, *J. Anal. At. Spectrom.*, **12**, 1231 (1997).
4197. Flow injection microwave-assisted dissolution of silicate rocks for magnesium determination by flame atomic absorption spectrometry  
M. D. Dealmeida, K. C. Leandro, C. V. Dacosta, R. E. Santelli, M. Delaguardia, *J. Anal. At. Spectrom.*, **12**, 1235 (1997).
4198. Flow injection systems for determining iron(III) and iodide with the use of catalytic reactions  
I. M. Fitsev, A. V. Zolotukhin, N. A. Ermoleava, V. F. Toropova, A. R. Garifzvanov, G. K. Budnikov, *J. Anal. Chem.*, **52**, 514 (1997).
4199. Determination of zinc by flow injection potentiometry with preconcentration  
I. A. Gurev, L. F. Zyuzina, Y. I. Rusyaeva, *J. Anal. Chem.*, **52**, 518 (1997).
4200. Voltammetric study of carbon composite electrodes with chemically immobilized thiocrown compounds in gold(III) and palladium(II) flowing solutions  
L. K. Shpigun, N. E. Kopytova, *J. Anal. Chem.*, **52**, 891 (1997).
4201. Determination of glucose in nonalcoholic beverages by a biosensor coupled with microdialysis fiber samplers  
D. Centonze, C. G. Zambonin, F. Palmisano, *Journal of AOAC International*, **80**, 829 (1997).
4202. New universal quartz burner for decomposition of samples by the wickbold combustion technique in determination of arsenic, antimony, selenium, mercury, and lead

- D. Erber, K. Cammann, J. Roth, *Journal of AOAC International*, **80**, 1084 (1997).
4203. Flow injection analysis of iron in rain water with thiocyanate and surfactant  
A. N. Tripathi, S. Chikhalikar, K. S. Patel, *J. Autom. Chem.*, **19**, 45 (1997).
4204. Single standard calibration and data processing in flow injection titration based on concentration gradients  
M. C. U. Araujo, A. V. Santos, R. S. Honorato, *J. Autom. Chem.*, **19**, 157 (1997).
4205. Flow-injection chemiluminescent determination of glycerol-3-phosphate and glycerophosphorylcholine using immobilized enzymes  
M. Yaqoob, A. Nabi, M. Masoomyaszai, *Journal of Bioluminescence & Chemiluminescence*, **12**, 1 (1997).
4206. Studies on antigen-antibody interactions by flow injection chemiluminescent sensor  
A. P. Osipov, N. V. Zaitseva, A. M. Egorov, *Journal of Bioluminescence & Chemiluminescence*, **12**, 37 (1997).
4207. Bioaffinity layering. A novel strategy for the immobilization of quantities of glycoenzymes  
M. Farooqi, M. Saleemuddin, R. Ulber, P. Sosnizza, T. Scheper, *Journal of Biotechnology*, **55**, 171 (1997).
4208. Stability and stabilization of enzymes from mesophilic and thermophilic organisms in respect to their use in FIA-systems for the determination of L-lactate and acetate  
C. Lehn, H. L. Schmidt, *Journal of Chemical Technology & Biotechnology*, **69**, 161 (1997).
4209. Optimization of post-column chemiluminescent detection for low-molecular-mass conjugates of acridinium esters  
J. G. Rollag, T. Liu, D. S. Hage, *J. Chromatogr.*, **765**, 145 (1997).
4210. Simultaneous amperometric and potentiometric detection of sugars, polyols and carboxylic acids in flow systems using copper wire electrodes  
Z. L. Chen, D. B. Hibbert, *J. Chromatogr.*, **766**, 27 (1997).
4211. Determination of chlorine and bromine in rocks by alkaline fusion with ion chromatography detection  
P. A. Blackwell, M. R. Cave, A. E. Davis, *J. Chromatogr.*, **770**, 93 (1997).
4212. Electroinjection analysis - concept, mathematical model and applications  
V. P. Andreev, N. B. Ilyina, E. V. Lebedeva, A. G. Kamenev, N. S. Popov, *J. Chromatogr.*, **772**, 115 (1997).
4213. Analysis of polar organic pollutants in the Elbe river by flow injection analysis and high-performance liquid chromatography with tandem mass spectrometry  
H. F. Schroder, *J. Chromatogr.*, **777**, 127 (1997).
4214. Automated determination of levodopa and carbidopa in plasma by high-performance liquid chromatography electrochemical detection using an on-line flow injection analysis sample pretreatment unit  
A. Tolokan, I. Klebovich, K. Baloghnes, G. Horvai, *J. Chromatogr. B*, **698**, 201 (1997)
4215. Direct immunosensing using differential electrochemical measurements of impedimetric variations  
H. Maupas, A. P. Soldatkin, C. Martelet, N. Jaffrezicrenault, B. Mandrand, *Journal of Electroanalytical Chemistry*, **421**, 165 (1997).
4216. Electrolyst for non-enzymatic oxidation of glucose in neutral saline solutions  
W. Gorski, R. T. Kennedy, *Journal of Electroanalytical Chemistry*, **424**, 43 (1997).
4217. Ruthenium catalyst for amperometric determination of insulin at physiological pH  
W. Gorski, C. A. Aspinwall, J. R. T. Lakey, R. T. Kennedy, *Journal of Electroanalytical Chemistry*, **425**, 191 (1997).
4218. On-line generation methods of highly reactive reagents and their application to flow analyses  
H. Tanaka, *J. Flow Injection Anal.*, **14**, 3 (1997).
4219. A solid-phase reactor as the catalyst source in a flow-injection assembly. Spectrophotometric determination of thioridazine  
J. L. L. Paz, J. V. G. Mátteo, J. M. Calatayud, *J. Flow Injection Anal.*, **14**, 15 (1997).
4220. Flow injection determination of ultratrace molybdenum in natural fresh and tap water samples by catalytic

spectrophotometry

S. Kawakubo, R. Fukasawa, M. Iwatsuki, *J. Flow Injection Anal.*, **14**, 25 (1997).

4221. Fluorometric flow injection determination of magnesium using 8-hydroxyquinoline-5-sulfonic acid  
J. B. Salimon, F. Morishita, M. Oyama, S. Okazaki, *J. Flow Injection Anal.*, **14**, 39 (1997).
4222. r-FI method for successive determination of nitrite and nitrate in water with glass-tube separator and gas-phase chemiluminescent detector  
T. Aoki, N. Kado, Y. Nakaoka, H. Mukai, *J. Flow Injection Anal.*, **14**, 47 (1997).
4223. Sequential injection systems equipped with a jet-ring cell  
S. Nakano, *J. Flow Injection Anal.*, **14**, 57 (1997).
4224. Liposomes and immunoassays  
H. A. H. Rongen, A. Bult, W. P. Vanbennekorn, *Journal of Immunological Methods*, **204**, 105 (1997).
4225. Stopless separation of proteins by frit-inlet asymmetrical flow field-flow fractionation  
M. H. Moon, H. Kwon, I. Park, *Journal of Liquid Chromatography & Related Technologies*, **20**, 2803 (1997).
4226. Preparation and thermal decomposition of hexa-ammonium tetraphosphate dihydrate  
(NH<sub>4</sub>)<sub>6</sub>P<sub>4</sub>O<sub>13</sub>-center-dot-2H<sub>2</sub>O  
A. Takenaka, Y. Fukuma, A. Yasuda, I. Motooka, H. Nariai, *Journal of Materials Science*, **32**, 3049 (1997).
4227. Continuous surface enhanced raman spectroscopy for the detection of trace organic pollutants in aqueous systems  
N. Weissenbacher, B. Lendl, J. Frank, H. D. Wanzenböck, B. Mizaikoff, R. Kellner, *Journal of Molecular Structure*, **410**, 539 (1997).
4228. Flow injection amperometric determination of L-dopa, epinephrine or dopamine in pharmaceutical preparations  
E. M. Garrido, J. L. F. C. Lima, C. Deleruematos, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 845 (1997).
4229. Flow injection analysis for measurement of activity of matrix metalloproteinase-7 (MMP-7)  
M. Itoh, M. Osaki, T. Chiba, K. Masuda, T. Akizawa, M. Yoshioka, M. Seiki, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 1417 (1997).
4230. Determination of acid values of fats and oils by flow injection analysis with electrochemical detection  
T. Fuse, F. Kusu, K. Takamura, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 1515 (1997).
4231. Spectrophotometric methods for the determination of cephadrine or ceftazidime in human urine using batch and flow-injection procedures  
V. Rodenas, M. S. Garcia, C. Sanchezpedreno, M. I. Albero, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 1687 (1997).
4232. Flow-injection biampometric determination of epinephrine  
J. V. G. Mateo, A. Kojlo, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 1821 (1997).
4233. Potentiometric flow injection determination of serum bromide in patients with epilepsy  
T. Katsu, Y. Mori, N. Matsuka, Y. Gomita, *Journal of Pharmaceutical & Biomedical Analysis*, **15**, 1829 (1997).
4234. Further studies on model radioactive wastewaters by reverse radiometric flow injection analysis  
U. Myint, K. K. Saw, N. M. Kham, J. Tolgyessy, *Journal of Radioanalytical & Nuclear Chemistry*, **220**, 255 (1997).
4235. Conductometric flow-injection glucose biosensing system with an immobilized glucose-oxidase mini-reactor  
R. L. C. Chen, B. W. Chang, H. C. Chang, *Journal of the Chinese Chemical Society*, **44**, 423 (1997).
4236. Characterization of iron-containing clay modified electrodes and their applications for the detection of hydrogen peroxide and ascorbic acid  
S. C. Shyu, C. M. Wang, *Journal of the Electrochemical Society*, **144**, 3419 (1997).
4237. An automatic method of on-line FIA cation-exchange pretreating and anion-exchange separating for

- simultaneous determination of silica and phosphate in biological materials  
Y. S. Li, *Laboratory Robotics & Automation*, **9**, 55 (1997).
4238. A novel assay for determination of sulfated bile acids in urine by use of flow-injection chemiluminescence principle with immobilized enzymes  
X. F. Gao, K. Ikebukuro, I. Karube, Y. S. Li, *Laboratory Robotics & Automation*, **9**, 69 (1997).
4239. Automation of immunochemical analysis - a prototype instrument to determine diuron or atrazine in water  
P. M. Kramer, *Laboratory Robotics & Automation*, **9**, 81 (1997).
4240. In situ flow-injection monitoring of ammonia in landfill leachate  
M. J. Bloxham, M. H. Depledge, P. J. Worsfold, *Laboratory Robotics & Automation*, **9**, 175 (1997).
4241. Flow injection on-line sorption preconcentration in a knotted reactor for electrothermal atomic absorption spectrometric determination of ultratrace amounts of cobalt in natural waters  
X. P. Yan, W. Vanmol, F. Adams, *Laboratory Robotics & Automation*, **9**, 191 (1997).
4242. Potentiometric flow-injection analysis of alkali and alkaline metals with a tungsten oxide coated nafion film sensor  
Z. L. Chen, P. W. Alexander, *Laboratory Robotics & Automation*, **9**, 201 (1997).
4243. Flow-through polarographic cell for flow-injection analysis - determination of nifedipine in pharmaceutical formulations  
P. Richter, M. I. Toral, G. Quiroz, P. Jaque, *Laboratory Robotics & Automation*, **9**, 255 (1997).
4244. Simultaneous determination of hydrochlorothiazine and spironolactone in pharmaceutical preparations using batch and dynamic systems  
E. Martin, O. Hernandez, J. J. Arias, A. I. Jimenez, *Microchem. J.*, **56**, 207 (1997).
4245. Investigation of stable coatings for in situ trapping of Se and Te in flow-injection hydride generation and graphite furnace atomic absorption spectrometry for automated determination  
Y. P. Liao, H. O. Haug, *Microchem. J.*, **56**, 247 (1997).
4246. Flow-injection spectrophotometric determination of hydrazine  
A. A. Ensafi, B. Naderi, *Microchem. J.*, **56**, 269 (1997).
4247. Boron determination - A review of analytical methods  
R. N. Sah, P. H. Brown, *Microchem. J.*, **56**, 285 (1997).
4248. Membrane sensors for batch and flow injection potentiometric determination of ethamsylate(cyclonamine) in pharmaceutical preparations  
S. S. M. Hassan, R. M. Elbahnasawy, N. M. Rizk, *Mikrochim. Acta*, **126**, 217 (1997).
4249. Flow injection analysis for the determination of thiabendazole and fuberidazole in water by spectrofluorimetry  
L. F. Garcia, J. J. Aaron, *Mikrochim. Acta*, **126**, 289 (1997).
4250. Tris (2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence in analytical science  
W. Y. Lee, *Mikrochim. Acta*, **127**, 19 (1997).
4251. Evaluation of high-pressure microwave digestion methods for hydride generation atomic absorption spectrometric determination of total selenium and arsenic in sediment  
C. Y. Zhou, M. K. Wong, L. L. Koh, Y. C. Wee, *Mikrochim. Acta*, **127**, 77 (1997).
4252. PVC membrane electrodes for potentiometric determination of tripeleppamine  
E. M. Elnemma, *Mikrochim. Acta*, **127**, 259 (1997).
4253. Experiments on the enzymatic on-line determination of diacetyl and 2-acetolactate in beer  
I. Ogbomo, T. Becker, W. Hummel, J. Danzer, H. L. Schmidt, *Monatsschrift fur Brauwissenschaft*, **50**, 108 (1997).
4254. Adsorption-desorption studies of pyridine at hanging mercury drop electrode  
H. Sawamoto, *Nippon Kagaku Kaishi*, **1997**, 294.
4255. Thermal isomerization of the neurotoxin  $\beta$ -N-oxalyl-L- $\alpha$ , $\beta$ -diaminopropionic acid  
A. Belay, G. Moges, T. Solomon, G. Johansson, *Phytochemistry*, **45**, 219 (1997).

4256. A critical comparison of different solid supports to develop room-temperature phosphorescence sensing phases of air moisture  
J. M. Costafernandez, M. E. Diazgarcia, A. Sanzmedel, *Sensors & Actuators B-Chemical*, **38**, 103 (1997).
4257. Optical chemo-and biosensors for use in clinical applications  
C. Muller, B. Hitzmann, F. Schubert, T. Scheper, *Sensors & Actuators B-Chemical*, **40**, 71 (1997).
4258. New developments in thermospray sample introduction for atomic spectrometry  
T. S. Conner, J. F. Yang, J. A. Koropchak, *Spectrochimica Acta Part B-Atomic Spectroscopy*, **52**, 1087 (1997).
4259. Flow injection for the determination of Se(IV) and Se(VI) by hydride generation atomic absorption spectrometry with microwave oven on-line pre-reduction of Se(VI) to Se(IV)  
J. L. Burguera, P. Carrero, M. Burguera, C. Rondon, M. R. Brunetto, M. Gallignani, *Spectrochimica Acta Part B-Atomic Spectroscopy*, **52**, 1231 (1997).
4260. Flow injection spectrophotometric determination of cyanide by the phenolphthalin method  
A. T. Hajhusein, *Talanta*, **44**, 545 (1997).
4261. Preconcentration and atomic absorption determination of iron by sequential injection analysis  
E. Rubi, M. S. Jimenez, F. B. Demirabo, R. Forteza, V. Cerda, *Talanta*, **44**, 553 (1997).
4262. Second-order data by flow injection analysis with spectrophotometric diode-array detection and incorporated gel-filtration chromatographic column  
I. E. Bechmann, *Talanta*, **44**, 585 (1997).
4263. Application of sequential injection analysis to anodic stripping voltammetry  
A. Ivaska, W. W. Kubiak, *Talanta*, **44**, 713 (1997).
4264. Catalytic flow-injection determination of copper at nanogram levels by using color formation of N-phenyl-P-phenylenediamine with M-phenylenediamine in the presence of pyridine and ammonia as activators  
S. Nakano, K. Nakaso, K. Noguchi, T. Kawashima, *Talanta*, **44**, 765 (1997).
4265. Flow injection determination of Pb and Cd traces with graphite furnace atomic absorption spectrometry  
M. Colognesi, O. Abollino, M. Aceto, C. Sarzanini, E. Mentasti, *Talanta*, **44**, 867 (1997).
4266. An automatic back titration method for microchemical analysis  
A. M. Tan, C. L. Xiao, *Talanta*, **44**, 967 (1997).
4267. Flow injection analysis of sulphite by gas-phase molecular absorption UV/VIS spectrophotometry  
A. Safavi, B. Haghghi, *Talanta*, **44**, 1009 (1997).
4268. Equilibrium and kinetic properties of a fast iminodiacetate based chelating ion exchanger and its incorporation in a FIA-ICP-AES system  
P. Hashemi, A. Olin, *Talanta*, **44**, 1037 (1997).
4269. Micellar enhanced cyanide ion determination in samples from synthetic organic processes  
J. O. Egekeze, T. M. Dowling, N. Grinberg, H. J. Perpall, G. R. Bicker, *Talanta*, **44**, 1203 (1997).
4270. The effect of pulsed amperometric detection on penicillin G concentration profiles in a flowing-stream environment  
M. W. Lehmann, M. R. Fahr, L. E. Welch, *Talanta*, **44**, 1231 (1997).
4271. Silver(I)-selective membrane electrodes based on sulfur-containing podands  
S. Chung, W. Kim, S. B. Park, D. Y. Kim, S. S. Lee, *Talanta*, **44**, 1291 (1997).
4272. Validation of the determination of copper and zinc in blood plasma and urine by ICP MS with cross flow and direct injection nebulization  
J. Szpunar, J. Bettmer, M. Robert, H. Chassaigne, K. Cammann, R. Lobinski, O. F. X. Donard, *Talanta*, **44**, 1389 (1997).
4273. A photo-cured coated-wire calcium ion selective electrode for use in flow injection potentiometry  
P. W. Alexander, T. Dimitrakopoulos, D. B. Hibbert, *Talanta*, **44**, 1397 (1997).
4274. Amberlite XAD resin solid-phase extraction coupled on-line to a flow injection approach for the rapid

- enrichment and determination of phenols in water and waste waters  
W. L. Song, Z. L. Zhi, L. S. Wang, *Talanta*, **44**, 1423 (1997).
4275. Spectrophotometric determination of iron with ferrozine by flow-injection analysis  
M. I. Pascualreguera, I. Ortegacarmona, A. Molinadiaz, *Talanta*, **44**, 1793 (1997).
4276. Investigation and comparison of the electrochemical behavior of some organic and biological molecules at various conducting polymer electrodes  
G. Erdogdu, A. E. Karagozler, *Talanta*, **44**, 2011 (1997).
4277. Rapid automated in-situ monitoring of total dissolved iron and total dissolved manganese in underground water by reverse-flow injection with chemiluminescence detection during the process of water treatment  
Y. X. Zhou, G. Y. Zhu, *Talanta*, **44**, 2041 (1997).
4278. Determination of ammonium in kjeldahl digests by gas-diffusion flow-injection analysis with a bulk acoustic wave-impedance sensor  
X. L. Su, L. H. Nie, S. Z. Yao, *Talanta*, **44**, 2121 (1997).
4279. Monitoring of dairy cows for metabolic imbalances during high lactation by means of milk  
G. Dirksen, C. Hagerthoen, M. Alexanderkatz, A. Berger, *Tierarztliche Umschau*, **52**, 476 (1997).
4280. Identification of a new diarrhoeic toxin in shellfish using liquid chromatography with fluorimetric and mass spectrometric detection  
K. J. James, E. P. Carmody, M. Gillman, S. S. Kelly, R. Draisci, L. Lucentini, L. Giannetti, *Toxicon*, **35**, 973 (1997).
4281. Determination of inorganic species by thermal lens spectrometry  
Y. Martinbiosca, M. C. Garciaalvarezcoque, G. Ramisramos, *TRAC-Trends in Analytical Chemistry*, **16**, 342 (1997).
4282. Wastewater quality monitoring  
O. Thomas, F. Theraulaz, V. Cerda, D. Constant, P. Quevauviller, *TRAC-Trends in Analytical Chemistry*, **16**, 419 (1997).
4283. Fluorometric determination of low concentrations of H<sub>2</sub>O<sub>2</sub> in water-comparison with two other methods and application to environmental samples and drinking-water treatment  
R. Schick, I. Strasser, H. H. Stabel, *Water Research*, **31**, 1371 (1997).
4284. Photocatalytic degradation of aromatic chlorinated compounds using TiO<sub>2</sub>-toxicity of intermediates  
W. F. Jardim, S. G. Moraes, M. M. K. Takiyama, *Water Research*, **31**, 1728 (1997).
4285. Biochemical process for the removal of uranium from acid mine drainages  
M. G. Roig, T. Manzano, M. Diaz, *Water Research*, **31**, 2073 (1997).
4286. Evaluation of a number of methods for the determination of trace amounts of phosphates with flow injection analysis (FIA)  
J. F. Vanstaden, J. Vandermerwe, *Water SA*, **23**, 169 (1997).