

FIA Bibliography(30)

Norio TESHIMA, Aichi Institute of Technology
Tadao SAKAI, Aichi Institute of Technology

FIA-related papers and monographs which appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

4525. FIA Bibliography(29)
N. Teshima, T. Sakai, *J. Flow Injection Anal.*, **15**, 96 (1998).
4526. Hyphenation of sequential- and flow injection analysis with FTIR-spectroscopy for chemical analysis in aqueous solutions
B. Lendl, R. Schindler, R. Kellner, *AIP Conf. Proc.*, **430**, 403 (1998).
4527. Supersensitive analytical detection by voltammetry
P. E. Sturrock, G. E. Barringer, *Am. Lab.*, **30**, 21 (1998).
4528. Construction and evaluation of a crystalline silver double-membrane tubular potentiometric detector for flow injection analysis. Application to chloride determination in wine
C. M. C. M. Couto, J. L. F. C. Lima, M. C. B. S. M. Montenegro, *Analisis*, **26**, 182 (1998).
4529. Liquid-liquid extraction in flow injection analysis using an open-phase separator for the spectrophotometric determination of copper in plant digests
T. Blanco, N. Maniasso, M. F. Gine, A. O. Jacintho, *Analyst*, **123**, 191 (1998).
4530. Multi-insertion of small controlled volumes of solutions in a flow assembly for determination of nitrate (photoreduction) and nitrite with proflavin sulfate
J. M. Calatayud, J. V. G. Mateo, V. David, *Analyst*, **123**, 429 (1998).
4531. Trace analysis of benzalkonium chloride on skin by flow injection ion spray mass spectrometry-mass spectrometry
S. Kawakami, *Analyst*, **123**, 489 (1998).
4532. Online sample pre-treatment systems interfaced to electrothermal atomic absorption spectrometry
J. L. Burguera, M. Burguera, *Analyst*, **123**, 561 (1998).
4533. Optimization of a bipotentiometric flow injection analysis system for simultaneous determination of calcium and chloride ions in natural waters
L. M. B. C. Alvares-Ribeiro, A. A. S. C. Machado, *Analyst*, **123**, 653 (1998).
4534. Sequential determination of titratable acidity and tartaric acid in wines by flow injection spectrophotometry
A. O. S. S. Rangel, I. V. Toth, *Analyst*, **123**, 661 (1998).
4535. Application of flow injection analysis adsorption-elution protocols for aluminum fractionation
K. J. Powell, *Analyst*, **123**, 797 (1998).
4536. Stability of bromate species immobilized on microcolumns of activated alumina
A. R. Elwaer, C. W. McLeod, K. C. Thompson, *Analyst*, **123**, 981 (1998).
4537. Flow injection determination of free and total cholesterol in animal greases using enzymes in non-aqueous media
G. Pineiro-Avila, *Analyst*, **123**, 999 (1998).
4538. Speciation analysis of Cr(III)-Cr(VI) using flow injection analysis with fluorometric detection
E. K. Paleologos, *Analyst*, **123**, 1005 (1998).
4539. Flow injection spectrophotometric determination of acetylsalicylic acid in tablets after online microwave-assisted alkaline hydrolysis
A. V. Pereira, C. Aniceto, O. Fatibello-Filho, *Analyst*, **123**, 1011 (1998).
4540. Flow injection online photochemical reaction coupled to spectrofluorometry for the determination of thiamine

- in pharmaceuticals and serum
H. Chen, X. Cao, Q. Fang, J. Zhu, *Analyst*, **123**, 1017 (1998).
4541. Online microwave slurry sample digestion using flow systems for the spectrophotometric determination of iron in seafood
E. R. Pereira Fo, J. J. R. Rohwedder, M. A. Z. Arruda, *Analyst*, **123**, 1023 (1998).
4542. Oxidative chemiluminescence assay of 2,4-dinitrophenylhydrazine
A. Townshend, *Analyst*, **123**, 1041 (1998).
4543. Surface enhanced Raman spectroscopy as a molecular specific detection system in aqueous flow-through systems
W. eisenbacher, J. Frank, H. D. Wanzelbock, *Analyst*, **123**, 1057 (1998).
4544. Characterization of apple cider cultivars by chemometric techniques using data from high-performance liquid chromatography and flow-injection analysis
D. Blanco-Gomis, I. Herrero-Saacute;nchez, J. J. M. Alonso, *Analyst*, **123**, 1187 (1998).
4545. Determination of total mercury in biological tissues by flow injection cold vapor generation atomic absorption spectrometry following tetramethylammonium hydroxide digestion
G. Tao, S. N. Willie, *Analyst*, **123**, 1215 (1998).
4546. Evaluation of the determination of mercury at the trace and ultra-trace levels in the presence of high concentrations of NaCl by flow injection-cold vapor atomic absorption spectrometry using SnCl₂ and NaBH₄ as reductants
O. Haase, M. Klare, J. A. CBroekaert, K. Krenzel-Rothensee, *Analyst*, **123**, 1219 (1998).
4547. Rational design and preliminary analytical evaluation of two novel oxamide reagents for aqueous peroxyoxalate chemiluminescence
N. W. Barnett, *Analyst*, **123**, 1239 (1998).
4548. 3,3',5,5'-Tetramethylbenzidine as electrochemical substrate for horseradish peroxidase based enzyme immunoassays. A comparative study
G. Volpe, R. Draisci, G. Palleschi, D. Compagnone, *Analyst*, **123**, 1303 (1998).
4549. Development of a biparametric bioanalyzer for creatinine and urea. Validation of the determination of biochemical parameters associated with hemodialysis
M. Jurkiewicz, S. Alegret, J. Almirall, M. Garcia, E. Fabregas, *Analyst*, **123**, 1321 (1998).
4550. Novel polypyrrole based all-solid-state potassium-selective microelectrodes
R. E. Gyurcsanyi, A. S. Nyback, A. Ivaska, K. Toth, G. Nagy, *Analyst*, **123**, 1339 (1998).
4551. Electrooxidation of thiocyanate on copper-modified gold electrode and its amperometric determination by ion chromatography, I. G. Casella, *Analyst*, **123**, 1359 (1998).
4552. Determination of total and free sulfur dioxide in wine by pervaporation-flow injection
E. Mataix, M. D. L. de Castro, *Analyst*, **123**, 1547 (1998).
4553. Determination of selenium species in seawater by flow injection hydride generation in situ trapping followed by electrothermal atomic absorption spectrometry
J. Y. Cabon, W. Erlen, *Analyst*, **123**, 1565 (1998).
4554. Spectrofluorometric determination of paraquat by manual and flow injection methods
T. Perez-Ruiz, C. Martinez-Lozano, V. Tomas, J. Fenoll, *Analyst*, **123**, 1577 (1998).
4555. Bioligand interaction assay by flow injection absorptiometry using a renewable biosensor system enhanced by spectral resolution
J. Ruzicka, *Analyst*, **123**, 1617 (1998).
4556. Flow injection potentiometric determination of phosphate in waste waters and fertilizers using a cobalt wire ion-selective electrode
R. D. Marco, B. Pejčić, Z. Chen, *Analyst*, **123**, 1635 (1998).
4557. Solid-phase reactors as high stability reagent sources in flow analysis: selective flow injection

- spectrophotometric determination of cysteine in pharmaceutical formulations
M. C. Icardo, L. L. Zamora, J. M. Calatayud, *Analyst*, **123**, 1685 (1998).
4558. Flow injection determination of anionic surfactants with cationic dyes in water bodies of central India
● R. Patel, K. S. Patel, *Analyst*, **123**, 1691 (1998).
4559. Effect of high salt concentrations on the determination of arsenic and selenium by flow injection hydride generation electrothermal atomic absorption spectrometry
● R. I. Ellis, N. G. Sundin, J. F. Tyson, S. A. McIntosh, C. P. Hanna, G. Carnrick, *Analyst*, **123**, 1697 (1998).
4560. Highly sensitive flow detection of uric acid based on an intermediate regeneration of uricase
● Y. Hasebe, S. Ujita, *Analyst*, **123**, 1775 (1998).
4561. Flow injection spectrophotometric determination of hydrogen peroxide using a crude extract of zucchini (*Cucurbita pepo*) as a source of peroxidase
● I. C. Vieira, *Analyst*, **123**, 1809 (1998).
4562. Vapor phase Fourier transform infrared spectrometric determination of carbonate in sediments
● A. Perez-Ponce, S. Garrigues, *Analyst*, **123**, 1817 (1998).
4563. Determination of galactose and galactocerebroside using a galactose oxidase column and electrochemical detector
● P. W. Stoecker, P. Manowitz, R. Harvey, A. M. Yacynych, *Anal. Biochem.*, **258**, 103 (1998).
4564. An electrochemical enzyme immunoassay for chicken luteinizing hormone: extension of the detection limit by adequate control of the nonspecific adsorption
● Y. Qu, L. R. Berghman, F. Vandesande, *Anal. Biochem.*, **259**, 167 (1998).
4565. Ultraviolet and absorption light spectrometry
● J. A. Howell, R. E. Sutton, *Anal. Chem.*, **70**, 107R (1998).
4566. Determination of Dissolved Metal Species by Electrospray Ionization Mass Spectrometry
● A. R. S. Ross, M. G. Ikonou, J. A. J. Thompson, K. J. Orians, *Anal. Chem.*, **70**, 2225 (1998).
4567. Flow Injection Monitoring of Aflatoxin M1 in Milk and Milk Preparations Using Filter-Supported Bilayer Lipid Membranes
● V. G. Andreou, D. P. Nikolelis, *Anal. Chem.*, **70**, 2366 (1998).
4568. Immunomagnetic Separation with Mediated Flow Injection Analysis Amperometric Detection of Viable *Escherichia coli* O157
● F. G. Perez, M. Mascini, I. E. Tothill, A. P. F. Turner, *Anal. Chem.*, **70**, 2380 (1998).
4569. Bioelectrochemical Monitoring of Phenols and Aromatic Amines in Flow Injection Using Novel Plant Peroxidases
● F. D. Munteanu, A. Lindgren, J. Emneus, L. Gorton, T. Ruzgas, E. Csoregi, A. Ciucu, R. B. van Huystee, I. G. Gazaryan, L. M. Lagrimini, *Anal. Chem.*, **70**, 2596 (1998).
4570. Laser desorption-membrane introduction mass spectrometry
● M. H. Soni, J. H. Callahan, S. W. McElvany, *Anal. Chem.*, **70**, 3103 (1998).
4571. High-Throughput Flow Injection Analysis Mass Spectroscopy with Networked Delivery of Color-Rendered Results. 2. Three-Dimensional Spectral Mapping of 96-Well Combinatorial Chemistry Racks
● E. Goerlach, R. Richmond, I. Lewis, *Anal. Chem.*, **70**, 3227 (1998).
4572. Simultaneous Online Characterization of Small Organic Molecules Derived from Combinatorial Libraries for Identity, Quantity, and Purity by Reversed-Phase HPLC with Chemiluminescent Nitrogen, UV, and Mass Spectrometric Detection
● E. W. Taylor, M. G. Qian, G. D. Dollinger, *Anal. Chem.*, **70**, 3339 (1998).
4573. Measurement of Diffusive Flux of Ammonia from Water
● G. Zhang, T. Uehara, P. Dasgupta, A. Clarke, W. Winiwarter, *Anal. Chem.*, **70**, 3656 (1998).
4574. Investigation and Optimization of On-Column Redox Reactions in the Sorbent Extraction Separation of Americium and Plutonium Using Flow Injection Analysis

- J. W. Grate, O. B. Egorov, *Anal. Chem.*, **70**, 3920 (1998).
4575. An Amperometric Urea Biosensor Based on a Polyaniline-Perfluorosulfonated Ionomer Composite Electrode
W. Cho, H. Huang, *Anal. Chem.*, **70**, 3946 (1998).
4576. Optimization and characterization of a flow injection electrochemical system for pentachlorophenol assay
K. B. Male, C. Saby, J. H. T. Luong, *Anal. Chem.*, **70**, 4134 (1998).
4577. Flow-injection chemiluminometric determination of some phenothiazines in dosage forms and biological fluids
F. A. Aly, N. A. Alarfaj, A. A. Slwarthan, *Anal. Chim. Acta*, **358**, 255 (1998).
4578. Electrochemical biosensors for biogenic amines: a comparison between different approaches
S. Tombelli, M. Mascini, *Anal. Chim. Acta*, **358**, 277 (1998).
4579. Determination of trans-resveratrol and other polyphenols in wines by a continuous flow sample clean-up system followed by a capillary electrophoresis separation
L. Arce, M. Teresa Tena, A. Rios, M. Valcarcel, *Anal. Chim. Acta*, **359**, 27 (1998).
4580. Continuous-flow determination of natural and synthetic antioxidants in foods by gas chromatography
M. Gonzalez, E. Ballesteros, M. Gallego, M. Valcarcel, *Anal. Chim. Acta*, **359**, 47 (1998).
4581. Evaluation of the adsorptive immobilization of horseradish peroxidase on PTFE tubing in flow systems for hydrogen peroxide determination using fluorescence detection
Y. Li, A. Townshend, *Anal. Chim. Acta*, **359**, 149 (1998).
4582. Modeling and optimization studies for a sequential flow based bio-analytical system
S. Parab, B. J. Van Wie, I. Byrnes, E. J. Robles, B. Weyrauch, T. O. Tiffany, *Anal. Chim. Acta*, **359**, 157 (1998).
4583. Determination of monochloroacetic acid using a flow injection system featuring a flow through ion-selective electrode and an ion-exchange column for the minimization of interference by chloride
C. Puig-Lleixa, J. Bartroli, M. del Valle, D. Montllo, A. Tomico, *Anal. Chim. Acta*, **359**, 311 (1998).
4584. Kinetic and thermodynamic considerations in the determination of aluminum using pyrocatechol violet implications for the use of 'kinetic-based' determinations of metal ions in natural systems
S. L. Simpson, K. J. Powell, N. H. S. Nilsson, S. Sjoberg, *Anal. Chim. Acta*, **359**, 329 (1998).
4585. Sol-gel immobilized room-temperature phosphorescent metal-chelate as luminescent oxygen sensing material
J. M. Costa-Fernandez, M. E. Diaz-Garcia, A. Sanz-Medel, *Anal. Chim. Acta*, **360**, 17 (1998).
4586. Solvent extraction of arsenic from acid medium using zinc hexamethylenedithiocarbamate as an extractant
A. R. K. Dapaah, A. Ayame, *Anal. Chim. Acta*, **360**, 43 (1998).
4587. A transient enzymic inhibition as an efficient tool for the discriminating bioluminescent analysis of three adenylic nucleotides with a fiber-optic sensor based on a compartmentalized tri-enzymic sensing layer
P. E. Michel, S. M. Gautier-Sauvigne, L. J. Blum, *Anal. Chim. Acta*, **360**, 89 (1998).
4588. A submersible flow injection-based sensor for the determination of total oxidized nitrogen in coastal waters
A. R. J. David, T. McCormack, A. W. Morris, P. J. Worsfold, *Anal. Chim. Acta*, **361**, 63 (1998).
4589. Introduction of hydrogen peroxide as an oxidant in flow injection analysis: speciation of Cr(III) and Cr(VI)
J. E. T. Andersen, *Anal. Chim. Acta*, **361**, 125 (1998).
4590. Determination of sub-nanomolar levels of iron in seawater using flow injection with chemiluminescence detection
A. R. Bowie, E. P. Achterberg, R. F. C. Mantoura, P. J. Worsfold, *Anal. Chim. Acta*, **361**, 189 (1998).
4591. Online solvent recycling: a tool for the development of clean analytical chemistry in flow injection Fourier transform infrared spectrometry. Determination of ketoprofen
M. J. Sanchez-Dasi, S. Garrigues, M. L. Cervera, M. de la Guardia, *Anal. Chim. Acta*, **361**, 253 (1998).
4592. Strengths and limitations of immunoassays for effective and efficient use for pesticide analysis in water samples. A review
M.-C. Hennion, D. Barcelo, *Anal. Chim. Acta*, **362**, 3 (1998).
4593. Quartz crystal biosensor for detection of the African Swine Fever disease

- E. Utenthaler, C. Kosslinger, S. Drost, *Anal. Chim. Acta*, **362**, 91 (1998).
4594. Determination of 5-hydroxytryptamine (serotonin) and related indoles by flow injection analysis with acidic potassium permanganate chemiluminescence detection
N. W. Barnett, B. J. Hindson, S. W. Lewis, *Anal. Chim. Acta*, **362**, 131 (1998).
4595. Flow injection analysis of tannic acid with inhibited chemiluminescent detection
H. Cui, Q. Li, R. Meng, H. Zhao, C. He, *Anal. Chim. Acta*, **362**, 151 (1998).
4596. Non-aqueous flow-injection determination of atrazine by inhibition of immobilized tyrosinase
A. Hipolito-Moreno, M. E. Leon-Gonzalez, L. V. Perez-Arribas, L. M. Polo-Diez, *Anal. Chim. Acta*, **362**, 187 (1998).
4597. Flow injection discrimination of the chloride interference with Cu(II) electrode function of chalcogenide based solid-state copper ion-selective electrodes
M. T. Neshkova, A. A. Kirkova, R. W. Catrall, C. G. Gregorio, A. M. Bond, *Anal. Chim. Acta*, **362**, 221 (1998).
4598. Amperometric flow injection determination of putrescine and putrescine oxidase
S. A. M. Marzouk, C. X. Xu, B. R. Cosofret, R. P. Buck, S. S. M. Hassan, M. R. Neuman, R. H. Sprinkle, *Anal. Chim. Acta*, **363**, 57 (1998).
4599. Simultaneous calibration in flow-injection analysis using multiple-injection signals evaluated by partial least squares
K. Schongarth, B. Hitzmann, *Anal. Chim. Acta*, **363**, 183 (1998).
4600. Direct determination of phosphate in soil extracts by potentiometric flow injection using a cobalt wire electrode
Z. Chen, P. Grierson, M. A. Adams, *Anal. Chim. Acta*, **363**, 191 (1998).
4601. Flow injection conductimetric or spectrophotometric analysis for acidity in fruit juice
K. Grudpan, P. Sritharathikhun, J. Jakmunee, *Anal. Chim. Acta*, **363**, 199 (1998).
4602. Comparison of various peak evaluation techniques for limited and extended dynamic ranges in flow injection systems
R. Tryzell, B. Karlberg, *Anal. Chim. Acta*, **364**, 97 (1998).
4603. Determination of acetaminophen by flow injection with online chemical derivatization. Investigations using visible and FTIR spectrophotometry
M. L. Ramos, J. F. Tyson, D. J. Curran, *Anal. Chim. Acta*, **364**, 107 (1998).
4604. A thermistor as a sensor in gas phase flow injection analysis
S. Liu, M. Tubino, *Anal. Chim. Acta*, **366**, 5 (1998).
4605. Use of column with modified silica for interfering retention in a FIA spectrophotometric method for direct determination of vitamin C in medicine
J. C. B. Fernandes, G. O. Neto, L. T. Kubota, *Anal. Chim. Acta*, **366**, 11 (1998).
4606. Flow-injection analysis with potentiometric detection for the speciation of fluoride and calcium
M. Trojanowicz, P. W. Alexander, D. Brynn Hibbert, *Anal. Chim. Acta*, **366**, 23 (1998).
4607. Simultaneous determination of .alpha.-amylase and amyloglucosidase activities using flow injection analysis with Fourier transform infrared spectroscopic detection and partial least-squares data treatment
R. Schindler, B. Lendl, R. Kellner, *Anal. Chim. Acta*, **366**, 35 (1998).
4608. Automatic multicommutation flow system for wide range spectrophotometric calcium determination
F. R. P. Rocha, P. B. Martelli, R. M. Frizzarin, B. F. Reis, *Anal. Chim. Acta*, **366**, 45 (1998).
4609. Flow injection spectrophotometric determination of L-ascorbic acid in pharmaceutical formulations with online solid-phase reactor containing copper(II) phosphate
A. V. Pereira, O. Fatibello-Filho, *Anal. Chim. Acta*, **366**, 55 (1998).
4610. Microwave-assisted sample decomposition in flow analysis
M. Burguera, J. L. Burguera, *Anal. Chim. Acta*, **366**, 63 (1998).
4611. Flow-injection conductometric determination of acidity in industrial hydrated ethyl alcohol

- O. Fatibello-Filho, M. T. M. R. Borges, *Anal. Chim. Acta*, **366**, 81 (1998).
4612. Flow-injection spectrophotometric catalytic determination of manganese in plants exploiting the aerial oxidation of diphenylcarbazone
 ● N. Maniasso, E. A. G. Zagatto, *Anal. Chim. Acta*, **366**, 87 (1998).
4613. Acetylsalicylic acid determination in pharmaceutical samples by FIA-potentiometry using a salicylate-sensitive tubular electrode with an ethylene-vinyl acetate membrane
 ● L. Rover, Jr., C. A. B. Garcia, G. O. Neto, L. T. Kubota, F. Galembeck, *Anal. Chim. Acta*, **366**, 103 (1998).
4614. Flow injection spectrophotometric determination of total phenols using a crude extract of sweet potato root (*Ipomoea batatas* (L.) Lam.) as enzymic source
 ● I. da Cruz Vieira, O. Fatibello-Filho, *Anal. Chim. Acta*, **366**, 111 (1998).
4615. Determination of reducing sugars by flow injection gravimetry
 ● R. P. Sartini, C. C. Oliveira, E. A. G. Zagatto, F. H. Bergamin, *Anal. Chim. Acta*, **366**, 119 (1998).
4616. Simultaneous monitoring of glucose and L-lactic acid during a fermentation process in an aqueous two-phase system by online FIA with microdialysis sampling and dual biosensor detection
 ● R. W. Min, V. Rajendran, N. Larsson, L. Gorton, J. Planas, B. Hahn-Hagerdal, *Anal. Chim. Acta*, **366**, 127 (1998).
4617. Flow-injection determination of catechol with a new tyrosinase/DNA biosensor
 ● P. Dantoni, S. H. P. Serrano, A. M. O. Brett, I. G. R. Gutz, *Anal. Chim. Acta*, **366**, 137 (1998).
4618. Determination of chloride by flow injection spectrophotometry with membrane reagent introduction
 ● S. J. Chalk, J. F. Tyson, *Anal. Chim. Acta*, **366**, 147 (1998).
4619. Potentiometric flow injection determination of cadmium in waste waters including in-line ion-exchange separation/concentration
 ● C. M. C. M. Couto, J. L. F. C. Lima, M. C. B. Montenegro, M. S. B. F. Reis, E. A. G. Zagatto, *Anal. Chim. Acta*, **366**, 155 (1998).
4620. Selective flow-injection quantitation of ultra-trace amounts of Cr(VI) via online complexation and preconcentration with APDC followed by determination by electrothermal atomic absorption spectrometry
 ● S. Nielsen, E. H. Hansen, *Anal. Chim. Acta*, **366**, 163 (1998).
4621. Enzymic determination of L(+) lactic and L(-) malic acids in wines by flow-injection spectrophotometry
 ● J. L. F. C. Lima, T. I. M. S. Lopes, A. O. S. S. Rangel, *Anal. Chim. Acta*, **366**, 187 (1998).
4622. Online preconcentration system for lanthanum determination in urine using FI-ICP-AES
 ● O. Vicente, A. Masi, L. Martinez, R. Olsina, E. Marchevsky, *Anal. Chim. Acta*, **366**, 201 (1998).
4623. A multicommutated flow system with online compensation of the Schlieren effect applied to the spectrophotometric determination of pindolol
 ● R. A. S. Lapa, J. L. F. C. Lima, B. F. Reis, J. L. M. Santos, E. A. G. Zagatto, *Anal. Chim. Acta*, **366**, 209 (1998).
4624. Low-budget flow-injection device for teaching. A \$10 six-port valve
 ● O. Elsholz, *Anal. Chim. Acta*, **366**, 217 (1998).
4625. Flow-injection spectrophotometric determination of citric acid in beverages based on a photochemical reaction
 ● E. Luque-Perez, A. Rios, M. Valcarcel, *Anal. Chim. Acta*, **366**, 231 (1998).
4626. Flow-injection biamperometric determination of nitrate (by photoreduction) and nitrite with the NO_2^-/H^- reaction
 ● I. Gil Torro, J. V. Garcia Mateo, J. M. Calatayud, *Anal. Chim. Acta*, **366**, 241 (1998).
4627. Automated flow-injection system for extending the linear range
 ● L. F. Gouveia, J. L. F. Costa Lima, J. A. G. Morais, *Anal. Chim. Acta*, **366**, 271 (1998).
4628. Sequential determinations by confluent reagent introduction in the sample loop: system characteristics and applications
 ● A. F. Oliveira, O. Fatibello-Filho, M. C. T. Diniz, J. A. Nobrega, *Anal. Chim. Acta*, **366**, 281 (1998).
4629. Determination of V(V) by a kinetic stopped-flow FIA method with spectrophotometric detection

- M. Palomeque, A. G. Lista, B. S. F. Band, *Anal. Chim. Acta*, **366**, 287 (1998).
4630. Automatic determination of iron in geothermal fluids containing high dissolved sulfur-compounds using flow injection electrothermal atomic absorption spectrometry with an online microwave radiation precipitation-dissolution system
 J. L. Burguera, M. Burguera, C. E. Rondon, *Anal. Chim. Acta*, **366**, 295 (1998).
4631. Capillary flow injection. Performance under pressure
 D. M. Spence, S. R. Crouch, *Anal. Chim. Acta*, **366**, 305 (1998).
4632. Real-time simplex optimization of flow-injection systems for chemical analysis
 M. Fernanda. Gine, R. L. Tuon, A. A. Cesta, A. Paula. Packer, B. F. Reis, *Anal. Chim. Acta*, **366**, 313 (1998).
4633. Calibration procedure for flow injection flame atomic absorption spectrometry with interferents as spectrochemical buffers
 P. Koscielniak, *Anal. Chim. Acta*, **367**, 101 (1998).
4634. Use of a sequential injection technique to evaluate the effect of mixing chambers on zone penetration
 T. McCormack, J. F. van Staden, *Anal. Chim. Acta*, **367**, 111 (1998).
4635. Determination of ammonia in wastewaters containing high concentrations of surfactants by flow injection potentiometry with online sample clean-up
 H. Shen, T. J. Cardwell, R. W. Catrall, *Anal. Chim. Acta*, **367**, 193 (1998).
4636. Time-division multiplex technique for producing concentration profiles in flow analysis
 X. D. Wang, T. J. Cardwell, R. W. Catrall, R. P. Dyson, G. E. Jenkins, *Anal. Chim. Acta*, **368**, 105 (1998).
4637. Flow injection chemiluminescence determination of pyrogallol
 A. Safavi, M. R. Baezzat, *Anal. Chim. Acta*, **368**, 113 (1998).
4638. Potentiometric biosensor for control of biotechnological production of penicillin G
 E. Leszczynska, S. Glab, A. Sokol, K. Dziegielewski, R. Rokicka, R. Koncki, *Anal. Chim. Acta*, **368**, 205 (1998).
4639. Online separation and preconcentration of cadmium, lead and nickel in a fullerene (C₆₀) minicolumn coupled to flow injection tungsten coil atomic absorption spectrometry
 M. M. Silva, M. A. Z. Arruda, F. J. Krug, P. V. Oliveira, Z. F. Queiroz, M. Gallego, M. Valcarcel, *Anal. Chim. Acta*, **368**, 255 (1998).
4640. A time-based flow injection-cold vapor-atomic absorption spectrometry system with online microwave sample pre-treatment for the determination of inorganic and total mercury in urine
 M. Gallignani, H. Bahsas, M. R. Brunetto, M. Burguera, J. L. Burguera, Y. Petit de Pena, *Anal. Chim. Acta*, **369**, 57 (1998).
4641. Speciative determination of chromium(VI) and chromium(III) using flow-injection online preconcentration and flame atomic-absorption spectrometric detection
 T. Prasada Rao, S. Karthikeyan, B. Vijayalekshmy, C. S. P. Iyer, *Anal. Chim. Acta*, **369**, 69 (1998).
4642. Amperometric biosensor for uric acid based on uricase-immobilized silk fibroin membrane
 Y. Zhang, W. Shen, R. Gu, J. Zhu, R. Xue, *Anal. Chim. Acta*, **369**, 123 (1998).
4643. Potentiometric enzyme electrode in a flow injection system for the determination of urea in human serum samples
 I. Walcerz, S. Glab, R. Koncki, *Anal. Chim. Acta*, **369**, 129 (1998).
4644. Determination of sulfide in effluent streams using a solid-phase lead(II) chromate reactor incorporated into a flow-injection system
 J. F. van Staden, L. G. Kluever, *Anal. Chim. Acta*, **369**, 157 (1998).
4645. Sequential-injection spectrophotometric determination of amino acids using 2,4,6-trinitrobenzenesulfonic acid
 J. F. van Staden, T. McCormack, *Anal. Chim. Acta*, **369**, 163 (1998).

4646. Simultaneous determination of trace amounts of nickel, copper and mercury by liquid chromatography coupled with flow-injection online derivatization and preconcentration
 ● A. Ali, H. Shen, X. Yin, *Anal. Chim. Acta*, **369**, 215 (1998).
4647. Effect of mobile phase composition on the electrochemical cell conversion efficiency in electrochemistry/mass spectrometry
 ● M. Regino, C. Weston, A. Brajter-Toth, *Anal. Chim. Acta*, **369**, 253 (1998).
4648. A polyvalent flow injection system for multielemental spectrophotometric analysis of plant materials
 ● F. V. Silva, A. R. A. Nogueira, G. B. Souza, E. A. G. Zagatto, *Anal. Chim. Acta*, **370**, 39 (1998).
4649. Comparison of flow injection analytical biosystems based on open-tube and packed-bed enzyme reactors
 ● M. Jurkiewicz, S. Alegret, E. Fabregas, *Anal. Chim. Acta*, **370**, 47 (1998).
4650. Catalytic simultaneous spectrophotometric determination of nitrite and nitrate with a flow injection system
 ● Z. Zhi-Qi, G. Lou-Jun, Z. Han-Ying, L. Qian-Guang, *Anal. Chim. Acta*, **370**, 59 (1998).
4651. Coupling of flow injection wetting-film extraction without segmentation and phase separation to flame atomic absorption spectrometry for the determination of trace copper in water samples
 ● H. Chen, J. Liu, X. Mao, *Anal. Chim. Acta*, **370**, 151 (1998).
4652. Flow-injection potentiometric determination of free cadmium ions with a cadmium ion-selective electrode
 ● M. Trojanowicz, P. Alexander, H. D. Brynn, *Anal. Chim. Acta*, **370**, 267 (1998).
4653. Characterization and analytical use of a polypyrrole electrode containing anti-human serum albumin
 ● J. N. Barisci, D. Hughes, A. Minett, G. G. Wallace, *Anal. Chim. Acta*, **371**, 39 (1998).
4654. Sequential injection sandwich technique for the simultaneous determination of nitrate and nitrite
 ● A. Cerda, M. T. Oms, R. Forteza, V. Cerda, *Anal. Chim. Acta*, **371**, 63 (1998).
4655. Room temperature phosphorescence flow-through biosensing of anionic surfactants
 ● R. Badia, M. E. Diaz Garcia, *Anal. Chim. Acta*, **371**, 73 (1998).
4656. Chemiluminescence from fluorescent organic compounds induced by cobalt(II) catalyzed decomposition of peroxomonosulfate
 ● S. Tsukada, H. Miki, J. Lin, T. Suzuki, M. Yamada, *Anal. Chim. Acta*, **371**, 163 (1998).
4657. Flow injection chemiluminescent determination of trace amounts of hydrogen peroxide in snow water using $\text{KIO}_4\text{-K}_2\text{CO}_3$ system
 ● J. Lin, H. Arakawa, M. Yamada, *Anal. Chim. Acta*, **371**, 171 (1998).
4658. Shipboard determination of hydrogen peroxide in the western Mediterranean Sea using flow injection with chemiluminescence detection
 ● D. Price, R. Mantoura, C. Fauzi P. Worsfold, *Anal. Chim. Acta*, **371**, 205 (1998).
4659. Rapid determination of chemical oxygen demand by a semi-automated method based on microwave sample digestion, chromium(VI) organic solvent extraction and flame atomic absorption spectrometry
 ● A. Cuesta, J. Todoli, J. Mora, A. Canals, *Anal. Chim. Acta*, **372**, 399 (1998).
4660. Flow-injection spectrophotometric determination of amino acids by using 1,2-naphthoquinone-4-sulfonate immobilized on an ion exchange resin
 ● M. Vela, J. Saurina, S. Hernandez-Cassou, *Anal. Lett.*, **31**, 313 (1998).
4661. Flow injection analysis determination of ascorbic acid with spectrofluorometric detection
 ● A. A. Ensafi, B. Rezaei, *Anal. Lett.*, **31**, 333 (1998).
4662. A simple optical flow injection ammonia sensor
 ● B. Kuswandi, R. Narayanaswamy, *Anal. Lett.*, **31**, 395 (1998).
4663. Aza-arenophilic gels as supports for the reversible immobilization of enzymes-bioanalytical applications
 ● S. Jogie, D. Narinesingh, T. T. Ngo, *Anal. Lett.*, **31**, 543 (1998).
4664. Flow injection biamperometric determination of nitrite and nitrate
 ● A. F. Danet, V. David, *Anal. Lett.*, **31**, 751 (1998).
4665. Flow injection potentiometric determination of atrazine in herbicide formulations
 ●

- S. S. M. Hassan, M. N. Abbas, G. A. E. Moustafa, *Anal. Lett.*, **31**, 777 (1998).
4666. Flow injection fluorometric determination of cationic surfactants using 3,6-bis(dimethylamino)-10-dodecylacridinium bromide
 ● T. Masadome, *Anal. Lett.*, **31**, 1071 (1998).
4667. Spectrofluorimetric determination of iproniazid and isoniazid in a FIA system provided with a solid-phase reactor
 ● J. A. G. Bautista, J. V. G. Mateo, J. M. Calatayud, *Anal. Lett.*, **31**, 1209 (1998).
4668. Flow-injection spectrophotometric determination of oxalate, citrate and tartrate based on photochemical reactions
 ● T. Perez-Ruiz, C. Lozano, V. Tomas, A. Sanz, *Anal. Lett.*, **31**, 1413 (1998).
4669. Flow-injection determination of glucose by a photoinduced chemiluminescent reaction
 ● T. Perez-Ruiz, C. Martinez-Lozano, V. Tomas, A. Sanz, *Anal. Lett.*, **31**, 1837 (1998).
4670. Flow injection chemiluminescence determination of etamsylate with electrogenerated hypochlorite
 ● C. Zhang, J. Huang, M. Feng, Z. Zhang, *Anal. Lett.*, **31**, 1917 (1998).
4671. Dilution methods in flow injection analysis. Evaluation of different approaches as exemplified by the determination of nitrosyl in concentrated sulfuric acid
 ● U. V. Jorgensen, S. Nielsen, E. H. Hansen, *Anal. Lett.*, **31**, 2181 (1998).
4672. Chemiluminescence flow-injection system for rapid detection of red tide phytoplankton, *Chattonella antiqua*
 ● R. Asai, R. Matsukawa, K. Ikebukuro, I. Karube, *Anal. Lett.*, **31**, 2279 (1998).
4673. Chemiluminescence property of the luminol-hydrogen peroxide-copper(II) system in the presence of surface-carboxylated microspheres
 ● K. Tsukagoshi, M. Sumiyama, R. Nakajima, M. Nakayama, M. Maeda, *Anal. Sci.*, **14**, 409 (1998).
4674. Flow analysis of hydrogen peroxide with a dye-formation reaction catalyzed by an ion-exchange resin modified with Mn^{3+} -tetrakis(sulfophenyl)porphine
 ● M. Mifune, T. Mukuno, M. Tani, A. Iwado, J. Odo, N. Motohashi, Y. Saito, *Anal. Sci.*, **14**, 519 (1998).
4675. Comparison of a piezoelectric impedance sensor-based flow-injection system and a N,N,N',N' -tetrakis-2-hydroxyethyl ethylenediamine-coated quartz crystal microbalance for determination of CO_2 in wine and beer
 ● X. Su, H. Tan, W. Li, W. Wei, S. Yao, *Anal. Sci.*, **14**, 553 (1998).
4676. Flow injection spectrophotometric catalytic determination of iodine in milk
 ● A. R. De Araujo Nogueira, F. Mockiuti, G. De Souza, P. O. Batista, *Anal. Sci.*, **14**, 559 (1998).
4677. A flow injection system for spectrophotometric catalytic determination of copper in plant digests and natural waters
 ● F. C. Camargo, E. A. G. Zagatto, C. C. Oliveira, *Anal. Sci.*, **14**, 565 (1998).
4678. Multielement determination of ultratrace impurities in high purity tantalum metals by flow injection/inductively coupled plasma mass spectrometry
 ● S. Kozono, H. Sakamoto, R. Takashi, H. Haraguchi, *Anal. Sci.*, **14**, 757 (1998).
4679. Kinetic determination of uric acid in urine based on single-line flow-system with multi-site detection
 ● A. Araujo, J. M. Catita, J. L. F. C. Lima, *Anal. Sci.*, **14**, 809 (1998).
4680. A novel method for the online room-temperature hydrolysis of hydrophobic organic phosphates using a cooperative action of sodium dodecyl sulfate, acid and UV-irradiation
 ● Y. Ikeguchi, H. Nakamura, *Anal. Sci.*, **14**, 815 (1998).
4681. Flow injection analysis of C-fuel oil-contaminated samples based on the fluorescence detection of polycyclic aromatic hydrocarbons
 ● A. Utsumi, A. Nakashima, K. Ando, R. Kizu, K. Hayakawa, *Anal. Sci.*, **14**, 845 (1998).
4682. Online photo-oxidative decomposition of phosphorus compounds to orthophosphate and its application to flow injection spectrophotometric determinations of total phosphorus in river and waste waters
 ● K. Higuchi, H. Tamanouchi, S. Motomizu, *Anal. Sci.*, **14**, 941 (1998).
4683. Catalytic determination of cobalt by flow injection spectrophotometry application in animal feces analysis

- using hydrochloric acid as extracting medium
A. R. A.Nogueira, G. B. Souza, L. A. R.Batista, M. A. Z.Arruda, M. Miyazawa, *Anim. Feed Sci. Technol.*, **74**, 79 (1998).
- 4684. Determination of Cu, Ni, Zn, Mn, Co, Pb, Cd, and V in seawater using flow injection ICP-MS
● S. N. Willie, Y. Iida, J. W. McLaren, *At. Spectrosc.*, **19**, 67 (1998).
- 4685. Microwave oven digestion of power plant emissions and ICP-MS determination of trace elements
● M. Bettinelli, S. Spezia, U. Baroni, G. Bizzari, *At. Spectrosc.*, **19**, 73 (1998).
- 4686. Determination of mercury in urine by online digestion with a flow injection mercury system
● M. F. M. No, T. A. Hamid, Z. Ismail, *At. Spectrosc.*, **19**, 95 (1998).
- 4687. Direct electrochemistry of membrane-entrapped horseradish peroxidase. part II: amperometric detection of
● hydrogen peroxide
T. Ferri, A. Poscia, R. Santucci, *Bioelectrochem. Bioenerg.*, **45**, 221 (1998).
- 4688. Using porous glass in enzyme immobilization
● D. Janasek, U. Spohn, *Bioforum*, **21**, 108 (1998).
- 4689. Porous glass as carrier in enzyme immobilization for flow injection analysis
● D. Janasek, U. Spohn, *Bioforum Int.*, **2**, 38 (1998).
- 4690. Flow-injection analysis of hydrochlorothiazide applying sensitized chemiluminescence detection: optimization
● in view of narrow-bore HPLC
J. Ouyang, W. R. G. Baeyens, J. Delanghe, G. Van Der Weken, D. De Keukeleire, A. C. Calokerinos, *Biomed. Chromatogr.*, **12**, 162 (1998).
- 4691. Development of electrochemical immunosensing systems with renewable surfaces
● M. Santandreu, S. Sole, E. Fabregas, S. Alegret, *Biosens. Bioelectron.*, **13**, 7 (1998).
- 4692. Amperometric biosensor with a composite membrane of sol-gel derived enzyme film and electrochemically
● generated poly(1,2-diaminobenzene) film
T. Yao, K. Takashima, *Biosens. Bioelectron.*, **13**, 67 (1998).
- 4693. Electrosynthesized non-conducting polymers as permselective membranes in amperometric enzyme electrodes: a
● glucose biosensor based on a co-crosslinked glucose oxidase/overoxidized polypyrrole bilayer
A. Guerrieri, G. E. De Benedetto, F. Palmisano, P. G. Zambonin, *Biosens. Bioelectron.*, **13**, 103 (1998).
- 4694. Immunosensors: electrochemical sensing and other engineering approaches
● A. L. Ghindilis, P. Atanasov, M. Wilkins, E. Wilkins, *Biosens. Bioelectron.*, **13**, 113 (1998).
- 4695. Estimation of soluble L-lactate in dairy products using screen-printed sensors in a flow injection analyzer
● W. A. Collier, P. Lovejoy, A. L. Hart, *Biosens. Bioelectron.*, **13**, 219 (1998).
- 4696. Modular concept of a laboratory on a chip for chemical and biochemical analysis
● G. Blankenstein, U. D. Larsen, *Biosens., Bioelectron.*, **13**, 427 (1998).
- 4697. DNA optical sensor: a rapid method for the detection of DNA hybridization
● X. Chen, X. Zhang, Y. Chai, W. Hu, Z. Zhang, X. Zhang, A. E. G. Cass, *Biosens. Bioelectron.*, **13**, 451 (1998).
- 4698. A theoretical equation describing the time evolution of the concentration of a selected range of substrate
● molecular weights in depolymerization processes mediated by single-attack mechanism endo-enzymes
J. M. Sendra, J. V. Carbonell, *Biotechnol. Bioeng.*, **57**, 387 (1998).
- 4699. Development of a sucrose enzymic biosensor
● A. M. Salgado, R. O. M. Folly, B. Valdman, F. Valero, *Biotechnol. Tech.*, **12**, 305 (1998).
- 4700. Nonsegmented continuous flow system with polarographic detection for the determination of ranitidine in
● pharmaceutical formulations and urine
P. Jaque-Olmedo, M. I. Toral, P. Richter, *Bol. Soc. Chil. Quim.*, **43**, 045 (1998).
- 4701. Fluorometric determination of trace amounts of copper(II) using online adsorption preconcentration in Teflon
● capillary tubes

- K. Watanabe, K. Ohba, A. Iburaim, M. Itagaki, N. Koura, *Bunseki Kagaku*, **47**, 179 (1998).
4702. Fluorimetric flow injection analysis of the total amounts of low-molecular-weight aldehydes in rain water
 ● H. Nishikawa, H. Nagasawa, T. Sakai, *Bunseki Kagaku*, **47**, 225 (1998).
4703. Fluorometric determination of a trace amount of cerium based on the Teflon-tube online adsorption concentration
 ● A. Iburaim, M. Itagaki, K. Watanabe, *Bunseki Kagaku*, **47**, 273 (1998).
4704. Simultaneous determination of nitrate and nitrite ion by micro-flow injection analysis
 ● L. Ma, M. Oshima, S. Motomizu, T. Hattori, *Bunseki Kagaku*, **47**, 375 (1998).
4705. Development of the rotation mixing technology for approaching to plug-flow in a FIA reaction tube
 ● K. Hirakawa, M. Nishida, I. Yoshida, D. Ishii, *Bunseki Kagaku*, **47**, 411 (1998).
4706. Flow optical sensing for trace copper ion using a poly(vinyl chloride) membrane containing bathocuproine as a detection port
 ● K. Nara, T. Saito, *Bunseki Kagaku*, **47**, 497 (1998).
4707. Chemiluminescence of reducing agents based on the luminol reaction
 ● H. Kubo, M. Saitoh, Y. Mochii, A. Toriba, T. Nishikawa, T. Inomata, Y. Yoshimura, H. Nakazawa, *Bunseki Kagaku*, **47**, 599 (1998).
4708. Analysis of river water by ICP-MS with online preconcentration using flow injection
 ● D. Beauchemin, A. A. Specht, *Can. J. Anal. Sci. Spectrosc.*, **43**, 43 (1998).
4709. Determination of aluminum in dialyzates and human serum by flow injection analysis and liquid chromatography with fluorimetric detection
 ● Z. Kokot, J. Pawlaczyk, *Chem. Anal. (Warsaw)*, **43**, 215 (1998).
4710. Bioelectrochemically accelerated microbial conversion of nicotinic acid to 6-hydroxynicotinic acid on microorganism-immobilized column electrolytic flow system
 ● M. Torimura, H. Yoshida, K. Kano, T. Ikeda, T. Nagasawa, T. Ueda, *Chem. Lett.* **1998**, 295.
4711. Design of a combined cell for the electrochemical generation of volatile compounds in atomic absorption spectrometric method
 ● J. Sima, P. Rychlovsky, *Chem. Listy*, **92**, 676 (1998).
4712. Multivariate statistical [using factor and discriminant] analyses of some selected chemical and physical freshness indicators of fish [*Scomberomorus brasiliensis* (carite)] muscle tissue samples
 ● D. A. Balladin, D. Narinesingh, V. A. Stoute, T. T. Ngo, *Chemom. Intell. Lab. Syst.*, **40**, 175 (1998).
4713. Comparison of hydride generator/gas-liquid phase separator systems for continuous hydride generation in atomic absorption spectrometry
 ● M. Krenzelok, P. Rychlovsky, *Collect. Czech. Chem. Commun.*, **63**, 164 (1998).
4714. Gas diffusion- flow injection determination of free and total sulfur dioxide in wines by conductometry
 ● P. Kuban, P. Janos, V. Kuban, *Collect. Czech. Chem. Commun.*, **63**, 770 (1998).
4715. Flow injection systems for elemental soil analysis determinations
 ● A. M. R. Ferreira, A. O. S. S. Rangel, J. L. F. C. Lima, *Commun. Soil Sci. Plant Anal.*, **29**, 327 (1998).
4716. Determination of organic peroxides on the surface of polymeric food contact material by chemiluminescence detection
 ● J. Kemme, B. Brauer, C. Wiezorek, *Dtsch. Lebensm.-Rundsch.*, **94**, 251 (1998).
4717. Fluorescence and chemiluminescence properties of newly developed lophine analogs
 ● K. Nakashima, Y. Fukuzaki, R. Nomura, R. Shimoda, Y. Nakamura, N. Kuroda, S. Akiyama, K. Irgum, *Dyes Pigm.*, **38**, 127 (1998).
4718. Microporous gold electrodes as combined biosensor/electrochemical detectors in flowing streams
 ● M. W. Jr. Ducey, M. E. Meyerhoff, *Electroanalysis*, **10**, 157 (1998).
4719. Pyranose oxidase-modified carbon paste electrodes for monosaccharide determination
 ● H. Liden, J. Volc, G. Marko-Varga, L. Gorton, *Electroanalysis*, **10**, 223 (1998).

4720. Electrostatically assembled films for improving the properties of tetra-ruthenated porphyrin-modified electrodes
 ● C. M. N. Azevedo, K. Araki, L. Angnes, H. E. Toma, *Electroanalysis*, **10**, 467 (1998).
4721. Use of Prussian blue/conducting polymer modified electrodes for the detection of cytochrome C
 ● W. Lu, G. G. Wallace, A. A. Karayakin, *Electroanalysis*, **10**, 472 (1998).
4722. Determination of codeine in human plasma and drug formulation using a chemically modified electrode
 ● J. Zen, M. Chang, H. Chung, Y. Shih, *Electroanalysis*, **10**, 536 (1998).
4723. Amperometric differential determination of ascorbic acid in beverages and vitamin C tablets using a flow cell containing an array of gold microelectrodes modified with palladium
 ● R. C. Matos, M. A. Augelli, J. J. Pedrotti, C. L. Lago, L. Angnes, *Electroanalysis*, **10**, 887 (1998).
4724. Selective determination of methylmercury by flow-injection fast-scan voltammetry
 ● R. Lai, E. L. Huang, F. Zhou, D. O. Wipf, *Electroanalysis*, **10**, 926 (1998).
4725. Pulsed electrochemical detection of H₂O₂ on gold electrode
 ● M. Gerlache, S. Girousi, G. Quarin, J. -M. Kauffmann, *Electrochim. Acta*, **43**, 3467 (1998).
4726. Flow injection amperometric detection of catechol using dual-band poly(3-methylthiophene) electrodes
 ● H. Zhang, A. Galal, J. Rubinson, I. Marawi, T. Ridgway, S. Lunsford, H. Zimmer, H. Mark, B. Harry, *Electrochim. Acta*, **43**, 3511 (1998).
4727. A poly(o-aminophenol) modified electrode as an amperometric hydrogen peroxide biosensor
 ● M. Garcia, P. Blanco, A. Ivaska, *Electrochim. Acta*, **43**, 3533 (1998).
4728. NADH amperometric sensor based on poly(3-methylthiophene)-coated cylindrical carbon fiber microelectrodes: application to the enzymic determination of L-lactate
 ● P. Jaraba, L. Agui, P. Yanez-Sedeno, J. M. Pingarron, *Electrochim. Acta*, **43**, 3555 (1998).
4729. Design and development of an amperometric biosensor for acetylcholine determination in brain microdialyzates
 ● N. Larsson, T. Ruzgas, L. Gorton, M. Kokaia, P. Kissinger, E. Csoregi, *Electrochim. Acta*, **43**, 3541 (1998).
4730. Oxidation Kinetics of Fe(II) in a Eutrophic Swiss Lake
 ● L. Emmenegger, D. W. King, L. Sigg, B. Sulzberger, *Environ. Sci. Technol.*, **32**, 2990 (1998).
4731. Determination of trace PAHs in water samples by synchronous fluorophotometry with flow injection and column preconcentration
 ● Y. Lin, Y. Zhang, D. Yuan, *Fenxi Ceshi Xuebao*, **17**, 66 (1998).
4732. Online dilution of highly concentrated FIA samples
 ● Z. Chen, D. Zhou, *Fenxi Ceshi Xuebao*, **17**, 73 (1998).
4733. Determination of lead by flow injection/coupled chemiluminescence reaction
 ● W. Li, Z. Wang, J. Li, Z. Zhang, X. Zhang, *Fenxi Huaxue*, **26**, 219 (1998).
4734. Determination of reserpine by flow-injection chemiluminescence analysis
 ● L. Li, M. Yang, M. Feng, J. Lu, *Fenxi Huaxue*, **26**, 307 (1998).
4735. Determination of free cyanide in mineral leachates by flow injection-spectrophotometry
 ● J. Wang, A. Lu, H. Wu, Y. He, *Fenxi Huaxue*, **26**, 314 (1998).
4736. Flow injection complexometric titration of zinc with Zn-nitilotriacetic acid metal-ligand buffer solution and 4-(2-thiazolazo)resorcin
 ● L. Bao, H. Chen, Z. Tang, J. Mo, *Fenxi Huaxue*, **26**, 388 (1998).
4737. Determination of trace anionic surfactants using online solvent extraction-flow injection fluorimetry
 ● J. Gao, Z. Zhang, Z. Zhu, *Fenxi Huaxue*, **26**, 568 (1998).
4738. Flow injection online preconcentration-graphite furnace atomic absorption spectrometry for the determination of cadmium, copper and nickel
 ● X. Su, H. Zhang, Q. Jin, M. Chen, M. Zou, D. Wang, *Fenxi Huaxue*, **26**, 715 (1998).
4739. Flow injection-spectrophotometric determination of microamounts of thiocyanate
 ● K. Wang, X. Chen, J. Huang, Z. Hu, *Fenxi Huaxue*, **26**, 836 (1998).
4740. Simultaneous spectrophotometric determination of lead and cadmium by flow injection-charge-coupled device

- diode array detection
 Y. Li, J. Yang, X. Zheng, Y. Ha, J. Hu, *Fenxi Huaxue*, **26**, 843 (1998).
4741. Chemiluminescence reaction between lucigenin and iron(II) by flow-injection analysis with micelle sensitization
 Z. Zhu, J. Lu, *Fenxi Huaxue*, **26**, 1007 (1998).
4742. Determination of trace arsenic with L-cysteine as preductant using flow injection-hydride generation-atomic absorption spectrometry
 G. Xu, X. Lu, X. Yin, *Fenxi Huaxue*, **26**, 1037 (1998).
4743. Flow injection-chemiluminescence determination of methotrexate
 Y. He, Y. Xue, M. Feng, J. Lu, *Fenxi Huaxue*, **26**, 1136 (1998).
4744. Flow injection analysis of the sum of trace level calcium and magnesium in water with CPA-I spectrophotometry
 Z. Li, W. Zhang, J. Ge, S. Ye, H. Ma, *Fenxi Kexue Xuebao*, **14**, 142 (1998).
4745. Flow injection stopped-flow kinetic method based on differential catalytic reaction for simultaneous determination of Fe and Mo
 J. Li, Y. Chen, *Fenxi Kexue Xuebao*, **14**, 148 (1998).
4746. Design and application of a versatile phase separator for flow injection liquid-liquid extraction. IV. Determination of rare earth elements by inductively-coupled plasma atomic emission spectrometry associated with flow injection-liquid-liquid extraction
 Z. Xu, S. Lin, *Fenxi Kexue Xuebao*, **14**, 240 (1998).
4747. Coupled flow injection and high performance capillary electrophoresis in the analysis of traditional Chinese medicine Cortex magnoliae officinalis
 Q. Shen, Z. Fang, *Fenxi Shiyanshi*, **17**, 1 (1998).
4748. Determination of Vitamin B6 by flow injection chemiluminescence method
 L. Li, M. Yang, M. Feng, J. Lu, *Fenxi Shiyanshi*, **17**, 5 (1998).
4749. Variance of flow injection analysis response curve and sample dispersion
 N. Wu, G. Wu, *Fenxi Shiyanshi*, **17**, 47 (1998).
4750. Simultaneous determination of aluminum and iron in copper-base alloy by flow injection-spectrophotometry
 X. Qu, J. Zhou, H. Yin, Y. Sun, *Fenix Shiyansh*, **17**, 53 (1998).
4751. Analysis of rocks and minerals
 S. Sun, L. Sun, *Fenxi Shiyanshi*, **17**, 97 (1998).
4752. An automatic determination of caffeine in soft drinks using flow injection system with amperometric detection
 J. L. F. C. Lima, C. Delerue-Matos, H. P. A. Nouws, M. C. V. F. Vaz, *Food Addit. Contam.*, **15**, 265 (1998).
4753. Automation of iron and copper determination in milks using FIA systems and colorimetric detection
 J. L. F. C. Lima, C. Delerue-Matos, M. C. V. F. Vaz, *Food Chem.*, **62**, 117 (1998).
4754. Effect of processing on the content of .beta.-N-oxalyl-.alpha.,.beta.-diaminopropionic acid (.beta.-ODAP) in grass pea (*Lathyrus sativus*) seeds and flour as determined by flow injection analysis
 G. Akalu, G. Johansson, B. M. Nair, *Food Chem.*, **62**, 233 (1998).
4755. FIA evaluation of nitrite and nitrate contents of liver pates
 O. Pinho, I. M. P. L. V. O. Ferreira, M. B. P. P. Oliveira, M. A. Ferreira, *Food Chem.*, **62**, 359 (1998).
4756. Automated immunochemical analysis of specific s-triazine and phenylurea herbicides in drinking water supplies
 P. M. Kramer, *Food Technol. Biotechnol.*, **36**, 111 (1998).
4757. Determination of N-acetyl-L-cysteine by flow-injection potentiometry
 N. Radic, J. Komljenovic, *Fresenius' J. Anal. Chem.*, **360**, 675 (1998).
4758. Study and application of a method for the determination of metallic elements by ICP-AES with preconcentration on an active carbon-silica gel microcolumn in a FI system

- H. N. Ji, Z. H. Liao, J. M. Sun, Z. C. Jiang, *Fresenius' J. Anal. Chem.*, **360**, 721 (1998).
4759. Flow injection online sorption preconcentration of platinum in a knotted reactor coupled with electrothermal atomic absorption spectrometry
E. Ivanova, F. Adams, *Fresenius' J. Anal. Chem.*, **361**, 445 (1998).
4760. Determination of Cr(III) in urine, blood serum, and hair using flow injection chemiluminescence analysis
R. Escobar, M. S. Garcia-Dominguez, A. Guiraum, F. F. De la Rosa, *Fresenius' J. Anal. Chem.*, **361**, 509 (1998).
4761. Mercury speciation by coupling cold vapor atomic absorption spectrometry with flow injection online preconcentration and liquid chromatographic separation
X. F. Yin, W. Frech, E. Hoffmann, C. Luedke, J. Skole, *Fresenius' J. Anal. Chem.*, **361**, 761 (1998).
4762. Coupling continuous flow systems to instruments based on discrete sample introduction
M. Valcarcel, M. Gallego, A. Rios, *Fresenius' J. Anal. Chem.*, **362**, 58 (1998).
4763. Flow injection microscopy as a tool for two-parameter monitoring of cellular responses
I. Lahdesmaki, J. Ruzicka, *Fresenius' J. Anal. Chem.*, **362**, 67 (1998).
4764. A rapid automated method for wine analysis based upon sequential injection (SI)-FTIR spectrometry
R. Schindler, R. Vonach, B. Lendi, R. Kellner, *Fresenius' J. Anal. Chem.*, **362**, 130 (1998).
4765. Flow injection chemiluminescence determination of medazepam
S. M. Sultan, A. M. Almuaibed, A. Townshend, *Fresenius' J. Anal. Chem.*, **362**, 167 (1998).
4766. Capillary batch injection analysis and capillary flow injection analysis with electrochemical detection. A comparative study of both methods
U. Backofen, F.-M. Matysik, W. Hoffmann, H.-J. Ache, *Fresenius' J. Anal. Chem.*, **362**, 189 (1998).
4767. Amperometric determination of hydrogen peroxide with a manganese dioxide film-modified screen printed carbon electrode
K. Schachl, H. Alemu, K. Kalcher, H. Moderegger, I. Svancara, K. Vytras, *Fresenius' J. Anal. Chem.*, **362**, 194 (1998).
4768. Flow injection analysis of fluoride in electroplating baths with potentiometric detection
R. Perez-Olmos, M. B. Etxebarria, J. L. F. C. Lima, M. C. B. S. M. Montenegro, *Fresenius' J. Anal. Chem.*, **362**, 230 (1998).
4769. Determination of total iron in groundwaters and multivitamin tablets using a solid-phase reactor with tiron immobilized on amberlite ion-exchange resin in a flow injection system
J. F. Van Staden, L. G. Kluever, *Fresenius' J. Anal. Chem.*, **362**, 319 (1998).
4770. Flow-injection spectrofluorimetric determination of ethylenethiourea
T. Perez-Ruiz, C. Martinez-Lozano, V. Tomas, A. Sanz, J. Martin, Jesus, *Fresenius' J. Anal. Chem.*, **362**, 399 (1998).
4771. Behavior of rare earth elements in seawater at the ocean margin: a study along the slopes of the Sagami and Nankai troughs near Japan
J. Zhang, Y. Nozaki, *Geochim. Cosmochim. Acta*, **62**, 1307 (1998).
4772. Microwave digestion-continual flow injection cold atom absorption in determination of trace Hg in traditional Chinese medicine
S. Wu, Y. Cai, *Guangpu Shiyanshi*, **15**, 46 (1998).
4773. Determination of calcium and magnesium in natural water by flow injection analysis-inductively coupled plasma-atomic emission spectrometry
Q. Gong, H. Mo, X. Zhang, N. Yi, *Guangpu Shiyanshi*, **15**, 86 (1998).
4774. SIRE-technology. Part I. Amperometric biosensor based on flow injection of the recognition element and differential measurements
D. Kriz, C. Berggren, A. Johansson, R. J. Ansell, *Instrum. Sci. Technol.*, **26**, 45 (1998).
4775. SIRE-technology. Part II. Glucose tolerance monitoring, after a peroral intake, employing small volume whole

- blood measurements with an amperometric biosensor
K. A. Johnson, D. Kriz, *Instrum. Sci. Technol.*, **26**, 59 (1998).
4776. Analyses of some practical samples by FI-MPT-AES
M. Zou, D. Wang, X. Zhao, F. Liang, M. Yuan, H. Zhang, Q. Jin, *Jilin Daxue Ziran Kexue Xuebao*, **1998**, 91.
4777. Automated online separation-preconcentration system for inductively coupled plasma atomic emission spectrometry and its application to mercury determination
P. C. Rudner, A. Garcia de Torres, J. M. Cano Pavon, E. Rodriguez Castellon, *J. Anal. At. Spectrom.*, **13**, 243 (1998).
4778. Determination of cadmium in aqueous media by flow injection cold vapor atomic absorption spectrometry. Application to natural water samples
M. L. Garrido, R. Munoz-Olivas, C. Camara, *J. Anal. At. Spectrom.*, **13**, 295 (1998).
4779. Determination of copper, cadmium, lead, bismuth and selenium(IV) in sea-water by electrothermal vaporization inductively coupled plasma mass spectrometry after online separation
D. Pozebon, V. L. Dressler, Curtius, J. Adilson, *J. Anal. At. Spectrom.*, **13**, 363 (1998).
4780. Recent advances in microwave plasma torch atomic emission spectrometry
Q. Jin, W. Yang, F. Liang, H. Zhang, A. Yu, Y. Cao, J. Zhou, B. Xu, *J. Anal. At. Spectrom.*, **13**, 377 (1998).
4781. Merging zones flow injection for the determination of ultratraces of bismuth by volatile species generation atomic absorption spectrometry using sodium tetraethylborate(III)
J. P. V. Mota, M. R. F. de la Campa, A. Sanz-medel, *J. Anal. At. Spectrom.*, **13**, 431 (1998).
4782. Ultratrace analysis of Antarctic snow and ice samples using high resolution inductively coupled plasma mass spectrometry
A. T. Townsend, R. Edwards, *J. Anal. At. Spectrom.*, **13**, 463 (1998).
4783. Evaluation of a microconcentric nebulizer-cyclonic spray chamber for flow injection simultaneous multielement inductively coupled plasma optical emission spectrometry
T. D. Hettipathirana, D. E. Davey, *J. Anal. At. Spectrom.*, **13**, 483 (1998).
4784. Determination of copper, manganese and nickel in biological samples and sea-water by flowinjection online sorption preconcentration in a knotted reactor coupled with electrothermal atomic absorption spectrometry
E. Ivanova, K. Benkhedda, F. Adams, *J. Anal. At. Spectrom.*, **13**, 527 (1998).
4785. Determination of copper, cadmium, manganese and lead in saline water with Flow injection and atom trapping atomic absorption spectrometry
L. A. Ellis, D. J. Roberts, *J. Anal. At. Spectrom.*, **13**, 631 (1998).
4786. Determination of selenium in solid samples by continuous subcritical water extraction, flow injection derivatization and atomic fluorescence detection
C. M. R. Varade, M. D. L. de Castro, *J. Anal. At. Spectrom.*, **13**, 787 (1998).
4787. Determination of technetium in sea-water using ion exchange and inductively coupled plasma mass spectrometry with ultrasonic nebulization
A. Eroglu, C. Mcleod, K. Leonard, D. Mccubbin, *J. Anal. At. Spectrom.*, **13**, 875 (1998).
4788. Spectrophotometric determination of morphine by flow-injection analysis
I. M. Fitsev, A. R. Garifzyanov, *J. Anal. Chem.*, **53**, 195 (1998).
4789. Selective flow-injection determination of hydrazine
M. I. Evgen'ev, S. Y. Garmonov, I. I. Evgen'eva, V. V. Ugrichich-Trebinskii, *J. Anal. Chem.*, **53**, 240 (1998).
4790. Selective flow-injection determination of amino compounds in mixtures
M. I. Evgen'ev, I. I. Evgen'eva, S. M. Goryunova, A. K. Vasyakina, *J. Anal. Chem.*, **53**, 381 (1998).
4791. Selective flow-injection determination of aniline and m-nitroaniline in mixtures containing isomeric

- nitroanilines and aniline
M. I. Evgen'ev, I. I. Evgen'eva, S. M. Goryunova, F. S. Levinson, *J. Anal. Chem.*, **53**, 480 (1998).
4792. Selective flow-injection determination of 1,1-dimethylhydrazine in mixtures
● M. I. Evgen'ev, I. I. Evgen'eva, S. M. Goryunova, S. Y. Garmonov, L. S. Gazizullina, *J. Anal. Chem.*, **53**, 571 (1998).
4793. Determination of several .alpha.-amino acids by flow injection and continuous-flow analysis with membrane extraction
● N. A. Fitseva, I. I. Stoikov, I. M. Fitsev, I. S. Antipin, A. I. Konovalov, *J. Anal. Chem.*, **53**, 641 (1998).⁵
4794. Sorption-atomic-fluorescence determination of gold in ores
● L. V. Bogacheva, I. A. Kovalev, G. I. Tsizin, Y. A. Zolotov, *J. Anal. Chem.*, **53**, 672 (1998).
4795. Flow-injection determination of titanium(IV) with sorption preconcentration
● A. V. Kalyamin, M. V. Grigor'eva, U. Dabo, N. V. Mal'kova, *J. Anal. Chem.*, **53**, 692 (1998).
4796. Sorption preconcentration and flow-injection determination of cadmium
● I. A. Gur'ev, N. V. Kuleshova, *J. Anal. Chem.*, **53**, 796 (1998).
4797. Fast screening for drugs of abuse by solid-phase extraction combined with flow-injection ionspray-tandem mass spectrometry
● W. Weinmann, M. Svoboda, *J. Anal. Toxicol.*, **22**, 319 (1998).
4798. Optimization of selenium determination in human milk and whole blood by flow injection hydride atomic absorption spectrometry
● A. Alegria, R. Barbera, R. Farre, E. Ferrer, M. J. Lagarda, M. A. Torres, *J. AOAC Int.*, **81**, 457 (1998).
4799. Merging zones standard addition technique for determination of copper in beer by flow injection atomic absorption spectrophotometry
● S. M. V. Fernandes, A. O. S. S. Rangel, *J. AOAC Int.*, **81**, 645 (1998).
4800. Immobilization of glucose oxidase and acetylcholinesterase onto modified polyamide sorbent
● T. Godjevargova, A. Dimov, D. Ivanova, *J. Appl. Polym. Sci.*, **68**, 323 (1998).
4801. Flow injection biosensor for the detection of anti-cholinesterases
● M. Chung, Y. Lee, H. Lee, *J. Biochem. Mol. Biol.*, **31**, 296 (1998).
4802. Inhibition of the system luminol-H₂O₂-Fe(CN)₆³⁻ chemiluminescence by the Mn(II) indirect determination of isoniazid in a pharmaceutical formulation
● A. G. Alapont, E. A. Gimenez, L. L. Zamora, J. M. Calatayud, *J. Biolumin. Chemilumin.*, **13**, 131 (1998).
4803. Single turnover mechanism of a trypsin-reactor with high enzyme concentration
● P. Fermi, R. Biffi, V. Conti, R. Ramoni, S. Grolli, P. Accornero, E. Bignetti, *J. Biotechnol.*, **60**, 81 (1998).
4804. Fast online data evaluation of flow-injection analysis signals based on parameter estimation by an extended Kalman filter
● X. Wu, K.-H. Bellgardt, *J. Biotechnol.*, **62**, 11 (1998).
4805. Automated protein assay using flow injection analysis
● C. A. C. Wolfe, M. R. Oates, D. S. Hage, *J. Chem. Educ.*, **75**, 1025 (1998).
4806. An experiment in the sampling of solids for chemical analysis
● R. D. Guy, L. Ramaley, P. D. Wentzell, *J. Chem. Educ.*, **75**, 1028 (1998).
4807. Least squares algorithms under unimodality and non-negativity constraints
● R. Bro, N. Sidiropoulos, *J. Chemom.*, **12**, 223 (1998).
4808. Development of a simple liquid chromatographic method with UV and mass spectrometric detection for the separation of substances related to amoxicillin sodium
● L. Valvo, E. Ciranni, R. Alimenti, S. Alimonti, R. Draisci, L. Giannetti, L. Lucentini, *J. Chromatogr. A*, **797**, 311 (1998).
4809. Isolation of a new okadaic acid analog from phytoplankton implicated in diarrhetic shellfish poisoning
● R. Draisci, L. Giannetti, L. Lucentini, C. Marchiafava, K. J. James, A. G. Bishop, B. M. Healy, S. S. Kelly, *J.*

- Chromatogr. A*, **798**, 137 (1998).
4810. Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection
 ● L. Arce, A. Rios, M. Valcarcel, *J. Chromatogr. A*, **803**, 249 (1998).
4811. Calibration principles for flow injection analysis-capillary electrophoresis systems with electrokinetic injection
 ● P. Kuban, K. Tennberg, R. Tryzell, B. Karlberg, *J. Chromatogr. A*, **808**, 219 (1998).
4812. Determination of nifedipine in human plasma by flow-injection tandem mass spectrometry
 ● J. Dankers, J. van den Elshout, G. Ahr, E. Brendel, C. van der Heiden, *J. Chromatogr. B*, **710**, 115 (1998).
4813. Development of a coupled-column liquid chromatographic-tandem mass spectrometric method for the direct determination of betamethasone in urine
 ● A. Poletini, G. Bouland, M. Montagna, *J. Chromatogr. B*, **713**, 339 (1998).
4814. Dispersion phenomena in solution. Details for establishment of analytical expressions of zone-circulating flow injection analysis
 ● Y. Narusawa, *J. Flow Injection Anal.*, **15**, 9 (1998).
4815. Flow injection methods for boron determination
 ● M. Zenki, *J. Flow Injection Anal.*, **15**, 17 (1998).
4816. Spectrophotometric flow injection analysis of superoxide dismutase
 ● H. Ukeda, S. Maeda, M. Sawamura, *J. Flow Injection Anal.*, **15**, 39 (1998).
4817. Use of hydrogen peroxide as analytical reagent in a continuous flow-assembly
 ● J. A. G. Bautista, J. V. G. Mateo, J. M. Catalyud, *J. Flow Injection Anal.*, **15**, 61 (1998).
4818. Effects of ethanol concentrations of the sample and carrier on the sample dispersion in flow injection analysis
 ● S. J. Liu, M. Tubino, *J. Flow Injection Anal.*, **15**, 67 (1998).
4819. Micro-flow injection analysis system
 ● L. Ma, K. Higuchi, M. Oshima, T. Hattori, S. Motomizu, *J. Flow Injection Anal.*, **15**, 81 (1998).
4820. Potentiometric biosensor for detection of L-malate and D-isocitrate employing CO₃²⁻-selective electrode and enzyme immobilization in flow injection analysis
 ● I. Kwun, M. Kim, *J. Food Sci. Nutr.*, **3**, 36 (1998).
4821. Detection of tertiary amines with chemiluminescent reaction using tris(2,2'-bipyridine)ruthenium(III) prepared by online photochemical oxidation
 ● S. Yamazaki, T. Shinozaki, T. Tanimura, *J. High Resolut. Chromatogr.*, **21**, 315 (1998).
4822. Development of a flow injection analysis method for the determination of acrylamide copolymers in brines
 ● K. C. Taylor, R. A. Burke, H. A. Nasr-El-Din, L. L. Schramm, *J. Pet. Sci. Eng.*, **21**, 129 (1998).
4823. Flow-injection determination of total ammonia and total carbon dioxide in blood based on gas-diffusion separation and with a bulk acoustic wave impedance sensor
 ● X. Su, B. Yu, H. Tan, X. Yang, L. Nie, Z. Yao, *J. Pharm. Biomed. Anal.*, **16**, 759 (1998).
4824. Flow-injection spectrophotometric determination of diclofenac sodium in pharmaceuticals and urine samples
 ● M. S. Garcia, M. I. Albero, C. Sanchez-Pedreno, J. Molina, *J. Pharm. Biomed. Anal.*, **17**, 267 (1998).
4825. Determination of tiopronin in pharmaceuticals using a chemiluminescent flow-injection method
 ● T. Perez-Ruiz, C. Martinez-Lozano, W. R. G. Baeyens, A. Sanz, M. T. San-Miguel, *J. Pharm. Biomed. Anal.*, **17**, 823 (1998).
4826. Spectrophotometric determination of uranium by flow injection analysis using U/TEVA.Spec chromatographic resin
 ● K. Grudpan, J. Jakmune, P. Sooksamiti, *J. Radioanal. Nucl. Chem.*, **229**, 179 (1998).
4827. Flow-injection in-valve solid-phase extraction spectrophotometric determination of uranium in geological samples
 ● K. Grudpan, J. Jakmune, P. Sooksamiti, *Lab. Rob. Autom.*, **10**, 25 (1998).
4828. Entrapment of FePO₄ in a polymeric matrix and their application to FIA-spectrophotometric determination of

- thioridazine and chlorpromazine in pharmaceutical formulations
M. C. Icardo, L. L. Zamora, J. M. Calatayud, *Lab. Rob. Autom.*, **10**, 33 (1998).
- 4829. Flow-injection determination of compounds containing sulfur by using potentiometric tubular sensor
● N. Radic, J. Komljenovic, *Lab. Rob. Autom.*, **10**, 143 (1998).
- 4830. A comparative study of available procedures for cobalt sample preparation and introduction into atomic spectroscopic instruments
● J. M. Mir, *Lab. Rob. Autom.*, **10**, 151 (1998).
- 4831. Distributed expert system for the monitoring and control of chemical processes
● M. Peris, A. Bonastre, R. Ors, *Lab. Rob. Autom.*, **10**, 163 (1998).
- 4832. L-DOPA does not facilitate nitric oxide production in the rat striatum and substantia nigra: in vivo microdialysis study
● K. Kashihara, K. Sakai, K. Marui, T. Shohmori, *Life Sci.*, **63**, PL59 (1998).
- 4833. FAAS determination of calcium and magnesium in Si-Al catalyst. Suppression of interferences by FIA technique
● Y. Zhang, *Lihua Jianyan, Huaxue Fence*, **34**, 28 (1998).
- 4834. Study on flow injection potentiometric titration - precipitation titration of lithium with fluoride
● D. Dan, J. Wu, *Lihua Jianyan, Huaxue Fence*, **34**, 58 (1998).
- 4835. Determination of dissolved vanadium in natural waters by flow injection analysis with colorimetric detection
● A. M. Shiller, L. Mao, J. Cramer, *Limnol. Oceanogr.*, **43**, 526 (1998).
- 4836. Sorption preconcentration and flame atomic absorption determination of Cr(VI) using hydraulic high-pressure sample introduction
● A. Gaspar, J. Posta, C. Sogor, *Magy. Kem. Foly.*, **104**, 153 (1998).
- 4837. The determination of dissolved zirconium and hafnium from seawater using isotope dilution inductively coupled plasma mass spectrometry
● B. A. McKelvey, K. J. Orians, *Mar. Chem.*, **60**, 245 (1998).
- 4838. Fluorimetric kinetic-FIA determination of Ag(I) based on its catalytic effect on the reduction reaction of safranin with iodide
● A. Safavi, M. R. Baezzat, *Microchem. J.*, **58**, 138 (1998).
- 4839. Online multielement preconcentration and inductively coupled plasma atomic emission spectrometric determination of transition metals using a flow injection hydraulic high-pressure nebulization-desolvation sample introduction system
● A. Gaspar, J. Posta, M. Braun, C. Sogor, *Microchem. J.*, **58**, 245 (1998).
- 4840. Graphite furnace atomic absorption spectrometry determination and online preconcentration of palladium
● A. Levai, A. Laszity, K. Zih-Perenyi, Zs. Horvath, *Microchem. J.*, **58**, 272 (1998).
- 4841. Soluble and particulate metals in the Adige River
● A. Bortoli, E. Dell'andrea, M. Gerotto, M. Marchiori, M. Palonta, A. Troncon., *Microchem. J.*, **59**, 19 (1998).
- 4842. Diagnostic potential of hair analysis as applied to the goldsmith sector
● S. Caroli, O. Senofonte, N. Violante, S. D'ilio, S. Caimi, F. Chiodo, A. Menditto, *Microchem. J.*, **59**, 32 (1998).
- 4843. Determination of trace elements in power plant emissions by inductively coupled plasma mass spectrometry: comparison with other spectrometric techniques
● M. Bettinelli, S. Spezia, U. Baroni, G. Bizzari, *Microchem. J.*, **59**, 203 (1998).
- 4844. Flame atomic absorption spectrometric determination of total chromium and Cr(VI) in cigaret ash and smoke using flow injection/hydraulic high-pressure sample introduction
● C. Sogor, A. Gaspar, J. Posta., *Microchem. J.*, **58**, 251 (1998).
- 4845. d 1-10 KMnO₄-octylphenyl polyglycol ether chemiluminescence system for flow injection analysis of uric acid

- in urine
Z. Li, M. Feng, J. Lu, *Microchem. J.*, **59**, 278 (1998).
- 4846. "Reagentless" flow injection determination of ammonia and urea using membrane separation and solid phase basification
● J. R. Akse, J. O. Thompson, R. L. Sauer, J. E. Atwater, *Microchem. J.*, **59**, 372 (1998).
- 4847. A novel flow-injection system for simultaneous determination of nitrate and nitrite based on the use of a zinc reductor and a bulk acoustic wave impedance detector
● X. Su, P. Chen, X. Qu, W. Wei, S. Yao, *Microchem. J.*, **59**, 341 (1998).
- 4848. Determination of trace amount of silver by atomic-absorption-spectrometry-coupled flow injection online coprecipitation preconcentration using DDTC-copper as coprecipitate carrier
● X. Mao, H. Chen, J. Liu, *Microchem. J.*, **59**, 383 (1998).
- 4849. Speciation of thallium by flow injection analysis with spectrofluorometric detection
● A. A. Ensafi, B. Rezaei, *Microchem. J.*, **60**, 75 (1998).
- 4850. Flow injection immunoassays. A review
● Y. Fintschenko, G. S. Wilson, *Mikrochim. Acta*, **129**, 7 (1998).
- 4851. Online monitoring of nitrite in fertilizer process streams, natural and wastewater effluents with sequential injection analysis
● J. F. Van Staden, T. A. Van der Merwe, *Mikrochim. Acta*, **129**, 33 (1998)
- 4852. Flow injection determination of diesters as ferric hydroxamate complexes
● P. A. Gallagher, T. J. Guianen, P. J. Pike, N. D. Danielson, *Mikrochim. Acta*, **130**, 81(1998).
- 4853. 2-(5-nitro-2-pyridylazo)-5-(N-propyl-N-sulfopropylamino)phenol as a new analytical reagent for flow-injection spectrophotometric determination of trace vanadium(V)
● T. Yamane, Y. Yamaguchi, *Mikrochim. Acta*, **130**, 111 (1998).
- 4854. Adsorption-desorption phenomena of sodium dodecyl sulfate and sodium dodecylbenzenesulfonate at a hanging mercury drop electrode
● H. Sawamoto, *Nippon Kagaku Kaishi*, **7**, 511 (1998).
- 4855. Flow injection analysis (FIA) methodology: its application in the dissolution testing of oral dosage forms
● J. L. L. Paz, J. M. Calatayud, *Pharm. Technol. Eur.*, **10**, 16 (1998).
- 4856. Flow-injection analysis of ambroxol in pharmaceutical tablets
● P. Benli, M. Tuncel, *Pharmazie*, **53**, 203 (1998).
- 4857. Flow injection analysis of coumarins in cell suspension cultures of *Angelica archangelica*
● T. Siatka, P. Solich, R. Kotyk, *Pharmazie*, **53**, 273 (1998).
- 4858. Flow-injection spectrophotometric determination of captopril using online solid phase extraction
● R. Karlicek, P. Solich, *Pharmazie*, **53**, 549 (1998).
- 4859. Flow injection analysis of phytic acid by a modified molybdenum blue method
● M. Kamaya, T. Furuki, N. Kunio, *Phytochem. Anal.*, **9**, 119 (1998).
- 4860. Application of biosensors with an electrolyte isolator semiconductor capacitor (EIS-CAP) transducer for process monitoring
● C. Menzel, T. Lerch, K. Schneider, R. Weidemann, C. Tollnick, G. Kretzmer, T. Scheper, K. Schugerl, *Process Biochem. (Oxford)*, **33**, 175 (1998).
- 4861. Vapor generation-FTIR direct determination of acetone and isopropanol in nitrocellulose paints
● E. Lopez-Anreus, S. Garrigues, M. De La Guardia, *Quim. Anal.*, **17**, 21 (1998).
- 4862. Electrochemical detector based on a gold band for flow systems
● R. I. Conchoso-Suarez, M. T. Fernandez-Abedul, A. Costa-Garcia, *Quim. Anal.*, **17**, 35 (1998).
- 4863. Pneumatic nebulizer as a dilution chamber in a flow-injection system for multielement analysis by ICP-MS
● J. A. G. Neto, J. B. B. Silva, R. R. Neto, A. Jose, A. Curtius, I. G. Souza, *Quim. Nova*, **21**, 405 (1998).
- 4864. An automated electro-osmotic sample introduction/separation interface for automated electro-osmotic flow

- flow-injection mass spectrometry, infusion mass spectrometry and capillary electrochromatography mass spectrometry
S. J. Lane, M. G. Tucker, *Rapid Commun. Mass Spectrom.*, **12**, 947 (1998).
- 4865. Structural alteration study of .alpha.-chloro-.alpha.-oximino-4-hydroxyacetophenone by particle beam liquid chromatography mass spectrometry
● S. K. Huang, *Rapid Commun. Mass Spectrom.*, **12**, 1031 (1998).
- 4866. A new ultra-high throughput method for characterizing combinatorial libraries incorporating a multiple probe autosampler coupled with flow injection mass spectrometry analysis
● T. Wang, L. Zeng, T. Strader, L. Burton, D. B. Kassel, *Rapid Commun. Mass Spectrom.*, **12**, 1123 (1998).
- 4867. FIA with chemiluminescence detection of mercury(II) ions by inhibition of alcohol oxidase
● A. F. Danet, M. Badea, A. Ciucu, S. Jipa, *Rev. Chim. (Bucharest)*, **49**, 25 (1998).
- 4868. Action of gaseous ammonia and water on neodymium diphthalocyanine
● P. N. Moskalev, A. L. Sibiley, *Russ. Chem. Bull.*, **47**, 1406 (1998).
- 4869. The effect of various polyelectrolytes on alcohol oxidase/horseradish peroxidase/ferrocene modified carbon paste electrodes
● N. Larsson, L. Gorton, *Sci. Pap. Univ. Pardubice, Ser. A*, **3**, 31 (1998).
- 4870. Determination of hydrogen peroxide with sensors based on heterogenous carbon materials modified with manganese dioxide
● K. Schachl, H. Alemu, K. Kalcher, J. Jezkova, Svancara, Ivan; Vytras, Karel, *Sci. Pap. Univ. Pardubice, Ser. A*, **3**, 41 (1998).
- 4871. Charge transfer across the interface between two immiscible electrolyte solutions and analytical applications
● H. Alemu, T. Solomon, B. Hundhammer, K. Kalcher, K. Schachl, *Sci. Pap. Univ. Pardubice, Ser. A*, **3**, 275 (1998).
- 4872. A lactoperoxidase-based flow injection amperometric biosensor for iodide detection
● D. Desmond, D. Compagnone, B. Lane, J. Alderman, J. D. Glennon, G. G. Guilbault, *Sens. Actuators, B*, **47**, 30 (1998).
- 4873. Study and application of tris(2,2'-bipyridine)ruthenium electrochemiluminescence in flow injection analysis and high performance liquid chromatography
● X. Chen, *Sepu*, **16**, 301 (1998).
- 4874. Flow injection chemiluminescence analysis of alkaloids
● J. Li, J. Lu, *Shaanxi Shifan Daxue Xuebao, Ziran Kexueban*, **26**, 60 (1998).
- 4875. Characterization of uricase-immobilized silk fibroin membrane and its application to biosensor for uric acid
● Y. Zhang, R. Gu, J. Zhu, P. Cao, *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, **25**, 275 (1998).
- 4876. Improving the Berthelot reaction for determining ammonium in soil extracts and water
● E. D. Rhine, G. K. Sims, R. L. Mulvaney, E. J. Pratt, *Soil Sci. Soc. Am. J.*, **62**, 473 (1998).
- 4877. Evaluation of the operational parameters affecting dispersion in sequential injection analysis
● J. F. Van Staden, A. Botha, , *S. Afr. J. Chem.*, **51**, 100 (1998).
- 4878. Speciation analysis: where is it going? An attempt at a forecast
● B. Welz, *Spectrochim. Acta, Part B*, **53**, 169 (1998).
- 4879. Pervaporation: a useful tool for speciation analysis
● M. D. L. de Castro, I. Papaefstathiou, *Spectrochim. Acta, part B*, **53**, 311 (1998).
- 4880. Determination of some rare earth elements in seawater by inductively coupled plasma mass spectrometry using flow injection preconcentration
● O. Vincente, A. Padro, L. Martinez, R. Olsina, E. Marchevsky, *Spectrochim. Acta, Part B*, **53**, 1281 (1998).
- 4881. A stop-flow sequential injection analysis using immobilized D-lactate dehydrogenase for online D-lactic acid monitoring during a fermentation process
● H.-C. Shu, *Spec. Publ. - R. Soc. Chem.*, **167**, 144 (1998).

4882. ByT-FAS (bypass trapped-flow analysis system)
 ● K. K. Stewart, S. W. Hillard, *Talanta*, **45**, 493 (1998).
4883. A bypass trapped-flow analysis system evaluation of enzyme kinetic parameters with a coupled enzyme assay and fluorescence detection
 ● S. W. Hillard, K. K. Stewart, *Talanta*, **45**, 507 (1998).
4884. Bypass trapped flow analysis system (ByT-FAS) used in application: quantitative chemiluminescent detection of whole intact *E. coli* cell genetic transcription levels via induction of luciferase with tetracycline
 ● S. W. Hillard, K. K. Stewart, *Talanta*, **45**, 513 (1998).
4885. Development of an amperometric biosensor based on acetylcholine esterase covalently bound to a new support material
 ● M. Khayyami, M. T. P. Pita, N. P. Garcia, G. Johansson, B. Danielsson, Per-Olof Larsson, *Talanta*, **45**, 557 (1998).
4886. Potentiometric flow injection determination of amylase activity by using hexacyanoferrate(III)-hexacyanoferrate(II) potential buffer
 ● H. Ohura, T. Imato, Y. Asano, S. Yamasaki, *Talanta*, **45**, 565 (1998).
4887. Determination of lead in blood by hydrodynamic voltammetry in a flow injection system with wall-jet detector
 ● S. Jaenicke, R. M. Sabarathinam, B. Fleet, H. Gunasingham, *Talanta*, **45**, 703 (1998).
4888. Flow injection spectrophotometric determination of boron in ceramic materials
 ● S. Sanchez-Ramos, M. J. Medina-Hernandez, S. Sagrado, *Talanta*, **45**, 835 (1998).
4889. Enzymic methods for the determination of α -glycerophosphate and α -glycerophosphate oxidase with an automated FIA system
 ● E. R. Kiranas, M. I. Karayannis, S. M. Tzouwara-Karayanni, *Talanta*, **45**, 1015 (1998).
4890. Indirect determination of cyclamate by an online continuous precipitation-dissolution flow system
 ● M. C. Yebra, P. Bermejo, *Talanta*, **45**, 1115 (1998).
4891. Catalytic kinetic simultaneous determination of iron, silver and manganese with the Kalman filter by using flow injection analysis stopped-flow spectrophotometry
 ● Ying-Zhi Ye, Hong-Yan Mao, Ya-Hua Chen, *Talanta*, **45**, 1123 (1998).
4892. Chemiluminescent determination of pyridoxine hydrochloride in pharmaceutical samples using flow injection
 ● A. A. Alwarthan, F. A. Aly, *Talanta*, **45**, 1131 (1998).
4893. Determination of arsenic(III) and arsenic(V) by electrothermal atomic absorption spectrometry after complexation and sorption on a C-18 bonded silica column
 ● D. Pozebon, V. L. Dressler, J. A. G. Neto, A. J. Curtius, *Talanta*, **45**, 1167 (1998).
4894. A sensitive flow-injection method for determination of trace amounts of nitrite
 ● M. F. Mousavi, A. Jabbari, S. Nouroozi, *Talanta*, **45**, 1247 (1998).
4895. Determination of the solubility product of $Ba(IO_3)_2$ by flow injection with amperometric detection
 ● B. M. Martins, M. Bertotti, *Talanta*, **46**, 149 (1998).
4896. Chemiluminescence (CL) emission generated during oxidation of pyrogallol and its application in analytical chemistry. I. Effect of oxidant compound
 ● N. P. Evmiridis, N. K. Thanasoulas, A. G. Vlessidis, *Talanta*, **46**, 179 (1998).
4897. Differential electrolytic potentiometry, a detector in flow injection analysis for precipitation reactions
 ● A. M. S. Abdennabi, M. E. Koken, *Talanta*, **46**, 639 (1998).
4898. Simultaneous determination of iron and zinc by pH gradient construction in a flow-injection system
 ● S. Zhao, X. Xia, G. Yu, B. Yang, *Talanta*, **46**, 845 (1998).
4899. Development of flow-injection liposome immunoanalysis (FILIA) for imazethapyr
 ● M. Lee, R. A. Durst, R. B. Wong, *Talanta*, **46**, 851 (1998).
4900. Chemometrical optimization FIA of perphenazine assay
 ● S. M. Sultan, A. D. Walmsley, *Talanta*, **46**, 897 (1998).

4901. Cerium(IV)-based chemiluminescence analysis of hydrochlorothiazide
 ● J. Ouyang, W. R. G. Baeyens, J. Delanghe, G. Van Der Weken, A. C. Calokerinos, *Talanta*, **46**, 961 (1998).
4902. Flow injection spectrophotometric determination of trace amounts of selenium
 ● M. F. Mousavi, A. R. Ghiasvand, A. R. Jahanshahi, *Talanta*, **46**, 1011 (1998).
4903. Selective determination of Ni(II) and Co(II) by flow injection analysis and adsorptive cathodic stripping voltammetry on a wall jet mercury film electrode
 ● A. Economou, P. R. Fielden, *Talanta*, **46**, 1137 (1998).
4904. Flow-injection spectrophotometric determination of calcium using murexide as a color agent
 ● K. Grudpan, J. Jakmune, Y. Vaneesom, S. Watanesk, U. A. Maung, P. Sooksamiti, *Talanta*, **46**, 1245 (1998).
4905. Flow injection analysis of potassium using an all-solid-state potassium-selective electrode as a detector
 ● S. Komaba, J. Arakawa, M. Seyama, T. Osaka, I. Satoh, S. Nakamura, *Talanta*, **46**, 1293 (1998).
4906. Flow injection analysis of disperse dyeing of acetate and polyester
 ● T. Van Delden, K. R. Beck, C. B. Smith, *Text. Chem. Color.*, **30**, 14 (1998).
4907. Chip reactor for microfluid calorimetry
 ● J. M. Kohler, M. Zieren, *Thermochim. Acta*, **310**, 25 (1998).
4908. Interfacing of flow injection pre-treatment systems with capillary electrophoresis
 ● P. Kuban, B. Karlberg, *TrAC, Trends Anal. Chem.*, **17**, 34 (1998).
4909. Strategies for the rapid characterization of metals and organic pollutants in solid wastes and contaminated soils by using mass spectrometry
 ● M. De la guardia, S. Garrigues, *TrAC, Trends Anal. Chem.*, **17**, 263 (1998).
4910. Segmental flow injection analysis, a hybrid technique of segmented continuous flow analysis and flow injection analysis
 ● Z.-I. Zhi, *TrAC, Trends Anal. Chem.*, **17**, 411 (1998).
4911. Determination of carbonates in waters by online vapor generation FTIR
 ● A. Perez-Ponce, S. Garrigues, M. de la Guardia, *Vib. Spectrosc.*, **16**, 61 (1998).
4912. Flow injection column preconcentration coupled with atomic absorption spectrometry for aluminum determination
 ● D. Yuan, I. L. Shuttler, *Xiamen Daxue Xuebao, Ziran Kexueban*, **37**, 80 (1998).
4913. Study on the continuous liquid-liquid extraction dispersion free FI online monitoring system
 ● R. Zhao, X. Zhang, X. Liu, Y. Wu, *Xibei Daxue Xuebao, Ziran Kexueban*, **28**, 126 (1998).
4914. Design and application of a micro-versatile phase separator for continuous liquid-liquid extraction. II. Analytical performance of flow injection solvent extraction spectrophotometry for the determination of iodide
 ● S. Lin, Q. Zheng, *Yankuang Ceshi*, **17**, 29 (1998).
4915. Study on chemiluminescence system of potassium permanganate-levodopa in assay of levodopa
 ● M. Yang, L. Li, M. Feng, J. Lu, *Yaowu Fenxi Zazhi*, **18**, 41 (1998).
4916. Flow injection determination of prednisone acetate
 ● Y. Liang, J. Li, Z. Zhang, X. Zhang, *Yaowu Fenxi Zazhi*, **18**, 168 (1998).
4917. Determination of uranium in organic phase by flow injection spectrophotometric analysis
 ● Y. Yu, *Youkuangye*, **17**, 48 (1998).
4918. Application of extraction by supported liquid membranes in FIA online separation
 ● Z. Cai, L. Zhang, B. Xia, *Youkuangye*, **17**, 127 (1998).