

## FIA Bibliography (37)

Hiroyuki UKEDA, Kochi University

FIA-related papers and monographs which appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

6481. FIA Bibliography (36)  
Ukeda, H.; Teshima, N.  
*J. Flow Injection Anal.*, **18**, 174-181 (2001).
6482. Determination of halogenated hydrocarbons by flow injection ozone chemiluminescence  
Mihalatos, A. M.; Calokerinos, A. C.  
*Anal. Chim. Acta*, **451**, 189-194 (2002).
6483. Flow-injection chemiluminescence determination of epinephrine in pharmaceutical preparations using raw apple juice as enzyme source  
Michalowski, J.; Halaburda, P.  
*Talanta*, **55**, 1165-1171 (2001).
6484. Determination of lead and mercury in sea water by preconcentration in a flow injection system followed by atomic absorption spectrometry detection  
Bravo-Sanchez, L. R.; San Vicente de la Riva, B.; Costa-Fernandez, J. M.; Pereiro, R.; Sanz-Medel, A.  
*Talanta*, **55**, 1071-1078 (2001).
6485. A mid-IR flow-through sensor for direct monitoring of enzyme catalysed reactions. Case study: measurement of carbohydrates in beer  
Haberkorn, M.; Hinsmann, P.; Lendl, B.  
*Analyst*, **127**, 109-113 (2002).
6486. Determination of oxalic acid in vegetable juices by flow injection analysis using roots of barley seedlings  
Yamashita, S.  
*Nippon Shokuhin Kagaku Kogaku Kaishi*, **48**, 622-624 (2001).
6487. Optimal environment for glucose oxidase in perfluorosulfonated ionomer membranes: Improvement of first-generation biosensors  
Karyakin, A. A.; Kotel'nikova, E. A.; Lukachova, Lilia V.; Karyakina, E. E.; Wang, J.  
*Anal. Chem.*, **74**, 1597-1603 (2002).
6488. Determination of gallium by flow injection coupled chemiluminescence reaction  
Li, W.; Zhang, Z.  
*Fenxi Huaxue*, **29**, 1447-1449 (2001).
6489. A flow analysis system for the rapid determination of sulfonamides using a solid phase photometric sensing zone  
Medina, A. R.; Garcia, M. C. C.; Diaz, A. M.  
*Anal. Lett.*, **35**, 269-282 (2002).
6490. Flow injection chemiluminescence determination of polyhydroxy phenols using luminol-ferricyanide/ferrocyanide system  
Du, J.; Li, Y.; Lu, J.  
*Talanta*, **55**, 1055-1058 (2001).
6491. Automated flow analysis system based on multicommutation for Cd, Ni and Pb on-line pre-concentration in a cationic exchange resin with determination by inductively coupled plasma atomic emission spectrometry  
Miranda, C. E. S.; Reis, B. F.; Baccan, N.; Packer, A. P.; Gine, M. F.  
*Anal. Chim. Acta*, **453**, 301-310 (2002).
6492. A multicommutation-based flow system for multi-element analysis in pharmaceutical preparations  
Rocha, F. R. P.; Martelli, P. B.; Reis, B. F.  
*Talanta*, **55**, 861-869 (2001).
6493. Gold electrodes from compact discs modified with platinum for amperometric determination of ascorbic acid in pharmaceutical formulations  
Munoz, R. A. A.; Matos, R. C.; Angnes, L.  
*Talanta*, **55**, 855-860 (2001).
6494. Electrochemical Oxidation of Chlorophenols at a Boron-Doped Diamond Electrode and Their Determination by High-Performance Liquid Chromatography with Amperometric Detection  
Terashima, C.; Rao, T. N.; Sarada, B. V.; Tryk, D. A.; Fujishima, A.  
*Anal. Chem.*, **74**, 895-902 (2002).
6495. Factorial analysis of a chemiluminescence system for bromate detection in water  
Esteves da Silva, J. C. G.; Dias, J. R. M.; Magalhaes, J. M. C. S.  
*Anal. Chim. Acta*, **450**, 175-184 (2001).
6496. An automated FIA system to determine alcoholic grade in beverages based on Schlieren effect measurements using an LED-photocolorimeter  
Bezerra dos Santos, S. R.; Ugulino de Araujo, M. C.; Barbosa, R. A.  
*Analyst*, **127**, 324-327 (2002).
6497. Continuous monitoring of D-glucose and L-lactate by flow injection analysis  
Haouz, A.; Stieg, S.  
*Enz. Microb. Technol.*, **30**, 129-133 (2002).
6498. The potential of  $^{19}\text{F}$  NMR spectroscopy for rapid screening of cell cultures for models of mammalian drug metabolism  
Corcoran, O.; Lindon, J. C.; Hall, R.; Ismail, I. M.; Nicholson, J. K.  
*Analyst*, **126**, 2103-2106 (2001).
6499. Sequential Injection  $^{90}\text{Sr}$  Determination in Environmental Samples Using a Wetting-Film Extraction Method  
Miro, M.; Gomez, E.; Estela, J. M.; Casas, M.; Cerda, V.  
*Anal. Chem.*, **74**, 826-833 (2002).
6500. Flow-injection chemiluminometric determination of some thioxanthene derivatives in pharmaceutical formulations and biological fluids using the  $[\text{Ru}(\text{dipy})_3^{2+}]\text{Ce}(\text{IV})$  system  
Aly, F. A.; Al-Tamimi, S. A.; Alwarthan, A. A.  
*Anal. Sci.*, **17**, 1257-1261 (2001).
6501. Ruthenium and ruthenium dioxide-modified graphite-ethylene/propylene/diene and graphite-Teflon composite electrodes as amperometric flow detectors. Application to the determination of methionine

- Pedrero, M.; Salas, P.; Galvez, R.; Manuel de Villena, F. J.; Pingarron, J. M. *Fresenius' J. Anal. Chem.*, **371**, 507-513 (2001).
6502. Antibody-based methods for surfactant screening  
Franeek, M.; Zeravik, J.; Eremin, S. A.; Yakovleva, J.; Badea, M.; Danet, A.; Nistor, C.; Ocio, N.; Emneus, J. *Fresenius' J. Anal. Chem.*, **371**, 456-466 (2001).
6503. Sensitive determination of ammonia in exhaust gas of thermal power plant using gas permeation/flow injection system  
Tsuboi, T.; Hirano, Y.; Shibata, Y.; Motomizu, S. *Bunseki Kagaku*, **51**, 47-51 (2002).
6504. An electrochemical in vivo flow-injection system for highly selective and sensitive detection of L-glutamate using enzyme reactor involving amplification  
Yao, T.; Nanjyo, Y.; Tanaka, T.; Nishino, H. *Electroanalysis*, **13**, 1361-1366 (2001).
6505. Simultaneous and sequential enzyme immunoassays on gold bands with flow electrochemical detection  
Abad-Villar, E. M.; Fernandez-Abedul, M. T.; Costa-Garcia, A. *Anal. Chim. Acta*, **453**, 63-69 (2002).
6506. Chemiluminometric sensor for simultaneous determination of L-glutamate and L-lysine with immobilized oxidases in a flow injection system  
Kiba, N.; Miwa, T.; Tachibana, M.; Tani, K.; Koizumi, H. *Anal. Chem.*, **74**, 1269-1274 (2002).
6507. Flow-injection chemiluminescence determination of chlortetracycline using on-line electrogenerated  $[\text{Cu}(\text{HIO}_6)_2]^{5-}$  as the oxidant  
Li, B.; Zhang, Z.; Liu, W. *Talanta*, **55**, 1097-1102 (2001).
6508. Flow injection spectrophotometric determination of anionic polyelectrolytes using the cationic dyes  
Masadome, T. *Anal. Lett.*, **34**, 2711-2719 (2001).
6509. Flow-injection methods for determining europium in mixtures of lanthanides(III)  
Shpigun, L. K.; Tsuntsaeva, M. N.; Lunina, V. K.; Prokhorova, G. V. *J. Anal. Chem.*, **57**, 59-63 (2002).
6510. Differential pulse voltammetric determination of trace Te(IV) at a poly(3,3'-diaminobenzidine) film modified gold electrode in flow systems  
Khoo, S. B.; Ye, R. *Anal. Chim. Acta*, **453**, 209-220 (2002).
6511. Microwave-assisted digestion of organoarsenic compounds for the determination of total arsenic in aqueous, biological, and sediment samples using flow injection hydride generation electrothermal atomic absorption spectrometry  
Ringmann, S.; Boch, K.; Marquardt, W.; Schuster, M.; Schlemmer, G.; Kainrath, P. *Anal. Chim. Acta*, **452**, 207-215 (2002).
6512. Graphite furnace atomic absorption spectrometric determination of some noble metals using flow injection on-line clean-up  
Su, X.; Wang, M.; Zhang, Y.; Zhang, J.; Zhang, H.; Jin, Q. *J. Anal. At. Spectrom.*, **16**, 1341-1343 (2001).
6513. A Method for Screening Total Mercury in Water Using a Flow Injection System with Piezoelectric Detection  
Manganiello, L.; Rios, A.; Valcarcel, M. *Anal. Chem.*, **74**, 921-925 (2002).
6514. Flow injection analysis of nitrite by gas phase molecular absorption UV spectrophotometry  
Haghighi, B.; Tavassoli, A. *Talanta*, **56** 137-144 (2002).
6515. Interfacing sequential injection on-line preconcentration using a renewable microcolumn incorporated in a 'lab-on-valve' system with direct injection nebulization inductively coupled plasma mass spectrometry  
Wang, J.; Hansen, E. H. *J. Anal. At. Spectrom.*, **16**, 1349-1355 (2001).
6516. On-line removal of Ca, Na and Mg from iminodiacetate resin for the determination of trace elements in seawater and fish otoliths by flow injection ICP-MS  
Willie, S. N.; Lam, J. W. H.; Yang, L.; Tao, G. *Anal. Chim. Acta*, **447**, 143-152 (2001).
6517. Construction and performance characteristics of terbutaline plastic membrane electrode in batch and FIA conditions  
Rizk, M. S.; Abdel-Ghani, N. T.; El Nashar, R. M. *Microchem. J.*, **70**, 93-101 (2001).
6518. Calibration transfer in chemiluminescence analysis. Application to chromium determination by luminol-hydrogen peroxide reaction  
Tortajada-Genaro, L. A.; Campins-Falco, P.; Bosch-Reig, F. *Anal. Chim. Acta*, **446**, 385-392 (2001).
6519. The generalized standard addition method in a closed-loop flow system  
Lugo, I.; Carrero, H.; Leon, L. E. *Anal. Lett.*, **34**, 2735-2745 (2001).
6520. Easily Constructed Spectroelectrochemical Cell for Batch and Flow Injection Analyses  
Flowers, P. A.; Maynor, M. A.; Owens, D. E. *Anal. Chem.*, **74**, 720-723 (2002).
6521. Flow-injection chemiluminescence determination of captopril using on-line electrogenerated silver(II) as the oxidant  
Li, B.; Zhang, Z.; Wu, M. *Microchem. J.*, **70**, 85-91 (2001).
6522. Flow-injection manifold for the simultaneous spectrophotometric determination of Fe(II) and Fe(III) using 2,2'-dipyridyl-2-pyridylhydrazone and a single-line double injection approach  
Themelis, D. G.; Tzanavaras, P. D.; Kika, F. S.; Sofoniou, M. C. *Fresenius' J. Anal. Chem.*, **371**, 364-368 (2001).
6523. Flow-injection extraction-spectrophotometric method for the determination of ranitidine in pharmaceutical preparations  
Perez-Ruiz, T.; Martinez-Lozano, C.; Tomas, V.; Sanz, A.; Sahuquillo, E. *J. Pharm. Biomed. Anal.*, **26**, 609-615 (2001).
6524. Chemiluminescence method for the determination of rifampicin  
Liu, W.; Li, B.; Zhang, Z. *Fenxi Huaxue*, **30**, 86-88 (2002).
6525. Flow injection screening and semiquantitative determination of polycyclic aromatic hydrocarbons in water by laser induced spectrofluorimetry - chemometrics  
Amador-Hernandez, J.; Fernandez-Romero, J. M.; Luque de Castro, M. D. *Anal. Chim. Acta*, **448**, 61-69 (2001).

6526. A rapid and sensitive method for the fluorimetric determination of phosphate by flow-injection  
Zhang, B.; Beck, H. P.  
*Anal. Lett.*, **34**, 2721-2733 (2001).
6527. Determination of trace metals in saline water using flow injection on-line precipitation coupled with inductively coupled plasma mass spectrometry  
Chen, H. H.; Beauchemin, D.  
*J. Anal. At. Spectrom.*, **16**, 1356-1363 (2001).
6528. On-line adsorption/preconcentration using a knotted reactor for total Hg determination in drinking water by flow injection CV-AAS  
De Wuilloud, J. C. A.; Wuilloud, R. G.; Gasquez, J. A.; Olsina, R. A.; Martinez, L. D.  
*At. Spectros.*, **22**, 398-404 (2001).
6529. Flow-injection chemiluminescence determination of manganese(II) in natural water with solid sodium bismuthate as an oxidant  
Li, B.; Zhang, Z.; Liu, W.  
*Anal. Sci.*, **17**, 1347-1349 (2001).
6530. Flow-injection solvent extraction with and without phase separation. Fluorimetric determination of aluminum in water  
Alonso, A.; Almendral, M. J.; Porras, M. J.; Curto, Y.; Garcia de Maria, C.  
*Anal. Chim. Acta*, **447**, 211-217 (2001).
6531. In-line TiO<sub>2</sub>-assisted photodigestion of organic matter in aqueous solution for voltammetric flow analysis of heavy metals in water samples  
Cavicchioli, A.; Gutz, I. G. R.  
*Anal. Chim. Acta*, **445**, 127-138 (2001).
6532. Amperometric determination of glucose with an MnO<sub>2</sub> and glucose oxidase bulk-modified screen-printed carbon ink biosensor  
Turkusic, E.; Kalcher, K.; Schachl, K.; Komersova, A.; Bartos, M.; Moderegger, H.; Svancara, I.; Vytras, K.  
*Anal. Lett.*, **34**, 2633-2647 (2001).
6533. Method for the simultaneous determination of total polyphenol and anthocyan indexes in red wines using a flow injection approach  
Gonzalez-Rodriguez, J.; Perez-Juan, P.; Luque de Castro, M. D.  
*Talanta*, **56**, 53-59 (2002).
6534. A comparison of amperometric screen-printed, carbon electrodes and their application to the analysis of phenolic compounds present in beers  
Cummings, E. A.; Linquette-Mailley, S.; Mailley, P.; Cosnier, S.; Eggins, B. R.; McAdams, E. T.  
*Talanta*, **55**, 1015-1027 (2001).
6535. Flow injection square wave cathodic stripping voltammetric determination at a hanging mercury drop electrode of rapidly reduced compounds Determination of diacetyl in wine as 2,3-dimethylquinoxaline  
Rodrigues, J. A.; Barros, A. A.; Almeida, P. J.; Rodrigues, P. G.; Fogg, A. G.  
*Anal. Chim. Acta*, **449**, 119-127 (2001).
6536. Two-beam fluorescence cross-correlation spectroscopy in an electrophoretic mobility shift assay  
LeCaptain, D. J.; Van Orden, A.  
*Anal. Chem.*, **74**, 1171-1176 (2002).
6537. Continuous flow chemical vapor generation of silver for atomic absorption spectrometry using tetrahydroborate(III) reduction - system performance and assessment of the efficiency using instrumental neutron activation analysis  
Matousek, T.; Dedina, J.; Vobecky, M.  
*J. Anal. At. Spectrom.*, **17**, 52-56 (2002).
6538. Determination of menadione sodium bisulfite in pharmaceutical preparations by flow-injection on-line photochemical spectrofluorometry  
He, Q.; Wang, Z.; Cao, X.; Chen, H.; Ke, Y.  
*Anal. Sci.*, **17**, 1209-1212 (2001).
6539. Flow-injection chemiluminescence sensor for the determination of isoniazid  
Zhang, S.; Li, H.  
*Anal. Chim. Acta*, **444**, 287-294 (2001).
6540. Determination of zinc in pharmaceutical products by use of a sequential injection analysis system  
van Staden, J. K. F.; Tsanwani, M.  
*Fresenius' J. Anal. Chem.*, **371**, 376-379 (2001).
6541. Pervaporation-flow injection determination of arsenic based on hydride generation and the molybdenum blue reaction  
Rupasinghe, T.; Cardwell, T. J.; Cattrall, R. W.; Luque de Castro, M. D.; Kolev, S. D.  
*Anal. Chim. Acta*, **445**, 229-238 (2001).
6542. Flow injection turbidimetric determination of total organic carbon with a gas-liquid transfer microreactor  
Paniz, J. N. G.; Flores, E. M. M.; Dressler, V. L.; Martins, A. F.  
*Anal. Chim. Acta*, **445**, 139-144 (2001).
6543. Quadruple-pulsed amperometric detection for simultaneous flow injection determination of glucose and fructose  
Surareungchai, W.; Deepunya, W.; Tasakorn, P.  
*Anal. Chim. Acta*, **448**, 215-220 (2001).
6544. PDMS device for patterned application of microfluids to neuronal cells arranged by microcontact printing  
Thiebaud, P.; Lauer, L.; Knoll, W.; Offenhausser, A.  
*Biosens. Bioelectron.*, **17**, 87-93 (2002).
6545. Integrated pulsed amperometry for the analysis of organic compounds  
Lee, J.-W.; Yeo, I.-H.  
*Microchem. J.*, **70**, 173-177 (2001).
6546. Mercury speciation by HPLC-cold-vapor radiofrequency glow-discharge optical-emission spectrometry with on-line microwave oxidation  
Martinez, R.; Pereiro, R.; Sanz-Medel, A.; Bordel, N.  
*Fresenius' J. Anal. Chem.*, **371**, 746-752 (2001).
6547. Highly sensitive determination method for total carbonate in water samples by flow injection analysis coupled with gas-diffusion separation  
Oshima, M.; Wei, Y.; Yamamoto, M.; Tanaka, H.; Takayanagi, T.; Motomizu, S.  
*Anal. Sci.*, **17**, 1285-1290 (2001).
6548. Monitoring of  $\alpha$ -ketoglutarate in a fermentation process using expanded bed enzyme reactors  
Collins, A.; Nandakumar, M. P.; Csoregi, E.; Mattiasson, B.  
*Biosens. Bioelectron.*, **16**, 765-771 (2001).
6549. Comparison of different protein immobilization methods on quartz crystal microbalance surface in flow injection immunoassay  
Liu, Y.-C.; Wang, C.-M.; Hsiung, K.-P.  
*Anal. Biochem.*, **299**, 130-135 (2001).
6550. A theoretical model for immobilized enzyme inhibition biosensors

- Zhang, S.; Zhao, H.; John, R.  
*Electroanalysis*, **13**, 1528-1534 (2001).
6551. Flow-injection method for the determination of serine using immobilized enzyme  
Yaqoob, M.; Nabi, A.  
*Talanta*, **55**, 1181-1186 (2001).
6552. Creatinine determination in urine samples by batchwise kinetic procedure and flow injection analysis using the Jaffe reaction: chemometric study  
Campins Falco, P.; Tortajada Genaro, L. A.; Meseger Lloret, S.; Blasco Gomez, F.; Sevillano Cabeza, A.; Molins Legua, C.  
*Talanta*, **55**, 1079-1089 (2001).
6553. Disposable clay-coated screen-printed electrode for amitrole analysis  
Zen, J.-M.; Chen, H.-P.; Senthil Kumar, A.  
*Anal. Chim. Acta*, **449**, 95-102 (2001).
6554. On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid  
Larsson, M.; Sundberg, R.; Folestad, S.  
*J. Chromatogr., A*, **934**, 75-85 (2001).
6555. Flow injection analysis of cationic metal chelate ions by on-line concentration using a teflon capillary tube  
Iburaim, A.; Itagaki, M.; Watanabe, K.  
*Bunseki Kagaku*, **50**, 739-745 (2001).
6556. Semiautomatic flow-injection method for determination of volatile acidity in wines  
Gonzalez-Rodriguez, J.; Perez-Juan, P.; Luque de Castro, M. D.  
*J. AOAC Int.*, **84**, 1846-1850 (2001).
6557. Determination of low cadmium concentrations in wine by on-line preconcentration in a knotted reactor coupled to an inductively coupled plasma optical emission spectrometer with ultrasonic nebulization  
Lara, R. F.; Wuilloud, R. G.; Salonia, J. A.; Olsina, R. A.; Martinez, L. D.  
*Fresenius' J. Anal. Chem.*, **371**, 989-993 (2001).
6558. Focused-microwave-assisted reaction in flow injection spectrophotometry: a new liquid-vapor separation chamber for determination of reducing sugars in wine  
Oliveira, A. F.; Fatibello-Filho, O.; Nobrega, J. A.  
*Talanta*, **55**, 677-684 (2001).
6559. Potential of on-line micro-LC immunochemical detection in the bioanalysis of cytokines  
Schenk, T.; Irth, H.; Marko-Varga, G.; Edholm, L.-E.; Tjaden, U. R.; van der Greef, J.  
*J. Pharm. Biomed. Anal.*, **26**, 975-985 (2001).
6560. A Flow Injection On-Line Multiplexed Sorption Preconcentration Procedure Coupled with Flame Atomic Absorption Spectrometry for Determination of Trace Lead in Water, Tea, and Herb Medicines  
Li, Y.; Jiang, Y.; Yan, X.-P.; Peng, W.-J.; Wu, Y.-Y.  
*Anal. Chem.*, **74**, 1075-1080 (2002).
6561. Europium sensitized chemiluminescence determination of rufloxacin  
Wang, X.; Zhao, H.; Nie, L.; Jin, L.; Zhang, Z.  
*Anal. Chim. Acta*, **445**, 169-175 (2001).
6562. Extraction spectrophotometric determination of lidocaine using flow injection analysis  
Nemcova, I.; Rychlovsky, P.; Tomankova, V.; Zivanovic, Lj.  
*Anal. Lett.*, **34**, 2457-2464 (2001).
6563. Differential determination of traces of arsenic(III) and arsenic(V) in water by flow injection on-line preconcentration-graphite furnace AAS  
Hirano, Y.; Sakurai, H.; Endo, A.; Oguma, K.; Terui, Y.  
*Bunseki Kagaku*, **50**, 885-891 (2001).
6564. A novel flow-through disk-based solid-phase extraction diffuse reflectance optrode. Application to preconcentration and determination of trace levels of nitrite  
Miro, M.; Frenzel, W.; Estela, J. M.; Cerda, V.  
*Analyst*, **126**, 1740-1746 (2001).
6565. Toward a Fully Integrated Positive-Pressure Driven Microfabricated Liquid Analyzer  
Vahey, P. G.; Smith, S. A.; Costin, C. D.; Xia, Y.; Brodsky, A.; Burgess, L. W.; Synovec, R. E.  
*Anal. Chem.*, **74**, 177-184 (2002).
6566. Flow injection analysis chemiluminescence method for determination sulfated bile acids in urine by using an on-line immobilized enzyme reactor  
Gao, X.; Li, Y.; Karube, I.  
*Fenxi Huaxue*, **29**, 1154-1156 (2001).
6567. An optical glucose biosensor with eggshell membrane as an enzyme immobilization platform  
Choi, M. M. F.; Pang, W. S. H.; Xiao, D.; Wu, X.  
*Analyst*, **126**, 1558-1563 (2001).
6568. On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry  
Asperger, A.; Efer, J.; Koal, T.; Engewald, W.  
*J. Chromatogr., A*, **937**, 65-72 (2001).
6569. Single-Channel Microchip for Fast Screening and Detailed Identification of Nitroaromatic Explosives or Organophosphate Nerve Agents  
Wang, J.; Pumera, M.; Chatrathi, M. P.; Escarpa, A.; Musameh, M.; Collins, G.; Mulchandani, A.; Lin, Y.; Olsen, K.  
*Anal. Chem.*, **74**, 1187-1191 (2002).
6570. Water Soxhlet Extraction Assisted by Focused Microwaves: A Clean Approach  
Luque-Garcia, J. L.; Luque de Castro, M. D.  
*Anal. Chem.*, **73**, 5903-5908 (2001).
6571. Dual-stream flow injection method for amplified electrochemical detection of ferrocene derivatives  
Radford, P. T.; Creager, S. E.  
*Anal. Chim. Acta*, **449**, 199-209 (2001).
6572. L-glutamate determination in food samples by flow-injection analysis  
Oliveira, M. I. P.; Pimentel, M. C.; Montenegro, M. C. B. S. M.; Araujo, A. N.; Pimentel, M. F.; Lins da Silva, V.  
*Anal. Chim. Acta*, **448**, 207-213 (2001).
6573. Enzyme microgels in packed-bed bioreactors with downstream amperometric detection using microfabricated interdigitated microsensor electrode arrays  
Guisseppi-Elie, A.; Sheppard, N. F., Jr.; Brahim, S.; Narinesingh, D.  
*Biotechnol. Bioeng.*, **75**, 475-484 (2001).
6574. Membrane sampler for interference-free flow injection NO determination in biological fluids with chemiluminescence detection  
Yao, D.; Prodromidis, M. I.; Vlessidis, A. G.; Karayannis, M. I.; Evmiridis, N. P.  
*Anal. Chim. Acta*, **450**, 63-72 (2001).

6575. Investigation on the chemiluminescence reaction of luminol-H<sub>2</sub>O<sub>2</sub>-S<sub>2</sub>-R-SH system  
Du, J.; Li, Y.; Lu, J.  
*Anal. Chim. Acta*, **448**, 79-83 (2001).
6576. Flow-injection fluorimetric method for the determination of dimethylarsinic acid using on-line photo-oxidation  
Perez-Ruiz, T.; Martinez-Lozano, C.; Tomas, V.; Martin, J.  
*Anal. Chim. Acta*, **447**, 229-235 (2001).
6577. Development of a generic flow injection analysis method for compounds with a secondary amine or amide function, using an experimental design approach. I. Selection and evaluation of the FIA system parameters  
Vannecke, C.; Van Gyseghem, E.; Bloomfield, M. S.; Coomber, T.; Vander Heyden, Y.; Massart, D. L.  
*Anal. Chim. Acta*, **446**, 413-428 (2001).
6578. Automated curve resolution applied to data from multi-detection instruments  
Shen, H.; Grung, B.; Kvalheim, O. M.; Eide, I.  
*Anal. Chim. Acta*, **446**, 313-328 (2001).
6579. On-line dissolution of borate melt for simultaneous matrix isolation, concentration and flame atomic absorption determination of lead in phosphate rock  
Sweileh, J. A.  
*Anal. Chim. Acta*, **448**, 151-156 (2001).
6580. Optimization of electrochemical hydride generation in a miniaturized electrolytic flow cell coupled to microwave-induced plasma atomic emission spectrometry for the determination of selenium  
Schermer, S.; Jurica, L.; Paumard, J.; Beinrohr, E.; Matysik, F.-M.; Broekaert, J. A. C.  
*Fresenius' J. Anal. Chem.*, **371**, 740-745 (2001).
6581. Flow-injection electrogenerated chemiluminescence determination of isoniazid using luminol  
Zheng, X.; Guo, Z.; Zhang, Z.  
*Anal. Sci.*, **17**, 1095-1099 (2001).
6582. Micellar-enhanced photochemically induced fluorescence detection of chlorophenoxyacid herbicides. Flow injection analysis of mecoprop and 2,4-dichlorophenoxyacetic acid  
Garcia-Campana, A. M.; Aaron, J.-J.; Bosque-Sendra, J. M.  
*Talanta*, **55**, 531-539 (2001).
6583. Automated flow-injection spectrophotometric determination of nitrosamines in solid food samples  
Luque-Perez, E.; Rios, A.; Valcarcel, M.  
*Fresenius' J. Anal. Chem.*, **371**, 891-895 (2001).
6584. Selective Continuous Monitoring and Analysis of Mixtures of Acesulfame-K, Cyclamate, and Saccharin in Artificial Sweetener Tablets, Diet Soft Drinks, Yogurts, and Wines Using Filter-Supported Bilayer Lipid Membranes  
Nikolelis, D. P.; Pantoulias, S.  
*Anal. Chem.*, **73**, 5945-5952 (2001).
6585. Direct and Selective Flow-Injection Method for the Simultaneous Spectrophotometric Determination of Calcium and Magnesium in Red and White Wines Using Online Dilution Based on "Zone Sampling"  
Themelis, D. G.; Tzanavaras, P. D.; Trellopoulos, A. V.; Sofoniou, M. C.  
*J. Agric. Food Chem.*, **49**, 5152-5155 (2001).
6586. The determination of AGE-peptides by flow injection assay, a practical marker of diabetic nephropathy  
Sun, Z.; Liu, N.; Liu, B.; Wang, J.  
*Clin. Chim. Acta*, **313**, 69-75 (2001).
6587. A versatile biosensor device for continuous biomedical monitoring  
Rhemrev-Boom, M. M.; Korf, J.; Venema, K.; Urban, G.; Vадgama, P.  
*Biosens. Bioelectron.*, **16**, 839-847 (2001).
6588. Ultrasensitive quartz crystal microbalance sensors for detection of M13-Phages in liquids  
Uttenthaler, E.; Schraml, M.; Mandel, J.; Drost, S.  
*Biosens. Bioelectron.*, **16**, 735-743 (2001).
6589. Chemiluminescence Investigation of Detection of Rutin in Medicine and Human Urine Using Controlled-Reagent-Release Technology  
Song, Z.; Wang, L.  
*J. Agric. Food Chem.*, **49**, 5697-5701 (2001).
6590. Determination of salicylate in blood serum by flow injection with immobilized salicylate hydroxylase  
Vila, M. M. D. C.; Tubino, M.; De Oliveira Neto, G.  
*J. AOAC Int.*, **84**, 1363-1369 (2001).
6591. Soluble manganese(IV); a new chemiluminescence reagent  
Barnett, N. W.; Hindson, B. J.; Lewis, S. W.; Jones, P.; Worsfold, P. J.  
*Analyst*, **126**, 1636-1639 (2001).
6592. Flow-injection analysis of nitrate by reduction to nitrite and gas-phase molecular absorption spectrometry  
Haghighi, B.; Tavassoli, A.  
*Fresenius' J. Anal. Chem.*, **371**, 1113-1118 (2001).
6593. S<sub>2</sub>O<sub>2</sub> donor cyclic and acyclic ionophores: Potentiometric sensing for Ag(I) and a new nitrate-bridged dimeric Ag(I) complex of the acyclic ionophore with an unusual structure  
Yoon, I.; Lee, Y. H.; Lee, S. S.; Lee, S. C.; Park, S. B.  
*Analyst*, **126**, 1773-1776 (2001).
6594. Electrogenerated chemiluminescence determination of cefadroxil antibiotic  
Tomita, I. N.; Bulhoes, L. O. S.  
*Anal. Chim. Acta*, **442**, 201-206 (2001).
6595. On-line dilution flow injection manifold for the selective spectrophotometric determination of ascorbic acid based on the Fe(II)-2,2'-dipyridyl-2-pyridylhydrazone complex formation  
Themelis, D. G.; Tzanavaras, P. D.; Kika, F. S.  
*Talanta*, **55**, 127-134 (2001).
6596. Flow-injection biamperometric direct determination of hydrazine at two oxide-modified platinum electrodes  
Zhao, C.; Song, J.; Zhang, J.  
*Anal. Lett.*, **34**, 2111-2124 (2001).
6597. Direct olive oil anisidine value determination by flow injection  
Labrinea, E. P.; Thomaidis, N. S.; Georgiou, C. A.  
*Anal. Chim. Acta*, **448**, 201-206 (2001).
6598. Potentiometric Flow Injection Determination of Glycerol in Distilled Spirits  
Gervasio, A. P. G.; Borges, E. P.; Zagatto, E. A. G.; Reis, B. F.; Lapa, R. A. S.; Lima, J. L. F. C.  
*J. Agric. Food Chem.*, **50**, 74-77 (2002).
6599. Chiral analysis of amino acids using electrochemical composite bienzyme biosensors  
Dominguez, R.; Serra, B.; Reviejo, A. J.; Pingarron, J. M.  
*Anal. Biochem.*, **298**, 275-282 (2001).
6600. Prussian blue-based optical glucose biosensor in flow-injection analysis

- Lenarczuk, T.; Wencel, D.; Glab, S.; Koncki, R. *Anal. Chim. Acta*, **447**, 23-32 (2001).
6601. Reduction of Signal Suppression Effects in ESI-MS Using a Nanosplitting Device  
Gangl, E. T.; Annan, M.; Spooner, N.; Vouros, P. *Anal. Chem.*, **73**, 5635-5644 (2001).
6602. Microelectrodes modified with [MIII(bpy)<sub>3</sub>](ClO<sub>4</sub>)<sub>3</sub> (M = Co and Fe) as analytical sensors for fullerenes in flow injection analysis  
Plonska, M. E.; Diakowski, P.; Krogulec, T.; Winkler, K. *Electroanalysis*, **13**, 1185-1190 (2001).
6603. Application of Prussian blue-based optical sensor in pharmaceutical analysis  
Lenarczuk, T.; Glab, S.; Koncki, R. *J. Pharm. Biomed. Anal.*, **26**, 163-169 (2001).
6604. Automatic multicommutated flow system for diffusion studies of pharmaceuticals through artificial enteric membrane  
Sales, M. G. F.; Reis, B. F.; Montenegro, M. C. V. B. S. M. *J. Pharm. Biomed. Anal.*, **26**, 103-109 (2001).
6605. Determination of sub-parts-per-trillion levels of rare earth elements in natural waters by inductively coupled plasma time-of-flight mass spectrometry after flow injection on-line sorption preconcentration in a knotted reactor  
Benkhedda, K.; Infante, H. G.; Ivanova, E.; Adams, F. C. *J. Anal. At. Spectrom.*, **16**, 995-1001 (2001).
6606. Automatic determination of ascorbic acid by flame atomic absorption spectrometry  
Yebra, M. C.; Cespon, R. M.; Moreno-Cid, A. *Anal. Chim. Acta*, **448**, 157-164 (2001).
6607. Spectrophotometric bioanalytical flow-injection system for control of hemodialysis treatment  
Radomska, A.; Glab, S.; Koncki, R. *Analyst*, **126**, 1564-1567 (2001).
6608. Flow-injection analysis of mercury(II) based on enzyme inhibition and thermometric detection  
Pirvutiu, S.; Surugiu, I.; Dey, E. S.; Ciucu, A.; Magearu, V.; Danielsson, B. *Analyst*, **126**, 1612-1616 (2001).
6609. Calorimetric Analysis of Cephalosporins Using an Immobilized TEM-1  $\beta$ -Lactamase on Ni<sup>2+</sup> Chelating Sepharose Fast Flow  
Lawung, R.; Danielsson, B.; Prachayasittikul, V.; Buelow, L. *Anal. Biochem.*, **296**, 57-62 (2001).
6610. Determination of lead and cadmium in environmental samples by flow injection-flame atomic absorption spectrometry with on-line separation and enrichment  
Wang, A.; Zhang, H.; Liu, L. *Fenxi Huaxue*, **29**, 1284-1287 (2001).
6611. FAAS determination of gold and palladium using an on-line separation and preconcentration system based on a high-selective chelating adsorbent  
Liu, P.; Wu, X.; Sun, Q.; Su, Z.; Pu, Q. *At. Spectros.*, **22**, 392-397 (2001).
6612. *o*-Dianisidine: a new reagent for selective spectrophotometric, flow injection determination of chlorine  
Icardo, M. C.; Garcia M., J. V.; Calatayud, J. M. *Analyst*, **126**, 2087-2092 (2001).
6613. Flow injection chemiluminescence determination of rutin based on its enhancing effect on the luminol-ferricyanide/ferrocyanide system  
Du, J.; Li, Y.; Lu, J. *Anal. Lett.*, **34**, 1741-1748 (2001).
6614. Flow injection chemiluminescent analysis of isoniazid by direct hexacyanoferrate(III) oxidation  
Huang, Y.; Zhang, Z. *Anal. Lett.*, **34**, 1703-1710 (2001).
6615. Flow injection chemiluminescence determination of captopril with in situ electrogenerated Mn<sup>3+</sup> as the oxidant  
Zheng, X.; Zhang, Z.; Li, B. *Electroanalysis*, **13**, 1046-1050 (2001).
6616. Flow injection amperometric detection of ascorbic acid using a Prussian Blue film-modified electrode  
Castro, S. S. L.; Balbo, V. R.; Barbeira, P. J. S.; Stradiotto, N. R. *Talanta*, **55**, 249-254 (2001).
6617. A new flow cell design for chemiluminescence analysis  
Campins-Falco, P.; Tortajada-Genaro, L. A.; Bosch-Reig, F. *Talanta*, **55**, 403-413 (2001).
6618. High temporal resolution field monitoring of phosphate in the River Frome using flow injection with diode array detection  
Hanrahan, G.; Gledhill, M.; Fletcher, P. J.; Worsfold, P. J. *Anal. Chim. Acta*, **440**, 55-62 (2001).
6619. Fluorometric determination of ethanol in liquor samples by flow-injection analysis using an immobilized enzyme-reactor column with packing prepared by coupling alcohol oxidase and peroxidase onto chitosan beads  
Taniai, T.; Sukuragawa, A.; Okutani, T. *J. AOAC Int.*, **84**, 1475-1483 (2001).
6620. Spectrophotometric flow injection determination of total reducing sugars in tobacco based on oxidation by ferricyanide and formation of Prussian blue  
Liu, J.-F.; Jiang, G.-B. *Anal. Lett.*, **34**, 1923-1934 (2001).
6621. Electrothermal atomic absorption spectrometric determination of selenium in biological fluids with rhodium modifier compared with hydride generation atomic spectrometric techniques  
Tsalev, D. L.; Lampugnani, L.; D'Ulivo, A.; Petrov, I. I.; Georgieva, R.; Marcucci, K.; Zamboni, R. *Microchem. J.*, **70**, 103-113 (2001).
6622. On-line determination of antimony(III) and antimony(V) in liver tissue and whole blood by flow injection - hydride generation - atomic absorption spectrometry  
Petit de Pena, Y.; Vielma, O.; Burguera, J. L.; Burguera, M.; Rondon, C.; Carrero, P. *Talanta*, **55**, 743-754 (2001).
6623. Carbon Electrodes Modified with Ruthenium Metallodendrimer Multilayers for the Mediated Oxidation of Methionine and Insulin at Physiological pH  
Cheng, L.; Pacey, G. E.; Cox, J. A. *Anal. Chem.*, **73**, 5607-5610 (2001).
6624. Electrochemical determination of chlorophenols at microcylinder poly(3-methylthiophene) modified electrodes based on a previous chemical oxidation using bis(trifluoroacetoxy)iodobenzene



- Agui, L.; Serra, B.; Yanez-Sedeno, P.; Reviejo, A. J.; Pingarron, J. M.  
*Electroanalysis*, **13**, 1231-1236 (2001).
6625. Liquid-phase microextraction of phenolic compounds combined with on-line preconcentration by field-amplified sample injection at low pH in micellar electrokinetic chromatography  
Zhu, L.; Tu, C.; Lee, H. K.  
*Anal. Chem.*, **73**, 5655-5660 (2001).
6626. New method for the flow injection spectrophotometric determination of low concentration chlorine dioxide in water using methylene blue  
Wang, G.; Chen, H.; Yuan, L.  
*Anal. Lett.*, **34**, 2485-2492 (2001).
6627. Semiautomated spectrophotometric method for the determination of pectinesterase activity in natural and processed juices  
Delgado-Reyes, F.; Fernandez-Romero, J. M.; Luque de Castro, M. D.  
*Anal. Lett.*, **34**, 2277-2284 (2001).
6628. On-line complexation/preconcentration system for the determination of lead in wine by inductively coupled plasma-atomic emission spectrometry with ultrasonic nebulization  
Wuilloud, R. G.; Gonzalez, A. H.; Marchevsky, E. J.; Olsina, R. A.; Martinez, L. D.  
*J. AOAC Int.*, **84**, 1555-1560 (2001).
6629. Novel colorimetric immunoassay for the detection of aflatoxin B1  
Garden, S. R.; Strachan, N. J. C.  
*Anal. Chim. Acta*, **444**, 187-191 (2001).
6630. Determination of L-Cysteine in Amino Acid Mixture and Human Urine by Flow-Injection Analysis with a Biamperometric Detector  
Zhao, C.; Zhang, J.; Song, J.  
*Anal. Biochem.*, **297**, 170-176 (2001).
6631. Novel sensor based on copper-chelating affinity matrix for the specific uridine detection  
Timur, S.; Telefoncu, A.; Irtel, F.; Ulber, R.; Scheper, T.; Faurie, R.  
*Anal. Chim. Acta*, **445**, 191-196 (2001).
6632. Flow-injection spectrophotometric determination of copper(II) ion at low  $\mu\text{g L}^{-1}$  levels using 4-benzylpiperidinedithiocarbamate  
Asan, A.; Andac, M.; Isildak, I.  
*Anal. Sci.*, **17**, 1125-1127 (2001).
6633. Flow-injection electrogenerated chemiluminescence determination of epinephrine using lumino1  
Zheng, X.; Guo, Z.; Zhang, Z.  
*Anal. Chim. Acta*, **441**, 81-86 (2001).
6634. Determination of some sulfonamides by sequential injection analysis with chemiluminescence detection  
Pasekova, H.; Polasek, M.; Cigarro, J. F.; Dolejsova, J.  
*Anal. Chim. Acta*, **438**, 165-173 (2001).
6635. Flow-injection chemiluminescence determination of tetracyclines with in situ electrogenerated bromine as the oxidant  
Zheng, X.; Mei, Y.; Zhang, Z.  
*Anal. Chim. Acta*, **440**, 143-149 (2001).
6636. High-throughput fluorescence flow-injection topoisomerase II inhibition assay  
Barnabe, N.; Hasinoff, B. B.  
*J. Chromatogr., B*, **760**, 263-269 (2001).
6637. On-line mercury and methylmercury pre-concentration by adsorption of their dithiophosphoric acid diacyl ester chelates on a C18 column and cold-vapor atomic-absorption detection  
Monteiro, A. de C. P.; de Andrade, L. S. N.; de Campos, R. C.  
*Fresenius' J. Anal. Chem.*, **371**, 353-357 (2001).
6638. Multi-layer microfluidic glass chips for microanalytical applications  
Daridon, A.; Fascio, V.; Lichtenberg, J.; Wuetrich, R.; Langen, H.; Verpoorte, E.; de Rooij, N. F.  
*Fresenius' J. Anal. Chem.*, **371**, 261-269 (2001).
6639. Novel flow injection strategies for study and control of matrix interferences by inductively coupled plasma time-of-flight mass spectrometry  
McClenathan, D. M.; Ray, S. J.; Hieftje, G. M.  
*J. Anal. At. Spectrom.*, **16**, 987-990 (2001).
6640. Determination of traces of cadmium in natural water samples by flow injection on-line preconcentration-graphite furnace atomic absorption spectrometry  
Hirano, Y.; Nakajima, J.; Oguma, K.; Terui, Y.  
*Anal. Sci.*, **17**, 1073-1077 (2001).
6641. UV digestion of seawater samples prior to the determination of copper using flow injection with chemiluminescence detection  
Achterberg, E. P.; Braungardt, C. B.; Sandford, R. C.; Worsfold, P. J.  
*Anal. Chim. Acta*, **440**, 27-36 (2001).
6642. Flow-through chemiluminescence sensor using immobilized histamine oxidase from *Arthrobacter crystallopoietes* KAIT-B-007 and peroxidase for selective determination of histamine  
Sekiguchi, Y.; Nishikawa, A.; Makita, H.; Yamamura, A.; Matsumoto, K.; Kiba, N.  
*Anal. Sci.*, **17**, 1161-1164 (2001).
6643. Rotating bioreactor based on an electron transfer mediated by osmium complexes incorporating a continuous-flow/stopped-flow system Application to the determination of glucose in serum samples  
Lapierre, A. V.; Battaglini, F.; Raba, J.  
*Anal. Chim. Acta*, **443**, 17-24 (2001).
6644. Catalytic spectrophotometric determination of ruthenium by flow injection method  
Ensaft, A. A.; Chamjangali, M. A.; Mansour, H. R.  
*Talanta*, **55**, 715-720 (2001).
6645. Flow-injection chemical vapor-generating procedure for the determination of Au by atomic absorption spectrometry  
Du, X.; Xu, S.  
*Fresenius' J. Anal. Chem.*, **370**, 1065-1070 (2001).
6646. A simple flow-injection on-line clean-up system for microwave plasma-torch atomic emission spectrometry  
Zhao, L.; Li, M.; Xie, X.; Song, D.; Tian, Y.; Zhang, L.; Jin, D.; Zhang, H.; Jin, Q.  
*Fresenius' J. Anal. Chem.*, **370**, 1061-1064 (2001).
6647. Evaluation of the turmeric (*Curcuma longa* L.) based on the flow-injection analysis with ultraviolet and fluorometric detections  
Inoue, K.; Yoshimura, Y.; Nakazawa, H.  
*Anal. Lett.*, **34**, 1711-1718 (2001).
6648. Optimization and evaluation of low-pressure gas chromatography-mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity

- Mastovska, K.; Lehotay, S. J.; Hajslova, J.  
*J. Chromatogr., A*, **926**, 291-308 (2001).
6649. Electrospray ionization-mass spectrometry of hydroxamate siderophores  
Gledhill, M.  
*Analyst*, **126**, 1359-1362 (2001).
6650. A glucose biosensor based on electro-enzyme catalyzed oxidation of glucose using a HRP-GOD layered assembly  
Ferri, T.; Maida, S.; Poscia, A.; Santucci, R.  
*Electroanalysis*, **13**, 1198-1202 (2001).
6651. Flow-injection spectrophotometric determination of diclofenac or mefenamic acid in pharmaceuticals  
Garcia, S.; Sanchez-Pedreno, C.; Albero, I.; Garcia, C.  
*Mikrochim. Acta*, **136**, 67-71 (2001).
6652. Application of flow injection technique in pharmaceutical analysis. Part I.: Spectrophotometric and chemiluminescence detection  
Solich, P.; Sklenarova, H.; Polasek, M.; Karlicek, R.  
*J. Flow Injection Anal.*, **18**, 13-20 (2001).
6653. Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection-mass spectrometry and liquid chromatography-mass spectrometry and -tandem mass spectrometry  
Schroder, H. F.  
*J. Chromatogr., A*, **926**, 127-150 (2001).
6654. Rapid electrochemical method for the evaluation of the antioxidant power of some lipophilic food extracts  
Buratti, S.; Pellegrini, N.; Brenna, O. V.; Mannino, S.  
*J. Agric. Food Chem.*, **49**, 5136-5141 (2001).
6655. Capillary LC-MS2 at the attomole level for monitoring and discovering endogenous peptides in microdialysis samples collected in vivo  
Haskins, W. E.; Wang, Z.; Watson, C. J.; Rostand, R. R.; Witowski, S. R.; Powell, D. H.; Kennedy, R. T.  
*Anal. Chem.*, **73**, 5005-5014 (2001).
6656. Electrocatalytic cyclization of dithiothreitol on a chemically modified electrode by analogy with protein action  
Zen, J.-M.; Kumar, A. S.; Chen, J.-C.; Jayachitra, K.; Balamurugan, K.; Chin, D.-H.  
*Analyst*, **126**, 1409-1413 (2001).
6657. Comparison of the Spreeta surface plasmon resonance sensor and a quartz crystal microbalance for detection of *Escherichia coli* heat-labile enterotoxin  
Spangler, B. D.; Wilkinson, E. A.; Murphy, J. T.; Tyler, B. J.  
*Anal. Chim. Acta*, **444**, 149-161 (2001).
6658. Flow injection potentiometry of primary and interfering ion with a gold complex ion-exchange membrane  
Sanchez-Pedreno, C.; Ortuno, J. A.; Hernandez, J.  
*Talanta*, **55**, 201-207 (2001).
6659. Application of electrodes modified with ion-exchange polymers for the amperometric detection of non-redox cations and anions in combination to ion chromatography  
Mariaulle, P.; Sinapi, F.; Lamberts, L.; Walcarus, A.  
*Electrochim. Acta*, **46**, 3543-3553 (2001).
6660. Chemiluminescence method with potassium permanganate for the determination of organic pollutants in seawater  
Fujimori, K.; Ma, W.; Moriuchi-Kawakami, T.; Shibutani, Y.; Takenaka, N.; Bandow, H.; Maeda, Y.  
*Anal. Sci.*, **17**, 975-978 (2001).
6661. Effect of mixing modes on chemiluminescent detection of epinephrine with lucigenin by an FIA system fabricated on a microchip  
Kamidate, T.; Kaide, T.; Tani, H.; Makino, E.; Shibata, T.  
*Anal. Sci.*, **17**, 951-955 (2001).
6662. Propagation of uncertainty in high-performance liquid chromatography with UV-VIS detection  
Hibbert, D. B.; Jiang, J.; Mulholland, M.-I.  
*Anal. Chim. Acta*, **443**, 205-214 (2001).
6663. Underestimation of the total arsenic concentration by hydride generation techniques as a consequence of the incomplete mineralization of arsenobetaine in acid digestion procedures  
Slejkovec, Z.; van Elteren, J. T.; Woroniecka, U. D.  
*Anal. Chim. Acta*, **443**, 277-282 (2001).
6664. Kinetic study and analytical applications of the exchange reactions of lanthanides(III) using flow injection techniques  
Shpigun, L. K.; Tsuntsaeva, M. N.; Lunina, V. K.; Zolotov, Yu. A.; Prochorova, G. V.  
*Anal. Lett.*, **34**, 1487-1501 (2001).
6665. Synchronous fluorescence and absorbance dynamic liquid drop sensor for Cr(VI) determination at the femtomole level  
Xiao, D.; Wang, K.; Xiao, W.  
*Analyst*, **126**, 1387-1392 (2001).
6666. Development of a low-cost microfluidic capillary-electrophoresis system coupled with flow-injection and sequential-injection sample introduction (review)  
Fang, Z.-L.; Fang, Q.  
*Fresenius' J. Anal. Chem.*, **370**, 978-983 (2001).
6667. Multivariate analysis of antioxidant power and polyphenolic composition in red wines  
Brenna, O. V.; Pagliarini, E.  
*J. Agric. Food Chem.*, **49**, 4841-4844 (2001).
6668. Flow-injection chemiluminescence determination of urea by oxidation with N-bromosuccinimide  
Li, B.; Zhang, Z.; Jin, Y.  
*Anal. Lett.*, **34**, 2141-2151 (2001).
6669. Nonaqueous Catalytic Fluorometric Trace Determination of Vanadium Based on the Pyronine B-Hydrogen Peroxide Reaction and Flow Injection after Cloud Point Extraction  
Paleologos, E. K.; Koupparis, M. A.; Karayannis, M. I.; Veltsistas, P. G.  
*Anal. Chem.*, **73**, 4428-4433 (2001).
6670. Continuous flow system for the determination of trace boron in iron and steel utilizing in-line preconcentration/separation by Sephadex column coupled with fluorometric detection  
Yamane, T.; Kouzaka, Y.; Hirakawa, M.  
*Talanta*, **55**, 387-393 (2001).
6671. Analytical methodologies for aluminum speciation in environmental and biological samples - a review  
Bi, S.; Yang, X.; Zhang, F.; Wang, X.; Zou, G.  
*Fresenius' J. Anal. Chem.*, **370**, 984-996 (2001).
6672. Flow injection on-line electrothermal atomic absorption spectrometry  
Alonso, E. V.; Garcia de Torres, A.; Pavon, J. M. C.  
*Talanta*, **55**, 219-232 (2001).



6673. Flow-injection spectrofluorimetric determination of dissolved inorganic and organic phosphorus in waters using on-line photo-oxidation  
Perez-Ruiz, T.; Martinez-Lozano, C.; Tomas, V.; Martin, J.  
*Anal. Chim. Acta*, **442**, 147-153 (2001).
6674. Flow-injection system with enzyme reactor for differential amperometric determination of hydrogen peroxide in rainwater  
Matos, R. C.; Pedrotti, J. J.; Angnes, L.  
*Anal. Chim. Acta*, **441**, 73-79 (2001).
6675. Extraction and analysis of lead in sweeteners by flow-injection Donnan dialysis with flame atomic absorption spectroscopy  
Antonia, A.; Allen, L. B.  
*J. Agric. Food Chem.*, **49**, 4615-4618 (2001).
6676. Determination of hydrazine by flow injection with chemiluminescence  
Lv, J.; Huang, Y.; Zhang, Z.  
*Anal. Lett.*, **34**, 1323-1330 (2001).
6677. Rapid determination of nitrate and nitrite in drinking water samples using ion-interaction liquid chromatography  
Connolly, D.; Paull, B.  
*Anal. Chim. Acta*, **441**, 53-62 (2001).
6678. Selective chlorine determination by gas diffusion in a tandem flow assembly and spectrophotometric detection with o-dianisidine  
Catala Icardo, M.; Garcia Mateo, J. V.; Martinez Calatayud, J.  
*Anal. Chim. Acta*, **443**, 153-163 (2001).
6679. Automatic continuous titrations by feedback-based flow system  
Teshima, N.  
*J. Flow Injection Anal.*, **18**, 49 (2001).
6680. Flow-injection determination of anionic surfactants in natural waters in the presence of humic acids  
Moskvin, L. N.; Mikhailova, N. V.; Moskvin, A. L.  
*J. Anal. Chem.*, **56**, 763-766 (2001).
6681. Sequential flow injection spectrophotometric determination of nitrite and nitrate in various samples  
Kazemzadeh, A.; Ensafi, A. A.  
*Anal. Chim. Acta*, **442**, 319-326 (2001).
6682. Polyvinyl chloride-based membranes for flow injection analysis of quinine in beverages  
Saad, B.; Bee-Leng, Y.; Saleh, M. I.; Rahman, I. A.; Mansor, S. M.  
*J. AOAC Int.*, **84**, 1151-1157 (2001).
6683. Development of a flow injection capillary chemiluminescent ELISA using an imprinted polymer instead of the antibody  
Surugiu, I.; Svitel, J.; Ye, L.; Haupt, K.; Danielsson, B.  
*Anal. Chem.*, **73**, 4388-4392 (2001).
6684. Use of yeast crude extract for sequential injection determination of carbohydrates  
Silva, F. V.; Souza, G. B.; Nogueira, A. R. A.  
*Anal. Lett.*, **34**, 1377-1388 (2001).
6685. A miniaturized liquid core waveguide-capillary electrophoresis system with flow injection sample introduction and fluorometric detection using light-emitting diodes  
Wang, S.-L.; Huang, X.-J.; Fang, Z.-L.; Dasgupta, P. K.  
*Anal. Chem.*, **73**, 4545-4549 (2001).
6686. Flame atomic absorption spectrometry with flow-injection on-line adsorption preconcentration using a knotted reactor for cadmium determination in aqueous samples  
Garrido, I.; Soto, R. M.; Carlosena, A.; Lopez-Mahia, P.; Muniategui, S.; Prada, D.  
*Anal. Lett.*, **34**, 1763-1779 (2001).
6687. Carbon fiber microelectrodes modified with rhodium for the electrocatalytic determination of hydrazine  
Pingarron, J. M.; Ortiz Hernandez, I.; Gonzalez-Cortes, A.; Yanez-Sedeno, P.  
*Anal. Chim. Acta*, **439**, 281-290 (2001).
6688. Determination of ascorbyl 6-palmitate in food matrices by amperometric flow injection analysis  
Buratti, S.; Cosio, M. S.; Benedetti, S.; Mannino, S.  
*Analyst*, **126**, 1466-1468 (2001).
6689. Determination of arsenic in wheat flour by electrothermal atomic absorption spectrometry using a continuous precipitation-dissolution flow system  
Gonzalez, M. M.; Gallego, M.; Valcarcel, M.  
*Talanta*, **55**, 135-142 (2001).
6690. Determination of trace amounts of total arsenic in environmental samples by hydride generation flow injection-AAS using a mixed acid as a pretreatment agent  
Sakamoto, H.; Susa, Y.; Ishiyama, H.; Tomiyasu, T.; Anazawa, K.  
*Anal. Sci.*, **17**, 1067-1071 (2001).
6691. A flow-through sensing device with fluorometric transduction for the determination of warfarin by using an anion-exchanger gel combined with an FIA system  
Rama, M. J. R.; Medina, A. R.; Diaz, A. M.  
*Anal. Sci.*, **17**, 1007-1010 (2001).
6692. Spectrophotometric determination of trace aluminum content in parenteral solutions by combined cloud point preconcentration-flow injection analysis  
Sombra, L.; Luconi, M.; Silva, M. F.; Olsina, R. A.; Fernandez, L.  
*Analyst*, **126**, 1172-1176 (2001).
6693. Flow injection spectrophotometric determination of sulfated bile acids in urine with immobilized enzyme reactors using water soluble tetrazolium blue-5  
Gao, X.-F.; Li, Y.-S.; Karube, I.  
*Anal. Chim. Acta*, **443**, 257-264 (2001).
6694. Flow injection on-line dilution for multi-element determination in human urine with detection by inductively coupled plasma mass spectrometry  
Wang, J.; Harald Hansen, E.; Gammelgaard, B.  
*Talanta*, **55**, 117-126 (2001).
6695. Detection of zeptomolar concentrations of alkaline phosphatase based on a tyrosinase and horse-radish peroxidase bienzyme biosensor  
Ruan, C.; Li, Y.  
*Talanta*, **54**, 1095-1103 (2001).
6696. Aliphatic polyamine oxidation response variability and stability at boron-doped diamond thin-film electrodes as studied by flow-injection analysis  
Witek, M. A.; Swain, G. M.  
*Anal. Chim. Acta*, **440**, 119-129 (2001).
6697. Examination of interferences in flame atomic absorption spectrometry using a flow injection technique  
Koscielniak, P.; Kozak, M.  
*Anal. Chim. Acta*, **438**, 187-194 (2001).

6698. Chemiluminescence detection of paracetamol by a luminol-permanganate based reaction  
Easwaramoorthy, D.; Yu, Y.-C.; Huang, H.-J.  
*Anal. Chim. Acta*, **439**, 95-100 (2001).
6699. Multi-task flow system for potentiometric analysis: its application to the determination of vitamin B<sub>6</sub> in pharmaceuticals  
Fernandes, R. N.; Sales, M. G. F.; Reis, B. F.; Zagatto, E. A. G.; Araujo, A. N.; Montenegro, M. C. B. S. M.  
*J. Pharm. Biomed. Anal.*, **25**, 713-720 (2001).
6700. Potentiometric flow injection system for the determination of polyethoxylate nonionic surfactants using tubular ion-selective electrodes  
Martinez-Barrachina, S.; del Valle, M.; Matia, L.; Prats, R.; Alonso, J.  
*Anal. Chim. Acta*, **438**, 305-313 (2001).
6701. Screening of polyphenols in grape marc by on-line supercritical fluid extraction-flow through sensor  
Arce, L.; Lista, A. G.; Rios, A.; Valcarcel, M.  
*Anal. Lett.*, **34**, 1461-1476 (2001).
6702. Identical flow injection spectrophotometric manifold for determination of protein, phosphorus, calcium, chloride, copper, manganese, iron, and zinc in feeds or premixes  
Liu, J.-F.; Feng, Y.-D.; Jiang, G.-B.  
*J. AOAC Int.*, **84**, 1179-1186 (2001).
6703. Development of a luminol-based chemiluminescence flow-injection method for the determination of dichlorvos pesticide  
Wang, J.; Zhang, C.; Wang, H.; Yang, F.; Zhang, X.  
*Talanta*, **54**, 1185-1193 (2001).
6704. Determination of Fe(III) and total Fe in wines by sequential injection analysis and flame atomic absorption spectrometry  
Costa, R. C. D. C.; Araujo, A. N.  
*Anal. Chim. Acta*, **438**, 227-233 (2001).
6705. Mid-infrared spectroscopy coupled to sequential injection analysis for the on-line monitoring of the acetone-butanol fermentation process  
Kansiz, M.; Gapes, J. R.; McNaughton, D.; Lendl, B.; Schuster, K. C.  
*Anal. Chim. Acta*, **438**, 175-186 (2001).
6706. Flow immunoassay for detection of human chorionic gonadotrophin using a cation exchange resin packed capillary column  
Nakamura, N.; Lim, T.-K.; Jeong, J.-M.; Matsunaga, T.  
*Anal. Chim. Acta*, **439**, 125-130 (2001).

