

文献情報  
FIA Bibliography (I)

与 座 範 政

F I A に関する研究開発は、ハードウェア及びソフトウェアの両面において激動の時期にあり、関係者相互間の迅速な情報交換が強く要望されている。F I A 研究会では、研究会報に「学会情報」の欄を、本会誌に「文献情報」の欄を設けて、会員各位へ最新情報を提供することにした。本欄では、世界各国で発刊されている雑誌から、F I A に関する研究報文を抜き出し、論文名・著者名・雑誌名を掲載する。1975年から1983年までの間に、約500編のF I Aに関する報文が発表されているが(ぶんせき、1984年7月号参照)、その分は将来別冊としてまとめる予定である。本欄では、F I A 研究会発足の1984年を起点として、最新文献を逐次掲載する。外国人も文献リストを利用することを想定して、各文献を英文で表示するようにした。従って、和文の論文の場合には、和文と英文を併記した。なお、論文の配列順序はランダムであり、入手した順で整理番号を付したにすぎない。

今後は年間に150～200編のF I A論文の発表が予想される。入手できる全報文を逐次掲載していく予定にしているが、検索もれの報文ができる可能性が多分にあるので、文献の欠落や誤記、その他編集上のことに関して御指摘、御忠告をいただければ幸である。なお、F I A 研究会会員の研究報文の掲載を確実にしたいので、会員各位の報文別刷(和文の場合には本欄の要領で英文題名、著者名、誌名を併記したもの)を筆者宛に御恵贈いただきたく願います。

1. Subtractive anodic stripping voltammetry with flow injection analysis.  
J. Wang and H. D. Dewald, *Anal. Chem.*, 56, 156(1984).
2. Flow injection analysis with enzyme thermistor detector for automated determination of  $\beta$ -lactams.  
G. Decristoforo and B. Danielsson, *Anal. Chem.*, 56, 263(1984).
3. Determination of First-order reaction rate constants by flow injection analysis.  
J. T. Vanderslice, G. R. Beecher and A. G. Rosenfeld, *Anal. Chem.*, 56, 268(1984).
4. Direct liquid sample introduction for flow injection analysis and liquid chromatography with inductively coupled argon plasma spectrometric detection.  
K. E. Lawrence, G. W. Rice and V. A. Fassel, *Anal. Chem.*, 56, 289(1984).
5. Dispersion and diffusion coefficients in flow injection analysis.  
J. T. Vanderslice, G. R. Beecher and A. G. Rosenfeld, *Anal. Chem.*, 56, 292(1984).
6. Effect of variation in flow rate on amperometric detection in flow injection analysis.  
D. MacKoul and D. C. Johnson, *Anal. Chem.*, 56, 436(1984).
7. Nonaqueous solvents as carrier or sample solvent in flow injection analysis/atomic absorption spectrometry.  
A. S. Attiyat and G. D. Christian, *Anal. Chem.*, 56, 439(1984).
8. Electrochemical detector based on a reticulated vitreous carbon working electrode for liquid chromatography and flow injection analysis.  
D. J. Curran and T. P. Tougas, *Anal. Chem.*, 56, 672(1984).
9. Flow injection analysis with tensammetric detection for the determination of detergents.  
M. Bos, J. H. H. G. van Willingen and W. E. van der Linden, *Anal. Chim. Acta*, 156, 71(1984).
10. Comparison of merging zones, injection of reagent and single line manifolds for enthalpimetric flow injection analysis.  
C. Pasquini and W. A. de Oliveira, *Anal. Chim. Acta*, 156, 307(1984).

11. Spectrophotometric determination of sulphate in sodium hydroxide solutions by flow-injection analysis.  
E. A. Jones, *Anal. Chim. Acta*, 156, 313(1984).
12. Kinetics in continuous flow sample processing; Chemical contributions to dispersion in flow-injection techniques.  
C. C. Painton and H. A. Mottola, *Anal. Chim. Acta*, 158, 67(1984).
13. Chemically modified reticulated vitreous carbon electrode with immobilized enzyme as a detector in flow-injection determination of glucose.  
H. J. Wieck, G. H. Heider, Jr. and A. M. Yacynych, *Anal. Chim. Acta*, 158, 137(1984).
14. Sequential flow injection voltammetric determination of phosphate and nitrite by injection of reagents into a sample stream.  
A. G. Fogg and N. K. Bsebsu, *Analyst*, 109, 19(1984).
15. Development of a flow injection analyzer for the post-column detection of sugars separated by high-performance liquid chromatography.  
D. Betteridge, N. G. Courtney, T. J. Sly and D. G. Porter, *Analyst*, 109, 91(1984).
16. Determination of chromium in steel by flame atomic-absorption spectrometry using a flow injection standard addition method.  
J. F. Tyson and A. B. Idris, *Analyst*, 109, 23(1984).
17. Extended calibration of flame-atomic absorption instruments by a flow injection peak width method.  
J. F. Tyson, *Analyst*, 109, 319(1984).
18. A model immunoassay using automated flow injection analysis.  
P. J. Worsfold and A. Hughes, *Analyst*, 109, 339(1984).
19. Simultaneous determinations in flow injection analysis; A review.  
M. D. Luque de Castro and M. Valcarcel Cases, *Analyst*, 109, 413(1984).
20. Determination of free cyanide in mineral leachates.  
T. P. Lynch, *Analyst*, 109, 421(1984).
21. Sample work-up for graphite furnace atomic-absorption spectrometry using continuous flow extraction.  
K. Baeckstroem, L.-G. Danielsson and L. Nord, *Analyst*, 109, 323(1984).

22. Simultaneous multi-element analysis of blood serum by flow injection-inductively coupled plasma atomic-emission spectrometry.  
C. W. McLeod, P. J. Worsfold and A. G. Cox, *Analyst*, 109, 327(1984).
23. Catalytic-fluorimetric determination of copper at the nanograms per millilitre level by flow injection analysis.  
F. Lazaro Boza, M. D. Luque de Castro and M. Valcarcel Cases, *Analyst*, 109, 333(1984).
24. Determination of complexing abilities of ligands for metal ions by flow injection analysis and high-performance liquid chromatography I. Principle of the substitution method.  
N. Yoza, T. Miyaji, Y. Hirai and S. Ohashi, *J. Chromatogr.*, 283, 89(1984).
25. Post-column extraction system for use with high-performance liquid chromatography.  
F. Bigley, R. L. Grob and G. Brenner, *J. Chromatogr.*, 288, 293(1984).
26. Determination of sulphate in natural waters by flow-injection analysis.  
S. Nakashima, M. Yagi, M. Zenki, M. Doi and K. Toei, *Fresenius Z. Anal. Chem.*, 317, 29(1984).
27. Comparison of continuous-flow and flow-injection techniques for the photometric determination of traces of aluminum in water and solid samples ( in German ).  
D. Zoltzer and G. Schwedt, *Fresenius Z. Anal. Chem.*, 317, 422(1984).
28. Phosphate determination by flow injection analysis with geometrically deformed open tubes ( in German ).  
H. Engelhardt and R. Klinkner, *Fresenius Z. Anal. Chem.*, 317, 671(1984).
29. Determination of a small amount of a biological constituent by the use of chemiluminescence II. Determination of albumin as a model protein by means of the flow injection analysis using a cobalt(III) complex compound as a catalyst.  
T. Hara, M. Toriyama and K. Tsukagoshi, *Bull. Chem. Soc. Jpn.*, 57, 289(1984).

30. A lactate electrode with lactate oxidase immobilized on Nylon net for blood serum samples in flow systems.  
M. Mascini, D. Moscone and G. Palleschi, *Anal. Chim. Acta*, 157, 45(1984).
31. Determination of Sulphur anions by flow injection with a molecular emission cavity detector.  
J. L. Burguera and M. Burguera, *Anal. Chim. Acta*, 157, 177(1984).
32. Preconcentration and matrix isolation of heavy metals through a two-stage solvent extraction in a flow system.  
M. Bengtsson and G. Johansson, *Anal. Chim. Acta*, 158, 147 (1984).
33. Determination of iodine value of fatty acids by a flow injection method.  
C.-C. Lee and B. Pollard, *Anal. Chim. Acta*, 158, 157(1984).
34. Determination of fungal  $\alpha$ -amylase by flow injection analysis.  
P. W. Hansen, *Anal. Chim. Acta*, 158, 375(1984).
35. Direct determination of calcium and magnesium in serum using flow-injection analysis and atomic absorption spectroscopy.  
B. F. Rocks, R. A. Sherwood and C. Riley, *Ann. Clin. Biochem.*, 21, 51(1984).
36. Application of high-performance liquid chromatography-flow injection analysis for the determination of polyphosphoric acids in phosphorus smokes.  
R. S. Brazell, R. W. Holmberg and J. H. Moneyhun, *J. Chromatogr.*, 290, 163(1984).
37. Flow injection potentiometric stripping analysis and potentiometric stripping coulometry; Microanalytical methods for heavy metals.  
G. Schulze, M. Husch and W. Frenzel, *Mikrochim. Acta*, 1984 I, 191.
38. Kinetics in a single bead string reactor for flow injection analysis.  
J. M. Reijin, H. Poppe and W. E. van der Linden, *Anal. Chem.*, 56, 943(1984).

39. Simultaneous determination of phosphate and phosphonate by flow injection analysis with a parallel detection system.  
Y. Baba, N. Yoza and S. Ohashi, J. Chromatogr., 295, 133(1984).
40. Flow injection analysis-atomic absorption determination of serum zinc.  
A. S. Attiyat and G. D. Christian, Clin. Chim. Acta, 137, 151(1984).
41. Determination of water in organic solvents by using the Karl Fischer method with flow injection analysis.  
H. Mueller and G. Wallaschek, Z. Chem., 24, 75(1984).
42. Determination of indole derivatives by flow injection method with chemiluminescence detection ( in Japanese ).  
H. Imai, H. Yoshida, T. Masujima and T. Owa, Bunseki Kagaku, 33, 54(1984).

化学発光検出フローインジェクション法によるインドール誘導体の定量。

今井日出夫、吉田久信、升島 努、応和卓治、分化、33, 54(1984)。

43. Determination of water hardness by flow injection spectrophotometry ( in Japanese ).

T. Yamane and M. Kamijo, Bunseki Kagaku, 33, 110(1984).

フローインジェクションー吸光光度法による水の硬度測定。

山根 兵、上條幹人、分化、33, 110(1984)。

44. Continuous flow method for the determination of phosphorus using the fluorescence quenching of Rhodamine 6G with molybdophosphate ( in Japanese ).

S. Motomizu, H. Mikasa, M. Oshima and K. Toei, Bunseki Kagaku, 33, 116(1984).

モリブドリン酸によるローダミン6Gの消蛍光を利用するリンの連続流れ定量法。

本水昌二、三笠博司、大島光子、桐栄恭二、分化、33, 116(1984)。

45. Flow injection analysis by using turbidimetry for chloride in river water ( in Japanese ).

T. Zaitzu, M. Maehara and K. Toei, Bunseki Kagaku, 33, 149(1984).

フローインジェクション濁度分析法による河川水中の塩化物イオンの定量。七財津剛久、前原雅子、桐栄恭二、分化、33, 149(1984)。

46. Flow injection analysis for glucose with chemically modified enzyme membrane electrode ( in Japanese ).  
T. Yao, K. Nakanishi and T. Wada, *Bunseki Kagaku*, 33, 213(1984).  
化学修飾酵素膜電極を用いるグルコースのフローインジェクション分析。  
八尾俊男、中西邦之、和佐 保、*分化*、33, 213(1984)。
47. Flow injection analysis of trace amounts of iron with 2-nitroso-5-(N-ethyl-N-sulfopropylamino)phenol ( in Japanese ).  
T. Sakai and N. Ohno, *Bunseki Kagaku*, 33, 331(1984).  
2-ニトロソ-5-(N-エチル-N-スルホプロピルアミノ)フェノール  
を用いたフローインジェクション法による微量鉄の定量。  
酒井忠雄、大野典子、*分化*、33, 331(1984)。
48. Rapid measurement of cholinesterase activity in blood serum ( in Japanese ).  
T. Yao and T. Wasa, *Bunseki Kagaku*, 33, 342(1984).  
血清中コリンエステラーゼ活性の迅速測定。  
八尾俊男、和佐 保、*分化*、33, 342(1984)。
49. Determination of reduced type nicotinamide adenine dinucleotide by flow injection analysis using immobilized enzyme-voltammetry system ( in Japanese ).  
T. Chow, S. Yoshida, M. Itoh, S. Hirose and Ikeda, *Bunseki Kagaku*, 33, 310(1984).  
固定化酵素-ボルタンメトリーを用いたフローインジェクション法による還元型ニコチンアミドアデニンジヌクレオチドの定量。  
長 敏夫、吉田 滋、伊藤道久、広瀬信吾、武田立守、*分化*、33, 310(1984)。
50. Flow injection determination of hydrogen peroxide by means of the manganese-catalyzed oxidation of hydroxynaphthol blue.  
T. Yamane, *Bunseki Kagaku*, 33, E203(1984).
51. Flow injection analysis ( in Japanese ).  
R. Kuroda, *Chemistry Today*, 1984(5), 48.  
フローインジェクション分析法。  
黒田六郎、*現代化学*、1984(5)、48。