

# FIA Bibliography (49)

Toshio TAKAYANAGI, Okayama University

FIA-related papers and monographs which appeared since 1984 have been complied in this bibliography.  
All papers are numbered in series and shown with the titles in English.

9675. FIA Bibliography (48)  
Takayanagi, T.  
*J. Flow Injection Anal.* **24**, 141-156 (2007).
9676. Chemical analysis through CL-detection assisted by periodate oxidation  
Evmiridis, N. P.; Vlessidis, A. G.; Thanasoulias, N. C.  
*Bioinorg. Chem. Appl.* 92595 (2007).
9677. A multipumping flow system for in vitro screening of peroxynitrite scavengers  
Ribeiro, M. F. T.; Dias, A. C. B.; Santos, J. L. M.; Fernandes, E.; Lima, J. L. F. C.; Zagatto, E. A. G.  
*J. Biomol. Screen.* **12**, 875-880 (2007).
9678. Generation of linear and non-linear concentration gradients along microfluidic channel by microtunnel controlled stepwise addition of sample solution  
Li, C.-W.; Chen, R.; Yang, M.  
*Lab Chip* **7**, 1371-1373 (2007).
9679. Novel chemiluminescence system with calcein as chemiluminescent reagent  
Nie, F.; Lu, J.  
*Luminescence* **22**, 480-486 (2007).
9680. Sensitivity enhancement in membrane separation flow injection analysis by ultrasound  
George, B. J.; Pereira, N.; Massum, M. A.; Kolev, S. D.; Ashokkumar, M.  
*Ultrason. Sonochem.* **15**, 151-156 (2008).
9681. Microfabricated high-throughput electronic particle detector  
Wood, D. K.; Requa, M. V.; Cleland, A. N.  
*Rev. Sci. Instrum.* **78**, 104301 (2007).
9682. Surface immobilisation and properties of smooth muscle cells monitored by on-line acoustic wave detector  
Wang, X.; Ellis, J. S.; Kan, C.-D.; Li, R.-K.; Thompson, M.  
*Analyst* **133**, 85-92 (2008).
9683. Fast determination of salicylic acid in pharmaceuticals by using a terbium-sensitized luminescent SIA optosensor  
Llorente-Martinez, E. J.; Dominguez-Vidal, A.; Ortega-Barrales, P.; Molina-Diaz, A.  
*J. Pharm. Sci.-US* **97**, 791-797 (2008).
9684. Monolithic macroporous albumin/chitosan cryogel structure: a new matrix for enzyme immobilization  
Hedstrom, M.; Plieva, F.; Galaev, I. Y.; Mattiasson, B.  
*Anal. Bioanal. Chem.* **390**, 907-912 (2008).
9685. Application of pneumatic flow injection-tandem spectrometer system for chromium speciation  
Noroozifar, M.; Khorasani-Motlagh, M.; Akbari, R.  
*J. Autom. Method Manag.* 34373 (2007).
9686. Determination of albumin in bronchoalveolar lavage fluid by flow-injection fluorometry using chromazurol S  
Sato, T.; Saito, Y.; Chikuma, M.; Saito, Y.; Nagai, S.  
*Biol. Pharm. Bull.* **31**, 336-339 (2008).
9687. An environmental friendly method for the automatic determination of hypochlorite in commercial products using multisyringe flow injection analysis  
Soto, N. O.; Horstkotte, B.; March, J. G.; Lopez, A. P. L.; Lopez, M. L.; Cerda, M. V.  
*Anal. Chim. Acta* **611**, 182-186 (2008).
9688. Experimental design optimization of a sequential injection method for promazine assay in bulk and pharmaceutical formulations  
Idris, A. M.; Assubaie, F. N.; Sultan, S. M.  
*J. Autom. Method Manag.* 32470 (2007).
9689. Flow and batch systems for copper(II) potentiometric sensing  
Gismara, M. J.; Sevilla, M. T.; Procopio, J. R.  
*Talanta* **74**, 190-197 (2007).
9690. Electrochemical determination of homocysteine at a gold nanoparticle-modified electrode  
Agui, L.; Pena-Farfal, C.; Yanez-Sedeno, P.; Pingarron, J. M.  
*Talanta* **74**, 412-420 (2007).
9691. A flow injection electrospray ionization tandem mass spectrometric method for the simultaneous measurement of trimethylamine and trimethylamine *N*-oxide in urine  
Johnson, D. W.  
*J. Mass Spectrom.* **43**, 495-499 (2008).
9692. Online preconcentration and determination of trace amounts of zinc in nature waters  
Wei, L.; Zhang, X.; Dai, Y.; Huang, J.; Xie, Y.-H.; Xiao, K.  
*J. Autom. Method Manag.* 742319 (2008).
9693. Integrated biosensor systems for ethanol analysis  
Alhadeff, E. M.; Salgado, A. M.; Cos, O.; Pereira, N.; Valero, F.; Valdman, B.  
*Appl. Biochem. Biotech.* **146**, 129-136 (2008).
9694. Development of a non-invasive biomonitoring approach to determine exposure to the organophosphorus insecticide chlorpyrifos in rat saliva  
Timchalk, C.; Campbell, J. A.; Liu, G.; Lin, Y.; Kousba, A. A.  
*Toxicol. Appl. Pharm.* **219**, 217-225 (2007).
9695. Miniaturized on-line digestion system for the sequential identification and characterization of protein analytes  
Hedstroem, M.; Grey, C. E.; Gaspar, S.; Mattiasson, B.  
*J. Chromatogr. A* **1146**, 17-22 (2007).
9696. Development of a micro biochip integrated traveling wave micropumps and surface plasmon resonance imaging sensors  
Suzuki, T.; Teramura, Y.; Hata, H.; Inokuma, K.; Kanno, I.; Iwata, H.; Kotera, H.  
*Microsystem Technologies* **13**, 1391-1396 (2007).
9697. Electrochemical microsystem with porous matrix packed-beds for enzyme analysis  
Morimoto, K.; Upadhyay, S.; Higashiyama, T.; Ohgami, N.; Kusakabe, H.; Fukuda, J.; Suzuki, H.  
*Sens. Actuator B-Chem.* **B124**, 477-485 (2007).
9698. Study on occurrence modes of mercury in coals from Huabei coalfield  
Zheng, L.-G.; Liu, G.-J.; Qi, C.-C.; Zhang, Y.; Chen, Y.-W.  
*Diqu Kexue* **32**, 279-284 (2007).
9699. Determination of Cr(VI) in water with amperometric detection at conductive polymer electrodes  
Stotter, J. M.; Carter, M. T.  
*ECS Transactions* **2**, 25-30 (2007).
9700. Bi-enzyme biosensor based on NAD<sup>+</sup>- and glutathione-dependent recombinant formaldehyde dehydrogenase and diaphorase for formaldehyde assay  
Nikitina, O.; Shleev, S.; Gayda, G.; Demkiv, O.; Gonchar,

- M.; Gorton, L.; Csoeregi, E.; Nistor, M. *Sens. Actuator B-Chem.* **125**, 1-9 (2007).
9701. Phosphates  
Monbet, P.; McKelvie, I. D. *Handbook of Water Analysis (2nd Edition)* 219-251 (2007).
9702. Main parameters and assays involved with organic pollution of water  
Domini, C. E.; Vidal, L.; Canals, A. *Handbook of Water Analysis (2nd Edition)* 337-366 (2007).
9703. Improvement of sensitivity in flow analysis by exploiting a multi-reversed software-assisted system  
Neira, J. Y.; Gonzalez, E.; Nobrega, J. A. *Talanta* **73**, 400-403 (2007).
9704. Flow injection determination of lead and cadmium in hair samples from workers exposed to welding fumes  
Cespon-Romero, R. M.; Yebra-Biurrun, M. C. *Anal. Chim. Acta* **600**, 221-225 (2007).
9705. An automatic falling drop system based on multicommutation process for photometric chlorine determination in bleach  
Borges, S. S.; Reis, B. F. *Anal. Chim. Acta* **600**, 66-71 (2007).
9706. Determination of vanadium in alloy steel by FIA differential spectrophotometry  
Zhao, Z.-Y.; Han, G.-X.; Zhao, Y.; Song, X.-M. *Guangpu Shiyanshi* **24**, 656-658 (2007).
9707. Determination of inorganic trace components in seawater samples using flow analytical systems  
Suzuki, Y. *Nippon Kaisui Gakkaishi* **61**, 253-259 (2007).
9708. Noncovalent, site-specific biotinylation of histidine-tagged proteins  
Reichel, A.; Schaible, D.; Furoukh, N. A.; Cohen, M.; Schreiber, G.; Piehler, J. *Anal. Chem.* **79**, 8590-8600 (2007).
9709. Microfluidic chip-based protein capture from human whole blood using octadecyl (C18) silica beads for nucleic acid analysis from large volume samples  
Wen, J.; Guillot, C.; Ferrance, J. P.; Landers, J. P. *J. Chromatogr. A* **1171**, 29-36 (2007).
9710. Development of an on-chip injector for microchip-based flow analyses using laminar flow  
Moehlenbrock, M. J.; Martin, R. S. *Lab Chip* **7**, 1589-1596 (2007).
9711. Micro-flow injection analysis system: on-chip sample preconcentration, injection and delivery using coupled monolithic electroosmotic pumps  
Nie, F.-Q.; Macka, M.; Paull, B. *Lab Chip* **7**, 1597-1599 (2007).
9712. Automatic determination of insolubles in lubricating oils by flow injection analysis employing an LED-photometer detector  
Pignalosa, G.; Sixto, A.; Knochen, M. *Talanta* **73**, 959-961 (2007).
9713. Hydride generation-atomic fluorescence spectrometric determination of cadmium in pure copper  
Chen, M.-L.; Zou, A.-M.; Wang, J.-H. *Fenxi Huaxue* **35**, 1339-1342 (2007).
9714. Determination of hydroxyl radical in water by flow injection spectrophotometry  
Shi, S.-J.; Wang, P.; Cao, H.-L.; Wei, Z. *Fenxi Huaxue* **35**, 1391 (2007).
9715. Extraction of cadmium from urine: A brief review  
Pharr, K. E.; Jones, B. T. *Appl. Spectrosc. Rev.* **42**, 563-572 (2007).
9716. A simple, low-cost and sensitive approach for chemiluminescence detection in flow systems  
Haghghi, B.; Dadashvand, R. *Anal. Lett.* **40**, 2425-2432 (2007).
9717. Flow injection and batch spectrophotometric determination of ibuprofen based on its competitive complexation reaction with phenolphthalein- $\beta$ -cyclodextrin inclusion complex  
Afkhami, A.; Madrakian, T.; Khalafi, L. *Anal. Lett.* **40**, 2317-2328 (2007).
9718. Flow injection spectrophotometric method for the determination of filterable reactive phosphorus (FRP) in natural waters in the presence of high concentrations of arsenate and silicate  
Omaka, O. N.; Keith-Roach, M. J.; Worsfold, P. J. *Journal of Chemical Society of Nigeria* **32**, 143-149 (2007).
9719. Quartz crystal microbalance immunosensors on the base of antibodies immobilized for detection of *Yersinia enterocolitica* bacteria in aqueous media  
Kalmikova, E. N.; Garbuzova, A. V.; Shashkanova, O. Y.; Zubova, N. Y.; Ermolaeva, T. N. *Izvestiya Vysshikh Uchebnykh Zavedenii, Khimiya i Khimicheskaya Tekhnologiya* **50**, 10-15 (2007).
9720. Detection of airborne *Bacillus anthracis* spores by an integrated system of an air sampler and a cantilever immunosensor  
Campbell, G. A.; deLesdernier, D.; Mutharasan, R. *Sens. Actuator B-Chem.* **B127**, 376-382 (2007).
9721. Potentialities of pH-electrode modified with alkaline phosphatase  
Rozum, B.; Koncki, R.; Tymecki, L. *Sens. Actuator B-Chem.* **B127**, 632-636 (2007).
9722. Electrochemical surface plasmon resonance measurement in a microliter volume flow cell for evaluating the affinity and catalytic activity of biomolecules  
Kurita, R.; Yokota, Y.; Ueda, A.; Niwa, O. *Anal. Chem.* **79**, 9572-9576 (2007).
9723. Determination of trace cadmium in water samples by flame atomic absorption spectrometry with flow injection on-line preconcentration  
Gao, J. *Yejin Fenxi* **27**, 61-63 (2007).
9724. A chemiluminescence reaction between hydroxyl radical and rhodamine 6G and its applications  
He, D.; He, S.; Zhang, Z. *Anal. Lett.* **40**, 2935-2945 (2007).
9725. PDMS-glass serpentine microchannel chip for time domain PCR with bubble suppression in sample injection  
Cho, C.-H.; Cho, W.; Ahn, Y.; Hwang, S.-Y. *J. Micromech. Microeng.* **17**, 1810-1817 (2007).
9726. Construction and evaluation of a flow injection micro-analyser based on urethane-acrylate resin  
Fonseca, A.; Raimundo, I. M.; Rohwedder, J. J. R.; Ferreira, L. O. S. *Anal. Chim. Acta* **603**, 159-166 (2007).
9727. A flow injection chemiluminescence method for the determination of alendronate sodium by suppression of Cu(II) enhanced luminol-H<sub>2</sub>O<sub>2</sub> reaction  
Al Arfaj, N.; Sultan, M. A.; Abdine, H. H. *Journal of Saudi Chemical Society* **11**, 213-220 (2007).
9728. On-line solid-phase extraction and multisyringe flow injection analysis of Al(III) and Fe(III) in drinking water  
Vanloot, P.; Branger, C.; Margallan, A.; Brach-Papa, C.; Boudenne, J.-L.; Coulomb, B. *Anal. Bioanal. Chem.* **389**, 1595-1602 (2007).
9729. Integrated sorption-energy-dispersive X-ray fluorescence detection for automatic determination of lead and cadmium in low-concentration solutions  
Perez-Serradilla, J. A.; Luque de Castro, M. D. *Anal. Bioanal. Chem.* **389**, 1541-1547 (2007).
9730. Flow cell within an LED: A proposal for an optical absorption detector

- Ugucione, C.; Cardoso, A. A.  
*Anal. Bioanal. Chem.* **389**, 1647-1650 (2007).
9731. Sensitivity enhancement in membrane separation flow injection analysis by ultrasound  
 George, B. J.; Pereira, N.; Massum, M. A.; Kolev, S. D.; Ashokkumar, M.  
*Ultrason. Sonochem.* **15**, 151-156 (2007).
9732. Determination of cholesterol in human serum by flow injection chemiluminescence method  
 Wang, J.-W.; Wu, D.-M.; Yang, J.  
*Huaxue Yanjiu Yu Yingyong* **19**, 791-794 (2007).
9733. Choline biosensor constructed with chitinous membrane from soldier crab and its application in measuring cholinesterase inhibitory activities  
 Hsieh, B.-C.; Matsumoto, K.; Cheng, T.-J.; Yiu, G.; Chen, R. L. C.  
*J. Pharm. Biomed. Anal.* **45**, 673-678 (2007).
9734. Research on spectrophotometric flow-injection analysis of cadmium (II) and its application  
 Xiao, X.-F.; Wang, Z.-L.; Luo, Y.-J.  
*Huaxue Yanjiu Yu Yingyong* **19**, 910-913 (2007).
9735. Flow injection on-line preconcentration coupled with hydride generation atomic fluorescence spectrometry for ultra-trace amounts of bismuth determination in biological and environmental water samples  
 Wu, H.; Du, B.; Fang, C.  
*Anal. Lett.* **40**, 2772-2782 (2007).
9736. Flow injection chemiluminescence determination of fenitrothion pesticide using luminol-hydrogen peroxide system  
 Liu, X.; Li, A.; Wu, C.; Lu, J.  
*Anal. Lett.* **40**, 2737-2746 (2007).
9737. Measurements of label free protein concentration and conformational changes using a microfluidic UV-LED method  
 Lee, J.; Tripathi, A.  
*Biotechnol. Progr.* **23**, 1506-1512 (2007).
9738. Screen-printed immunosensor for quantification of human serum IgG antibodies to Helicobacter pylori  
 Messina, G. A.; De Vito, I. E.; Raba, J.  
*Sens. Actuator B-Chem.* **B128**, 23-30 (2007).
9739. A label-free, microfluidics and interdigitated array microelectrode-based impedance biosensor in combination with nanoparticles immunoseparation for detection of *Escherichia coli* O157:H7 in food samples  
 Varshney, M.; Li, Y.; Srinivasan, B.; Tung, S.  
*Sens. Actuator B-Chem.* **B128**, 99-107 (2007).
9740. Determination of silicate in anthropogenically impacted natural waters using flow injection spectrophotometry  
 Omaka, O. N.; Keith-Roach, M. J.; Worsfold, P. J.  
*Journal of Flow Injection Analysis* **24**, 4-8 (2007).
9741. Differential electrolytic potentiometric detector in flow injection analysis for cyanide determination  
 Taufiq, A. S.; Abulkibash, A. M. S.  
*Journal of Flow Injection Analysis* **24**, 9-12 (2007).
9742. Flow injection system for chloride determination with multidetection based on potentiometric and spectrophotometric measurements  
 Moreira, L. N.; Ramos, L. A.; Tarley, C. R. T.; Luccas, P. O.  
*Journal of Flow Injection Analysis* **24**, 13-16 (2007).
9743. Sequential injection spectrophotometric determination of cyanide  
 Abulkibash, A. M.; Fraihat, S. M.  
*Journal of Flow Injection Analysis* **24**, 17-21 (2007).
9744. Spectrophotometric flow injection analysis of protein in urine using tetrabromophenolphthalein ethyl ester and Triton X-100  
 Sakai, T.; Kito, Y.; Teshima, N.; Katoh, S.; Watla-Iad, K.; Grudpan, K.  
*Journal of Flow Injection Analysis* **24**, 23-26 (2007).
9745. FI-chemiluminescence determination of nitrite in tea and vegetables  
 Wang, X.-F.; Shi, X.; Pi, Y.-Q.  
*Lihua Jianyan, Huaxue Fence* **43**, 498-500 (2007).
9746. FI-HGAFS determination of lead in soil  
 Pan, J.-F.  
*Lihua Jianyan, Huaxue Fence* **43**, 513-514 (2007).
9747. Development of a NO<sub>x</sub> sensor for vehicle emissions  
 Hamamoto, K.  
*Shigen Kankyo Taisaku* **43**, 91-94 (2007).
9748. Flow injection electrochemical chemiluminescence determination of erythromycin ethylsuccinate  
 Zhang, S.-Z.; Ma, H.-Y.  
*Lihua Jianyan, Huaxue Fence* **43**, 345-347 (2007).
9749. Flow-injection-electrochemical reduction-chemiluminescence determination of uranium  
 Yang, L.-J.; Du, J.-X.; Li, J.-J.; Lu, J.-R.  
*Lihua Jianyan, Huaxue Fence* **43**, 348-350, 353 (2007).
9750. Hydride generation-nondispersion atomic fluorescence spectrometric determination of trace amounts of lead in milk and dairy products  
 Gao, G.; Tang, L.-J.; Tao, R.  
*Lihua Jianyan, Huaxue Fence* **43**, 591-593 (2007).
9751. Determination of cobalt (II) in environmental water by micro-column in-situ preconcentration and flow injection flame atomic absorption spectrometry  
 Wu, D.-M.; Wang, A.-X.  
*Lihua Jianyan, Huaxue Fence* **43**, 552-554, 557 (2007).
9752. Reverse flow-injection chemiluminescence determination of haloiperidol  
 Chen, X.-L.; Ma, H.-Y.; Zhang, Y.-T.; Zhang, C.-X.  
*Lihua Jianyan, Huaxue Fence* **43**, 416-417 (2007).
9753. Synthesis of 8-hydroxyquinoline bonded ZrO<sub>2</sub> composition microspheres and its application by flow injection-inductively coupled plasma-mass spectrometry on the detection of trace metals lead in sea water  
 Song, M.-Z.; Zhang, H.-J.; Wang, Z.; Lee, F. S. C.; Wang, X.-R.  
*Huaxue Yanjiu Yu Yingyong* **19**, 979-986 (2007).
9754. The effect of fluidic conditions on the continuous-flow bioluminescent detection of ATP in a microfluidic device  
 Tran, T.-H.; Chang, W.-J.; Kim, Y.-B.; Koo, Y.-M.; Kim, E.-K.; Yoon, J.-Y.; Kim, J.  
*Biotechnol. Bioproc. E.* **12**, 470-474 (2007).
9755. FI inhibition-chemiluminescence determination of ciprofloxacin hydrochloride  
 Tang, Y.-H.; Yao, H.; Sun, Y.-Y.  
*Lihua Jianyan, Huaxue Fence* **43**, 639-641 (2007).
9756. Test of performance property of macroporous strongly basic anion exchange resins by flow injection spectrophotometry  
 Ye, Y.-L.; Li, Y.-S.; Meng, G.; Zhu, Z.-P.; Wang, Q.  
*Lihua Jianyan, Huaxue Fence* **43**, 669-672 (2007).
9757. FI-photometric determination of hexavalent chromium  
 Zhao, P.; Gu, A.-P.  
*Lihua Jianyan, Huaxue Fence* **43**, 696-697 (2007).
9758. Determination of puerarin in pharmaceutical injection by flow injection analysis with acidic potassium permanganate-glyoxal chemiluminescence detection  
 Wei, G.; Wei, C.; Dang, G.; Yao, H.; Li, H.  
*Anal. Lett.* **40**, 2179-2191 (2007).
9759. Application of adsorptive stripping voltammetry for the nano-level detection of tramadol in biological fluids and tablets using fast fourier transform continuous cyclic voltammetry at Au microelectrode in a flowing system  
 Norouzi, P.; Dinarvand, R.; Ganjali, M. R.; Meibodi, A. S. E.  
*Anal. Lett.* **40**, 2252-2270 (2007).
9760. Flow injection spectrophotometric determination of

- sodium dodecyl sulfate in water  
 Yuan, D.; Fu, D.-Y.; Zhang, X.-S.; Zhang, L.-P.  
*Riyong Huaxue Gongye* **37**, 201-202, 214 (2007).
9761. Flow injection online preconcentration on microcolumn packed with chitosan for the determination of trace amounts of chromium(VI) by electrothermal atomic absorption spectrometry  
 Wu, J.; Wang, X.; Jiang, P.; Wang, Y.  
*Lizi Jiaohuan Yu Xifu* **23**, 343-348 (2007).
9762. Successive determination of urinary protein and glucose using spectrophotometric sequential injection method  
 Kanchana, W.-I.; Sakai, T.; Teshima, N.; Katoh, S.; Grudpan, K.  
*Anal. Chim. Acta* **604**, 139-146 (2007).
9763. An interference free amperometric biosensor for the detection of biogenic amines in food products  
 Carelli, D.; Centonze, D.; Palermo, C.; Quinto, M.; Rotunno, T.  
*Biosens. Bioelectron.* **23**, 640-647 (2007).
9764. Detecting penicillin G in milk with impedimetric label-free immunosensor  
 Thavarungkul, P.; Dawan, S.; Kanatharana, P.; Asawatratanakul, P.  
*Biosens. Bioelectron.* **23**, 688-694 (2007).
9765. Coupling on-line preconcentration by ion-exchange with microwave plasma torch-atomic emission spectrometry for the determination of cobalt and nickel  
 Kong, X.; Jia, Q.; Zhou, W.  
*Microchem. J.* **87**, 132-138 (2007).
9766. Rapidanalysis of L-dopa in urine samples using gold nanoelectrode ensembles  
 Viswanathan, S.; Liao, W.-C.; Huang, C.-C.; Hsu, W.-L.; Ho, J. A.  
*Talanta* **74**, 229-234 (2007).
9767. Selective determination of acenaphthylene by flow injection analysis with tris(2,2'-bipyridine)ruthenium(III) chemiluminescence detection  
 Li, M.; Lee, S. H.  
*Talanta* **74**, 265-270 (2007).
9768. Simple, rapid and sensitive determination of Cr(VI) by spectrophotometric flow injection system utilizing activated alumina column for in-line separation, preconcentration and reaction  
 Kubota, T.; Yamane, T.  
*Bunseki Kagaku* **56**, 927-932 (2007).
9769. Simple and rapid pyrolysis condition for determination of fluoride ion in cements by spectrophotometric flow injection analysis  
 Noguchi, Y.; Maruta, T.; Kiba, N.; Yamane, T.  
*Bunseki Kagaku* **56**, 939-943 (2007).
9770. Sequential-injection analysis: a useful tool for clinical and biochemical analysis  
 Economou, A.; Tzanavaras, P. D.; Themelis, D. G.  
*Curr. Pharm. Anal.* **3**, 249-261 (2007).
9771. Novel sensor devices and monitoring strategies for green and sustainable chemistry processes  
 Brett, C. M. A.  
*Pure Appl. Chem.* **79**, 1969-1980 (2007).
9772. Flow-injection spectrophotometric determination of chloramphen  
 Jan, M. R.; Shah, J.; Bashir, N.  
*Int. J. Environ. An. Ch.* **88**, 27-35 (2008).
9773. Sensitive assay for carvedilol in tablets and spiked human plasma using a flow-injection chemiluminometric method  
 Al Arfaj, N.; Abdine, H. H.; Sultan, M. A.  
*International Journal of Biomedical Science* **3**, 131-136 (2007).
9774. Flow injection-resonance light scattering determination of silver  
 Zhong, M.-H.
- Fenxi Shiyanshi* **26**, 49-51 (2007).
9775. Post-chemiluminescence phenomenon of NBS-luminol reactions and their applications to flow injection analysis of piroxicam  
 Bai, H.; Nie, F.; Lu, J.  
*Anal. Sci.* **23**, 1301-1304 (2007).
9776. Bromide determination in pharmaceutical preparations using indirect gas-diffusion flow injection method with amperometric detector  
 Mutic, J.; Nikolic-Mandic, S.; Lolic, A.; Manojlovic, D.  
*Pol. J. Environ. Stud.* **16**, 739-744 (2007).
9777. The use of sequential extraction to determine the distribution and modes of occurrence of mercury in Permian Huabei coal, Anhui Province, China  
 Zheng, L.; Liu, G.; Qi, C.; Zhang, Y.; Wong, M.  
*Int J. Coal Geol.* **73**, 139-155 (2008).
9778. A poly(dimethylsiloxane)-based electrochemical cell coupled with disposable screen printed edge band ultramicroelectrodes for use in flow injection analysis  
 Chang, J.-L.; Zen, J.-M.  
*Electrochim. Comm.* **9**, 2744-2750 (2007).
9779. Determination of dimethoate by flow-injection chemiluminescence spectroscopy with luminol and hydrogen peroxide  
 Wu, X.-P.; Tu, M.-Z.  
*Guangpu Shiyanshi* **24**, 921-925 (2007).
9780. Determination of rifampicin with luminol-K<sub>3</sub>Fe(CN)<sub>6</sub> chemiluminescence system  
 Qu, Y.-J.; Duan, S.-E.; Wang, S.-Y.  
*Guangpu Shiyanshi* **24**, 978-981 (2007).
9781. Extraction of chromium, copper, and cadmium in environmental samples using cross-linked chitosan-bound FeC nano-particles as solid-phase extractant and determination by flame atomic absorption spectrometry  
 Wu, Y.-W.; Jiang, Y.-Y.; Wang, F.; Han, D.-Y.  
*Atom. Spectrosc.* **28**, 183-188 (2007).
9782. Flow injection analysis of gallic acid in chinese medicine gallnut with enhanced chemiluminescent detection  
 Xie, C.; Rong, T.  
*Fenxi Yiqi* 35-37 (2007).
9783. High-performance liquid chromatography with sequential injection for online precolumn derivatization of some heavy metals  
 Burakham, R.; Srijaranai, S.; Grudpan, K.  
*J. Sep. Sci.* **30**, 2614-2619 (2007).
9784. Capillary scale light emitting diode based multi-reflection absorbance detector  
 Mishra, S. K.; Dasgupta, P. K.  
*Anal. Chim. Acta* **605**, 166-174 (2007).
9785. FI-photometric determination of volatile phenols in surface water  
 Luo, H.-D.; Ge, Z.-P.; Yin, J.; Pan, S.-Y.  
*Lihua Jianyan, Huaxue Fence* **43**, 841-843 (2007).
9786. Sequential injection lab-on-valve procedure for the determination of amantadine using potentiometric methods  
 Amorim, C. G.; Araujo, A. N.; Montenegro, M. C. B. S. M.; Silva, V. L.  
*Electroanalysis* **19**, 2227-2233 (2007).
9787. A sequential injection method for the fluorimetric determination of aluminum in drinking water using 8-hydroxy-7-(4-sulfo-1-naphthylazo)-5-quinoline sulfonic acid  
 Al-Kindy, S. M. Z.; Al-Ghamari, S. S.; Suliman, F. E. O.  
*Spectrochim. Acta A* **68A**, 1174-1179 (2007).
9788. On-line preconcentration by a Schiff's base adsorbed on surfactant coated activated carbon and determination of nickel in natural water samples by flow injection-inductively coupled plasma optical emission spectrometry (FI-ICP-OES)

- Aref-Azar, H.; Moghimi, A.  
*Oriental Journal of Chemistry* **23**, 491-497 (2007).
9789. A catalytically active molecularly imprinted polymer that mimics peroxidase based on hemin: application to the determination of p-aminophenol  
Santos, W. J. R.; Lima, P. R.; Tarley, C. R. T.; Kubota, L. T.  
*Anal. Bioanal. Chem.* **389**, 1919-1929 (2007).
9790. A low perfusion rate microreactor for continuous monitoring of enzyme characteristics: application to glucose oxidase  
Posthuma-Trimpie, G. A.; Venema, K.; van Berkel, W. J. H.; Korf, J.  
*Anal. Bioanal. Chem.* **389**, 2029-2033 (2007).
9791. Applications of bioanalytical techniques in evaluating advanced oxidation processes in pesticide degradation  
Kralj, M. B.; Trebse, P.; Franko, M.  
*TrAC-Trends Anal. Chem.* **26**, 1020-1031 (2007).
9792. Development of an automatic method for americium and plutonium separation and preconcentration using an multisyringe flow injection analysis-multipumping flow system  
Fajardo, Y.; Ferrer, L.; Gomez, E.; Garcias, F.; Casas, M.; Cerda, V.  
*Anal. Chem.* **80**, 195-202 (2008).
9793. Flow-injection spectrophotometric system for captopril determination in pharmaceuticals  
Suarez, W. T.; Madi, A. A.; de Figueiredo-Filho, L. C. S.; Fatibello-Filho, O.  
*J. Brazil. Chem. Soc.* **18**, 1215-1219 (2007).
9794. Determination of rhodium and platinum by electrothermal atomic absorption spectrometry after preconcentration with a chelating resin  
Rojas, F. S.; Ojeda, C. B.; Pavon, J. M. C.  
*J. Brazil. Chem. Soc.* **18**, 1270-1275 (2007).
9795. Determination of trace lead in traditional Chinese herbal medicine Astragalus by microwave digestion-CTAB enhancing-continual flow injection hydride generation-ICP-AES  
Liu, D.-L.; Ke, S.-Y.; Ye, R.; Ding, M.-Y.  
*Guangpuxue Yu Guangpu Fenxi* **27**, 2337-2340 (2007).
9796. Direct electrochemical sensing and detection of natural antioxidants and antioxidant capacity in vitro systems  
Blasco, A. J.; Crevillen, A. G.; Gonzalez, M. C.; Escarpa, A.  
*Electroanalysis* **19**, 2275-2286 (2007).
9797. Disposable screen-printed carbon electrodes for dual electrochemiluminescence/amperometric detection: sequential injection analysis of oxalate  
Chiu, M.-H.; Wu, H.; Chen, J.-C.; Muthuraman, G.; Zen, J.-M.  
*Electroanalysis* **19**, 2301-2306 (2007).
9798. Development of a continuous protein and polysaccharide measurement method by sequential injection analysis for application in membrane bioreactor systems  
Mehrez, R.; Ernst, M.; Jekel, M.  
*Water Science and Technology* **56**, 163-171 (2007).
9799. Electrochemical determination of homocysteine at a gold nanoparticle-modified electrode  
Aguei, L.; Pena-Farfal, C.; Yanez-Sedeno, P.; Pingarron, J. M.  
*Talanta* **74**, 412-420 (2007).
9800. Manufacture and evaluation of carbon nanotube modified screen-printed electrodes as electrochemical tools  
Fanjul-Bolado, P.; Queipo, P.; Lamas-Ardisana, P. J.; Costa-Garcia, A.  
*Talanta* **74**, 427-433 (2007).
9801. Vicinal diaminobenzoacridine used as the fluorescent probe for trace nitric oxide determination by flow injection spectrofluorimetry and macrophage cells imaging  
Hu, J.; Yin, L.; Xu, K.; Gao, J.; Tong, L.; Tang, B.  
*Anal. Chim. Acta* **606**, 57-62 (2008).
9802. Sensitive chemiluminescence assay for patulin in apple juice by flow injection  
Liu, H.; Gao, X.; He, X.; Huang, C.; Song, Z.  
*Spectrosc. Lett.* **40**, 851-860 (2007).
9803. In vitro monitoring chlorogenic acid in human urine and serum by a flow injection system exploiting the luminol-dissolved oxygen chemiluminescence reaction  
Xie, X.; He, X.; Qiu, X.; Song, Z.  
*Curr. Drug Metab.* **8**, 773-777 (2007).
9804. The isolation of basic proteins by solid-phase extraction with multiwalled carbon nanotubes  
Du, Z.; Yu, Y.-L.; Chen, X.-W.; Wang, J.-H.  
*Chem.-Eur. J.* **13**, 9679-9685 (2007).
9805. Electrochemical detection of free chlorine at highly boron-doped diamond electrodes  
Murata, M.; Ivandini, T. A.; Shibata, M.; Nomura, S.; Fujishima, A.; Einaga, Y.  
*J. Electroanal. Chem.* **612**, 29-36 (2008).
9806. Determination of hydroxyl radical in water by flow injection spectrophotometry  
Shi, S.-J.; Wang, P.; Cao, H.-L.; Zhang, W.  
*Fenxi Huaxue* **35**, 1391 (2007).
9807. Hydride generation-atomic fluorescence spectrometric determination of cadmium in pure copper  
Chen, M.-L.; Zou, A.-M.; Wang, J.-H.  
*Fenxi Huaxue* **35**, 1339-1342 (2007).
9808. Optical sectioning for microfluidics: secondary flow and mixing in a meandering microchannel  
Ahn, Y.-C.; Jung, W.; Chen, Z.  
*Lab Chip* **8**, 125-133 (2008).
9809. Automatic sampler coupled with flow injection-chemiluminescence detection to monitor particle/natural water interactions  
Seguret, M. J. M.; Ussher, S. J.; Worsfold, P. J.; Nimmo, M.; Wood, J. W.  
*Instrum. Sci. Technol.* **36**, 18-31 (2008).
9810. FI chemiluminescence determination of ascorbic acid with on-line electrogenerated hypochlorite  
Xie, Z.-P.; Xiao, Y.-J.; Wang, J.-W.  
*Fenxi Shiyanshi* **26**, 64-66 (2007).
9811. Flow injection chemiluminescence determination of amoxicillin  
Shen, L.-H.; Li, X.-X.; Liang, Y.-D.; Cui, X.-X.; Wang, Z.  
*Fenxi Shiyanshi* **26**, 115-118 (2007).
9812. On-line coupling of solid-phase extraction to high-performance liquid chromatography for determination of estrogens in environment  
Wang, S.; Huang, W.; Fang, G.; He, J.; Zhang, Y.  
*Anal. Chim. Acta* **606**, 194-201 (2008).
9813. Square wave adsorptive cathodic stripping voltammetry automated by sequential injection analysis. Potentialities and limitations exemplified by the determination of methyl parathion in water samples  
dos Santos, L. B. O.; Masini, J. C.  
*Anal. Chim. Acta* **606**, 209-216 (2008).
9814. Combining multiple optical trapping with microflow manipulation for the rapid bioanalytics on microparticles in a chip  
Boer, G.; Johann, R.; Rohner, J.; Merenda, F.; Delacretaz, G.; Renaud, P.; Salathe, R.-P.  
*Rev. Sci. Instrum.* **78**, 116101/1-116101/3 (2007).
9815. Determination of As, Cd and Hg in emulsified vegetable oil by flow injection chemical vapour generation inductively coupled plasma mass spectrometry  
Chang, Y.-T.; Jiang, S.-J.  
*J. Anal. Atom. Spectrom.* **23**, 140-144 (2008).

9816. Flow-injection potentiometric and conductometric determination of papaverine hydrochloride in the parent substance and a related pharmaceutical preparation El-Nashar, R. M.; Rizk, M. S.; Abdel-Ghani, N. T.; Hamed, S. M.  
*Pharmaceutical Chemistry Journal* **41**, 447-454 (2007).
9817. Direct electrochemical oxidation of proteins at conductive diamond electrodes Chiku, M.; Ivandini, T. A.; Kamiya, A.; Fujishima, A.; Einaga, Y.  
*J. Electroanal. Chem.* **612**, 201-207 (2008).
9818. Determination of histamine in fish sauce by photometric flow injection analysis with immobilized histamine oxidase reactor Watanabe, S.; Matsuo, K.; Suzuki, Y.; Tachibana, M.; Tani, K.; Koizumi, H.; Matsumoto, K.; Kiba, N.  
*Bunseki Kagaku* **56**, 1033-1036 (2007).
9819. Sub-second adsorption for the fast sub-nanomolar monitoring of clindamycin in its pure and pharmaceutical samples by fast Fourier transformation with the use of continuous cyclic voltammetry at an Au microelectrode in a flowing system Norouzi, P.; Larijani, B.; Ezoddin, M.; Ganjali, M. R.  
*Mat. Sci. Eng. C-Bio. S.* **28**, 87-93 (2008).
9820. Research on electrokinetic pump techniques Ma, J.; Chen, L.; Guan, Y.  
*Huaxue Jinzhan* **19**, 1826-1831 (2007).
9821. A review of the recent achievements in capacitively coupled contactless conductivity detection Kuban, P.; Hauser, P. C.  
*Anal. Chim. Acta* **607**, 15-29 (2008).
9822. Analytical artefacts in the speciation of arsenic in clinical samples Slejkovec, Z.; Falnoga, I.; Goessler, W.; van Elteren, J. T.; Raml, R.; Podgornik, H.; Cernelc, P.  
*Anal. Chim. Acta* **607**, 83-91 (2008).
9823. Development and application of an on-line sequential injection system for the separation of Pu,  $^{210}\text{Po}$  and  $^{210}\text{Pb}$  from environmental samples Kim, C.-K.; Kim, C.-S.; Sansone, U.; Martin, P.  
*Appl. Radiat. Isotopes* **66**, 223-230 (2008).
9824. Voltammetry and flow-injection amperometry for indirect determination of dopamine Yeh, W.-L.; Kuo, Y.-R.; Cheng, S.-H.  
*Electrochim. Commun.* **10**, 66-70 (2008).
9825. The determination of trace lead in Chinese medicinal herbs by flow injection analysis in polyethylene glycol medium Gong, A.; Zhu, X.; Huang, X.; Zhang, Y.  
*Spectrochim. Acta A* **69A**, 189-192 (2008).
9826. A novel flow-through planar solid contact sensor for the determination of lead with potentiometric anionic response Kamel, A. H.  
*Electroanalysis* **19**, 2419-2427 (2007).
9827. Preparation and characterization of mixed-valent nickel oxide/nickel hexacyanoferrate hybrid films and their electrocatalytic properties Chen, S.-M.; Liou, C.-Y.; Thangamuthu, R.  
*Electroanalysis* **19**, 2457-2464 (2007).
9828. Quasi-flow injection analysis for rapid determination of caffeine in tea using the sample pre-treatment method with a cartridge column filled with polyvinylpolypyrrolidone Yamauchi, Y.; Nakamura, A.; Kohno, I.; Hatanaka, K.; Kitai, M.; Tanimoto, T.  
*J. Chromatogr. A* **1177**, 190-194 (2008).
9829. Determination of silicon in high-silicon electrical steel by ICP-AES with on-line sample electrolytic dissolution Aimoto, M.; Kondo, H.; Ono, A.  
*Anal. Sci.* **23**, 1367-1371 (2007).
9830. Flow-injection spectrophotometric determination of novalgin in pharmaceuticals using micellar medium Weinert, P. L.; Fernandes, J. R.; Pezza, L.; Pezza, H. R.  
*Anal. Sci.* **23**, 1383-1389 (2007).
9831. Determination of drinking water-arsenic in nano gram level using flow injection analysis system atomic absorption spectrometry and an interpretation for the cause behind contamination Palchaudhuri, S.; Sen, A.  
*J. Indian Chem. Soc.* **84**, 1148-1152 (2007).
9832. Flow injection conductometric determination of carbonate alkalinity of drinking water Shlyapunova, E. V.; Tikhonenko, A. V.; Sergeev, G. M.  
*Izvestiya Vysshikh Uchebnykh Zavedenii, Khimiya i Khimicheskaya Tekhnologiya* **50**, 66-68 (2007).
9833. Continuous measurement and control of fouling active compounds in membrane bioreactor systems Ernst, M.; Mehrez, R.; Drews, A.; Iversen, V.; Kraume, M.; Jekel, M.  
*Water Science and Technology* **56**, 11-19 (2007).
9834. Development of a colloidal gold-based lateral-flow immunoassay for the rapid simultaneous detection of zearalenone and deoxynivalenol Kolosova, A. Y.; De Saeger, S.; Sibanda, L.; Verheijen, R.; Van Peteghem, C.  
*Anal. Bioanal. Chem.* **389**, 2103-2107 (2007).
9835. Determination of loratadine and pseudoephedrine sulfate in pharmaceuticals based on non-linear second-order spectrophotometric data generated by a pH-gradient flow injection technique and artificial neural networks Culzoni, M. J.; Goicoechea, H. C.  
*Anal. Bioanal. Chem.* **389**, 2217-2225 (2007).
9836. Determination of urinary arsenic by sequential injection hydride generation atomic fluorescence spectrometry Yan, H.-Z.; Liu, J.-W.; Fan, R.-T.  
*Weisheng Yanjiu* **36**, 614-615 (2007).
9837. Detection of NADH via electrocatalytic oxidation at single-walled carbon nanotubes modified with Variamine blue Radoi, A.; Compagnone, D.; Valcarcel, M. A.; Placidi, P.; Materazzi, S.; Moscone, D.; Palleschi, G.  
*Electrochim. Acta* **53**, 2161-2169 (2008).
9838. Highly selective cyanide coated-wire electrode based on a recently synthesized Co(II) complex with the *N,N'*-bis(2-quinolinicarboxamido)-1,2-benzene applying batch and flow injection analysis techniques Alizadeh, N.; Teymourian, H.; Aghamohammadi, M.; Meghdadi, S.; Amirnasr, M.  
*IEEE Sens. J.* **7**, 1727-1733 (2007).
9839. Electrochemical sensors for the detection of lead and other toxic heavy metals: the next generation of personal exposure biomonitoring Yantasee, W.; Lin, Y.; Hongsirikarn, K.; Fryxell, G. E.; Addleman, R.; Timchalk, C.  
*Environ. Health Persp.* **115**, 1683-1690 (2007).
9840. Development a new method for the determination of chloropromazine in trace amounts by fast Fourier continuous cyclic voltammetry at an Au microelectrode in a flowing system Norouzi, P.; Ganjali, M. R.; Farokhi, R.  
*J. Chin. Chem. Soc.-Taip.* **54**, 1243-1251 (2007).
9841. Dual-injection system with multiple injections for determining bidimensional retention indexes in comprehensive two-dimensional gas chromatography Bieri, S.; Marriott, P. J.  
*Anal. Chem.* **80**, 760-768 (2008).
9842. Enzymatic flow-injection determination of phytase-hydrolysable phosphorus (PHP) in natural waters using immobilized 3-phytase

- Omaka, O. N.; Keith-Roach, M.; McKelvie, I. D.; Worsfold, P. J.  
*Int. J. Environ. An. Ch.* **88**, 91-101 (2008).
9843. Determination of potassium in tobacco by flow injection analysis-light scattering photometry  
 Zhong, M.-H.  
*Yancao Keji* 45-48 (2007).
9844. Characterization of an attenuated total reflection-based sensor for integrated solid-phase extraction and infrared detection  
 Alcudia-Leon, M. C.; Lucena, R.; Cardenas, S.; Valcarcel, M.  
*Anal. Chem.* **80**, 1146-1151 (2008).
9845. Simultaneous on-line pre-concentration and determination of trace metals in environmental samples by flow injection combined with inductively coupled plasma mass spectrometry using silica gel modified with niobium(V) oxide  
 Maltez, H. F.; Vieira, M. A.; Ribeiro, A. S.; Curtius, A. J.; Carasek, E.  
*Talanta* **74**, 586-592 (2008).
9846. Determination of formaldehyde in foodstuffs by flow injection spectrophotometry using phloroglucinol as chromogenic agent  
 Li, Z.; Ma, H.; Lu, H.; Tao, G.  
*Talanta* **74**, 788-792 (2008).
9847. Fabrication of bulk-modified carbon paste electrode containing  $\alpha\text{-PW}_{12}\text{O}_{40}^{3-}$  polyanion supported on modified silica gel: Preparation, electrochemistry and electrocatalysis  
 Hamidi, H.; Shams, E.; Yadollahi, B.; Esfahani, F. K.  
*Talanta* **74**, 909-914 (2008).
9848. A novel sequential injection-cold vapour atomic absorption spectrometric system for rapid and reliable determination of mercury  
 Zhang, Y.; Adelaju, S. B.  
*Talanta* **74**, 951-957 (2008).
9849. Radionuclide Sensors for Environmental Monitoring: From Flow Injection Solid-Phase Absorptiometry to Equilibration-Based Preconcentrating Minicolumn Sensors with Radiometric Detection  
 Grate, J. W.; Egorov, O. B.; O'Hara, M. J.; DeVol, T. A.  
*Chem. Rev.* **108**, 543-562 (2008).
9850. Development of the determination of chloride ions in industrial water  
 Li, Y.; Guo, H.  
*Gongye Shuichuli* **27**, 1-5 (2007).
9851. On-line microwave digestion for the determination of total phosphorus in circulating water by flow injection spectrophotometry  
 Su, L.; Zhang, H.; Wang, Q.; Xie, H.  
*Gongye Shuichuli* **27**, 80-82 (2007).
9852. Fluorimetric determination of formaldehyde in food and beverage by flow injection analysis  
 Zhao, X.-Q.  
*Huaxue Yanjiu* **18**, 80-82, 86 (2007).
9853. Post-chemiluminescence method of the determination of loperamide hydrochloride in human plasma and pharmaceutical by using dichlorofluorescein as chemiluminescence reagent  
 Zhang, H.; Nie, F.; Lu, J.  
*Anal. Lett.* **40**, 3405-3416 (2007).
9854. Flow-injection spectrophotometric determination of *N*-acetylcysteine in pharmaceutical formulations with on-line solid-phase reactor containing Zn(II) phosphate immobilized in a polyester resin  
 Suarez, W. T.; Madi, A. A.; Vicentini, F. C.; Fatibello-Filho, O.  
*Anal. Lett.* **40**, 3417-3429 (2007).
9855. The determination of salbutamol sulfate based on a flow-injection coupling irreversible biampereometry at poly(aminosulfonic acid)-modified glassy carbon electrode  
 Li, L.; Yu, L.; Cheng, H.; Chen, Q.; Wu, F.; Chen, T.; Zhu, X.; Kong, H.; Wu, J.  
*Anal. Lett.* **40**, 3290-3308 (2007).
9856. Determination of tellurium at ultra-trace levels in drinking water by on-line solid phase extraction coupled to graphite furnace atomic absorption spectrometer  
 Pedro, J.; Stripekis, J.; Bonivardi, A.; Tudino, M.  
*Spectrochim. Acta B* **63B**, 86-91 (2008).
9857. Preparation of the diphenylcarbazone-functionalized silica gel and its application to on-line selective solid-phase extraction and determination of mercury by flow-injection spectrophotometry  
 Fan, J.; Qin, Y.; Ye, C.; Peng, P.; Wu, C.  
*J. Hazard. Mater.* **150**, 343-350 (2008).
9858. Preparing of iridium oxide film modified microelectrode as an amperometric detector in FIA for determination of epinephrine  
 Li, J.; Du, Y.  
*Anal. Lett.* **40**, 3025-3037 (2007).
9859. Biampereometric determination of tetracycline in pharmaceuticals  
 Gambarra Neto, F. F.; Lima, R. S.; Lyra, W. S.; Marino, G.; Ugulino Araujo, M. C.; Medeiros, E. P.; Nascimento, V. B.  
*Anal. Lett.* **40**, 3070-3079 (2007).
9860. Determination of Cd in sediment samples by flow injection online anion exchange combined with vapor generation-atomic fluorescence spectrometry  
 Wang, Y.-Z.; Qiu, H.-O.; Tang, Z.-Y.; Gu, Y.-S.; Zhang, S.-Q.  
*Guangpuxue Yu Guangpu Fenxi* **27**, 2581-2584 (2007).
9861. Flow-injection chemiluminescence determination of aniline in water  
 Li, L.; Zhou, M.; Ma, Y.-J.; Zhang, D.-Y.; Chen, H.  
*Fenxi Shiyanshi* **26**, 48-51 (2007).
9862. On-line simultaneous determination of nitrite and nitrate in water samples by flow injection spectrophotometry in combination with post-column derivatization  
 Wu, H.; Zhang, L.-X.; Wang, J.-H.; Zhao, C.-C.  
*Fenxi Shiyanshi* **26**, 87-90 (2007).
9863. HPLC-FI chemiluminescence determination of VC in Gannan-orange with on-line electrogenerated hypochlorite  
 Xie, Z.-P.; Zhong, H.-M.; Luo, L.-B.; Wang, J.-W.  
*Fenxi Shiyanshi* **26**, 95-97 (2007).
9864. Automated electronic tongue based on potentiometric sensors for the determination of a trinary anionic surfactant mixture  
 Cortina, M.; Ecker, C.; Calvo, D.; del Valle, M.  
*J. Pharm. Biomed. Anal.* **46**, 213-218 (2008).
9865. Chemiluminescence determination of sulphadiazine in drugs by flow injection analysis using the peroxyoxalate reaction in micellar medium  
 Lattanzio, G.; Garcia-Campana, A. M.; Soto-Chinchilla, J. J.; Gamiz-Gracia, L.; Girotti, S.  
*J. Pharm. Biomed. Anal.* **46**, 381-385 (2008).
9866. FIA determination of ascorbic acid at low potential using a ruthenium oxide hexacyanoferrate modified carbon electrode  
 Paixao, T. R. L. C.; Bertotti, M.  
*J. Pharm. Biomed. Anal.* **46**, 528-533 (2008).
9867. Determination of thallium traces by ETAAS after on-line matrix separation and preconcentration in a flow injection system  
 Asadoulahi, T.; Dadfarnia, S.; Shabani, A. M. H.  
*J. Brazil. Chem. Soc.* **18**, 1353-1359 (2007).
9868. Arsenic speciation analysis in human saliva

- Yuan, C.; Lu, X.; Oro, N.; Wang, Z.; Xia, Y.; Wade, T. J.; Mumford, J.; Le, X. C.  
*Clin. Chem.* **54**, 163-171 (2008).
9869. Method of fast trace microanalysis of the chiral pesticides epoxiconazole and novaluron in soil samples using off-line flow-through extraction and on-column direct large volume injection in reversed-phase high performance liquid chromatography  
 Rybar, I.; Gora, R.; Hutta, M.  
*J. Sep. Sci.* **30**, 3164-3173 (2007).
9870. Covalent virus layer for mass-based biosensing  
 Yang, L.-M. C.; Diaz, J. E.; McIntire, T. M.; Weiss, G. A.; Penner, R. M.  
*Anal. Chem.* **80**, 933-943 (2008).
9871. Performance impact of dynamic surface coatings on polymeric insulator-based dielectrophoretic particle separators  
 Davalos, R. V.; McGraw, G. J.; Wallow, T. I.; Morales, A. M.; Krafciak, K. L.; Fintschenko, Y.; Cummings, E. B.; Simmons, B. A.  
*Anal. Bioanal. Chem.* **390**, 847-855 (2008).
9872. Monolithic macroporous albumin/chitosan cryogel structure: a new matrix for enzyme immobilization  
 Hedstroem, M.; Plieva, F.; Galaev, I. Y.; Mattiasson, B.  
*Anal. Bioanal. Chem.* **390**, 907-912 (2008).
9873. Micro- and nanometer-scale patterned surface in a microchannel for cell culture in microfluidic devices  
 Goto, M.; Tsukahara, T.; Sato, K.; Kitamori, T.  
*Anal. Bioanal. Chem.* **390**, 817-823 (2008).
9874. Growth cone response to ephrin gradients produced by microfluidic networks  
 Lang, S.; von Philipsborn, A. C.; Bernard, A.; Bonhoeffer, F.; Bastmeyer, M.  
*Anal. Bioanal. Chem.* **390**, 809-816 (2008).
9875. Chemical analysis through CL-detection assisted by periodate oxidation  
 Evmiridis, N. P.; Vlessidis, A. G.; Thanasoulias, N. C.  
*Bioinorg. Chem. Appl.* 6/1-6/10 (2007).
9876. Flow injection spectrophotometry determination of formaldehyde in leather wastewater  
 Zou, Y.; Zhang, X.; Li, H.; Tu, J.; Yuan, D.  
*Zhongguo Pige* **36**, 33-35 (2007).
9877. Determination of aluminum oxide in tanning liquor by flow injection spectrophotometry  
 Yuan, D.; Zhang, X.; Zhang, L.; Zhang, W.  
*Zhongguo Pige* **36**, 50-51, 59 (2007).
9878. Study of rapid determination of sulfide in papermaking wastewater  
 Yuan, D.; Fu, D.; Zhang, X.  
*Zhongguo Zaozhi* **26**, 67-68 (2007).
9879. Determination of Cd(II), Cu(II) and Ni(II) in aqueous samples by ICP-OES after on-line preconcentration in column packed with silica modified with 2-aminothiazole Castro, G. R.; Cristante, V. M.; Padilha, C. C. F.; Jorge, S. M. A.; Florentino, A. O.; Prado, A. G. S.; Padilha, P. M.  
*Microchim. Acta* **160**, 203-209 (2008).
9880. Flow injection on-line preconcentration coupled to hydride generation atomic fluorescence spectrometry for ultra-trace amounts of cadmium determination in seawater  
 Wu, H.; Fang, C.; Du, B.; Zhao, C.  
*Microchim. Acta* **160**, 173-178 (2008).
9881. Simultaneous separation and speciation of inorganic As(III)/As(V) and Cr(III)/Cr(VI) in natural waters utilizing capillary microextraction on ordered mesoporous Al<sub>2</sub>O<sub>3</sub> prior to their on-line determination by ICP-MS  
 Hu, W.; Zheng, F.; Hu, B.  
*J. Hazard. Mater.* **151**, 58-64 (2008).
9882. Automatic determination of nickel in foods by flame atomic absorption spectrometry  
 Yebra, M. C.; Cancela, S.; Cespon, R. M.  
*Food Chem.* **108**, 774-778 (2008).
9883. Rapid determination of injection gentamycin sulfate by flow injection spectrophotometry  
 Wang, B.-N.; Ma, Y.  
*Zhongguo Weisheng Jianyan Zazhi* **17**, 848-849 (2007).
9884. Novel lipoate-selective membrane sensor for the flow injection determination of  $\alpha$ -lipoic acid in pharmaceutical preparations and urine  
 Abbas, M. N.; Radwan, A. A.  
*Talanta* **74**, 1113-1121 (2008).
9885. Determination of folic acid by chemiluminescence based on peroxomonosulfate-cobalt(II) system  
 Zhang, B.-T.; Zhao, L.; Lin, J.-M.  
*Talanta* **74**, 1154-1159 (2008).
9886. Preconcentration and decomposition of perfluorinated carboxylic acids on an activated charcoal cartridge with sodium biphenyl reagent and its determination at  $\mu\text{gL}^{-1}$  level on the basis of flow injection-fluorimetric detection of fluoride ion  
 Takayanagi, T.; Yamashita, H.; Motomizu, S.; Musijowski, J.; Trojanowicz, M.  
*Talanta* **74**, 1224-1230 (2008).
9887. Reverse flow injection spectrophotometric determination of iron(III) using chlortetracycline reagent  
 Ruengsitagoon, W.  
*Talanta* **74**, 1236-1241 (2008).
9888. Determination of fenfluramine based on potassium permanganate-calcein chemiluminescence system  
 Nie, F.; Lu, J.  
*Talanta* **74**, 1242-1246 (2008).
9889. Enhancement of the chemiluminescence of penicillamine and ephedrine after derivatization with aldehydes using tris(bipyridyl)ruthenium(II) peroxydisulfate system and its analytical application  
 Suliman, F. E. O.; Al-Hinai, M. M.; Al-Kindy, S. M. Z.; Salama, S. B.  
*Talanta* **74**, 1256-1264 (2008).
9890. Micro-flow injection system for the urinary protein assay  
 Nishihama, S.; Imabayashi, H.; Matoba, T.; Toya, C.; Watanabe, K.; Yoshizuka, K.  
*Talanta* **74**, 1350-1354 (2008).
9891. On-line pretreatment and determination of parabens in cosmetic products by combination of flow injection analysis, solid-phase extraction and micellar electrokinetic chromatography  
 Han, F.; He, Y.-Z.; Yu, C.-Z.  
*Talanta* **74**, 1371-1377 (2008).
9892. Indirect fluorescent determination of selected nitro-aromatic and pharmaceutical compounds via UV-photolysis of 2-phenylbenzimidazole-5-sulfonate  
 Zhang, W.; Wilson, C. R.; Danielson, N. D.  
*Talanta* **74**, 1400-1407 (2008).
9893. Determination of total and oxidized glutathione in human whole blood with a sequential injection analysis system Araujo, A. R. T. S.; Saraiva, M. L. M. F. S.; Lima, J. L. F. C.  
*Talanta* **74**, 1511-1519 (2008).
9894. Spectrophotometric determination of chloride in waters using a multisyringe flow injection system  
 Maya, F.; Estela, J. M.; Cerda, V.  
*Talanta* **74**, 1534-1538 (2008).
9895. Simultaneous stopped-flow determination of morphine and naloxone by time-resolved chemiluminescence  
 Pulgarin, J. A. M.; Bermejo, L. F. G.; Gallego, J. M. L.; Garcia, M. N. S.  
*Talanta* **74**, 1539-1546 (2008).
9896. Electroanalytical properties of cytochrome c by direct electrochemistry on multi-walled carbon nanotubes

- incorporated with DNA biocomposite film  
Shie, J.-W.; Yogeswaran, U.; Chen, S.-M.  
*Talanta* **74**, 1659-1669 (2008).
9897. Critical comparison of radiometric and mass spectrometric methods for the determination of radionuclides in environmental, biological and nuclear waste samples  
Hou, X.; Roos, P.  
*Anal. Chim. Acta* **608**, 105-139 (2008).
9898. Examination of ABS in drinking water by flow injection analysis  
Su, Z.-F.  
*Zhongguo Weisheng Jianyan Zazhi* **17**, 1223-1224, 1236 (2007).
9899. Determination of iodine in salt by double beam fia-spectrophotometry  
Zhao, Z.; Han, G.; Xu, R.; Zhang, R.; Song, X.  
*Fenxi Yiqi* 44-46 (2007).
9900. Method for automatic renewal of immobilized enzyme in flow injection analysis  
Zheng, Y.; Hua, Z.; Ma, Y.  
*Fenxi Yiqi* 46-49 (2007).
9901. Catch strip assay for the relative assessment of two-dimensional protein association kinetics  
Schmidt, B. J.; Huang, P.; Breuer, K. S.; Lawrence, M. B.  
*Anal. Chem.* **80**, 944-950 (2008).
9902. Shipboard fluorometric flow analyzer for high-resolution underway measurement of ammonium in seawater  
Amornthamarong, N.; Zhang, J.-Z.  
*Anal. Chem.* **80**, 1019-1026 (2008).
9903. Determination of hydroxycamptothecin by flow injection analysis with chemiluminescence detection  
Li, L.; Guan, L.; Su, M.; Sun, H.  
*J. Clin. Lab. Anal.* **21**, 356-362 (2007).
9904. Determination of cyanide in surface water with AA3 flow injection analysis  
Pan, S.-Y.; Luo, H.-D.  
*Zhongguo Weisheng Jianyan Zazhi* **17**, 598-600 (2007).
9905. Development of an automated DNA purification module using a micro-fabricated pillar chip  
Hindson, B. J.; Gutierrez, D. M.; Ness, K. D.; Makarewicz, A. J.; Metz, T. R.; Setlur, U. S.; Benett, W. B.; Loge, J. M.; Colston, B. W.; Francis, P. S.; Barnett, N. W.; Dzenitis, J. M.  
*Analyst* **133**, 248-255 (2008).
9906. A rapid method for the determination of total arsenic in biological digests and aqueous extracts by flow injection inductively coupled plasma mass spectrometry  
Rodriguez, I. B.; Francesconi, K. A.; Goessler, W.  
*J. Anal. Atom. Spectrom.* **23**, 235-239 (2008).
9907. Determination of trace nitrite in tap water and foods by reverse phase flow injection coupled with catalytic spectrophotometry  
Huang, Z.-Y.; Zhang, Q.; Xu, J.-B.; Li, C.-Q.; Chen, F.-H.  
*Zhongguo Weisheng Jianyan Zazhi* **17**, 404-406 (2007).
9908. Sample dispersion for segmented flow in microchannels with rectangular cross section  
Kreutzer, M. T.; Guenther, A.; Jensen, K. F.  
*Anal. Chem.* **80**, 1558-1567 (2008).
9909. Application of flow injection analysis in health physicochemical analysis  
Zhang, Y.; Zhou, Y.-Z.; Wang, D.-M.  
*Zhongguo Weisheng Jianyan Zazhi* **17**, 572-576 (2007).
9910. Flow-based fluorimetric determination of furosemide in pharmaceutical formulations and biological samples: use of micellar media to improve sensitivity  
Semaan, F. S.; Nogueira, P. A.; Cavalheiro, E. T. G.  
*Anal. Lett.* **41**, 66-79 (2008).
9911. High-performance immunoassays based on through-stencil patterned antibodies and capillary systems  
Ziegler, J.; Zimmermann, M.; Hunziker, P.; Delamarche, E.  
*Anal. Chem.* **80**, 1763-1769 (2008).
9912. Non-electroactive recognition: pico-level monitoring of flunixin by its sub-second adsorption at Au microelectrode by fast Fourier transforms continuous cyclic voltammetric technique (FFTCCV)  
Norouzi, P.; Ganjali, M. R.; Dinarvand, R.; Labbafi, S.  
*Acta Chim. Slov.* **54**, 840-848 (2007).
9913. Development of copper ion-selective electrodes based on bis(polythioether carboxylate) and their application to flow injection analysis  
Wakida, S.; Sato, N.; Saito, K.  
*Chemical Sensors* **23**, 148-150 (2007).
9914. A simple and selective spectrophotometric flow injection determination of trace amounts of ruthenium by catalytic oxidation of safranin-O  
Rezaei, B.; Keyvanfarad, M.  
*J. Hazard. Mater.* **151**, 456-460 (2008).
9915. Disposable barrel plating nickel electrodes for use in flow injection analysis of trivalent chromium  
Sue, J.-W.; Tai, C.-Y.; Cheng, W.-L.; Zen, J.-M.  
*Electrochim. Commun.* **10**, 277-282 (2008).
9916. Ultrasensitive assay of clindamycin in medicine and bio-fluids with chemiluminescence detection  
Wei, G.; Dang, G.; Li, H.  
*Luminescence* **22**, 534-539 (2007).
9917. Study on applications of heteropoly acids (blue) spectrophotometry to determination of trace elements  
Xiong, Y.-D.; Liu, X.; Feng, C.-G.  
*Guangpuxue Yu Guangpu Fenxi* **28**, 231-234 (2008).
9918. Simple interface of high-performance liquid chromatography-atomic fluorescence spectrometry hyphenated system for speciation of mercury based on photo-induced chemical vapour generation with formic acid in mobile phase as reaction reagent  
Yin, Y.; Liu, J.; He, B.; Shi, J.; Jiang, G.  
*J. Chromatogr. A* **1181**, 77-82 (2008).
9919. Chemiluminescence flow-through biosensor for glucose with eggshell membrane as enzyme immobilization platform  
Li, B.; Lan, D.; Zhang, Z.  
*Anal. Biochem.* **374**, 64-70 (2008).
9920. A closed form solution for flow in dual scale fibrous porous media under constant injection pressure conditions  
Zhou, F.; Alms, J.; Advani, S. G.  
*Compos. Sci. Technol.* **68**, 699-708 (2008).
9921. Cyclic injection-potentiometric determination of hydrogen sulfide in air  
Moskovin, L. N.; Bulatov, A. V.; Goldvirt, D. K.  
*J. Anal. Chem.* **63**, 82-84 (2008).
9922. Determination of trace selenium by flow injection-hydride generation- derivative atomic absorption spectrometry  
Ha, J.; Kang, W.; Sun, H.; Yang, L.  
*Yejin Fenxi* **27**, 14-19 (2007).
9923. Determination of lead in food by infrared digestion-hydride generation-atomic absorption spectrometry  
Xie, L.-H.  
*Huanjing Yu Jiankang Zazhi* **24**, 919-920 (2007).
9924. Channel-resolved multianalyte immunosensing system for flow-through chemiluminescent detection of  $\alpha$ -fetoprotein and carcinoembryonic antigen  
Fu, Z.; Yan, F.; Liu, H.; Yang, Z.; Ju, H.  
*Biosens. Bioelectron.* **23**, 1063-1069 (2008).
9925. Determination of the strontium isotope ratio by ICP-MS ginseng as a tracer of regional origin

- Choi, S.-M.; Lee, H.-S.; Lee, G.-H.; Han, J.-K. *Food Chem.* **108**, 1149-1154 (2008).
9926. Rapid spectrophotometric quantification of meleumycin in colonies of *Streptomyces mycarofaciens* via solid phase extraction in a sequential injection system  
Shu, Y.; Chen, X.-W.; Wang, J.-H. *Fenxi Shiyanshi* **27**, 13-15 (2008).
9927. A study on determination of trace manganese(II) in water samples by stopped-flow injection catalytic photometry  
Li, H.; Zhang, X.-S. *Fenxi Shiyanshi* **27**, 27-30 (2008).
9928. Determination of trace vanadium by flow injection catalytic-kinetic spectrophotometry  
Chai, H.-M.; Gao, L.-J.; Liu, Y.; Qiang, F.-Z. *Fenxi Shiyanshi* **27**, 50-52 (2008).
9929. Determination of trace chromium(VI) in sea water by reversed-phase flow injection analysis  
Wang, Z.-L.; Xiao, X.-F.; Luo, Y.-J.; Zhang, X.-S. *Fenxi Shiyanshi* **27**, 57-59 (2008).
9930. Flow-injection chemiluminescence determination of hydrazine in water samples based on hypobromite oxidation sensitized by fluorescein  
Wang, C.-Y.; Zheng, X.-W.; Li, G.-X. *Fenxi Shiyanshi* **27**, 107-110 (2008).
9931. Spectrophotometric determination of formaldehyde in leather samples with chromotropic acid by flow injection analysis  
Zou, Y.-Q.; Zhang, X.-S.; Li, H.; Tu, J.; Yuan, D. *Fenxi Huaxue* **35**, 1805-1808 (2007).
9932. Electrokinetic-based injection modes for separative microsystems  
Blas, M.; Delaunay, N.; Rocca, J.-L. *Electrophoresis* **29**, 20-32 (2008).
9933. Flow-injection chemiluminescence analysis of methamidophos  
Wu, X.-P.; Tu, M.-Z. *Guangpu Shiyanshi* **24**, 1148-1152 (2007).
9934. FI-HG-electrothermo-atomic absorption spectrometric determination of traces of mercury in water  
Fang, H.-C.; Li, J. *Lihua Jianyan, Huaxue Fence* **43**, 1068-1069, 1072 (2007).
9935. Persistence of iron(II) in surface waters of the western subarctic Pacific  
Roy, E. G.; Wells, M. L.; King, D. W. *Limnology and Oceanography* **53**, 89-98 (2008).
9936. Study on determination of trace copper(II) by flow injection micelle- solubilized spectrophotometry  
Li, H.; Zhang, X.; Zou, Y. *Yejin Fenxi* **27**, 46-49 (2007).
9937. Equilibrium separation and filtration of particles using differential inertial focusing  
Di Carlo, D.; Edd, J. F.; Irimia, D.; Tompkins, R. G.; Toner, M. *Anal. Chem.* **80**, 2204-2211 (2008).
9938. Fast determination of salicylic acid in pharmaceuticals by using a terbium-sensitized luminescent sequential injection analysis optosensor  
Llorente-Martinez, E. J.; Dominguez-Vidal, A.; Ortega-Barrales, P.; Molina-Diaz, A. *J. Pharm. Sci.-US* **97**, 791-797 (2007).
9939. A potential high-throughput method for the determination of lipase activity by potentiometric flow injection titrations  
Vahl, K.; Kahlert, H.; Boettcher, D.; Wardenga, R.; Komorsky-Lovric, S. Bornscheuer, U.; Scholz, F. *Anal. Chim. Acta* **610**, 44-49 (2008).
9940. Determination of trace metals in urine with an on-line ultrasound-assisted digestion system combined with a flow-injection preconcentration manifold coupled to flame atomic absorption spectrometry  
Cespon-Romero, R. M.; Yebra-Biurrun, M. C. *Anal. Chim. Acta* **609**, 184-191 (2008).
9941. On-line coupling of an ultraviolet titanium dioxide film reactor with a liquid chromatography/hydride generation/inductively coupled plasma mass spectrometry system for continuous determination of dynamic variation of hydride- and nonhydride-forming arsenic species in very small microdialysate samples  
Tsai, M.-W.; Sun, Y.-C. *Rapid Commun. Mass Sp.* **22**, 211-216 (2008).
9942. Development of a method for total plasma thiols measurement using a disposable screen-printed carbon electrode coupled with a MnO<sub>2</sub> reactor  
Liao, C.-Y.; Zen, J.-M. *Sens. Actuator B-Chem.* **B129**, 896-902 (2008).
9943. Application of backflush and micro-flow techniques to the analysis of C5 - C13 hydrocarbons in crude oils and its geochemical significance  
Wang, P.; Zhao, H.; Xu, G.; Zhu, C.; Xiao, T.; Zhang, M.; Zhang, B. *Prog. Nat. Sci.* **17**, 1382-1387 (2007).
9944. Flow injection spectrophotometric determination of arsenic in waste water  
Yuan, D.; Fu, D.; Zhang, L.; Tan, W.; Zhang, X. *Yejin Fenxi* **27**, 43-46 (2007).
9945. Study on chemiluminescence reaction of luminol-H<sub>2</sub>O<sub>2</sub>-Fe (III)-8- hydroxyquinoline system and its application  
Li, M.; Qian, H. *Yejin Fenxi* **27**, 66-68 (2007).
9946. Electrochemical and spectrophotometric detection of the chromo-diphenylcarbazide complex using FIA  
Davila, V. G.; Angeles, G. A.; Rojas-Hernandez, A.; Ramirez-Silval, M. T.; Palomar-Pardave, M. E.; Romero-Romo, M. A. *ECS Transactions* **3**, 87-92 (2007).
9947. A sensitive chemiluminescence method for the determination of H<sub>2</sub>O<sub>2</sub> in exhaled breath condensate  
Hu, Y.; Zhang, Z.; Yang, C. *Anal. Sci.* **24**, 201-205 (2008).
9948. An inexpensive and portable microchip-based platform for integrated RT-PCR and capillary electrophoresis  
Kaigala, G. V.; Hoang, V. N.; Stickel, A.; Lauzon, J.; Manage, D.; Pilarski, L. M.; Backhouse, C. J. *Analyst* **133**, 331-338 (2008).
9949. An aqueous ammonia sensor based on an inkjet-printed polyaniline nanoparticle-modified electrode  
Crowley, K.; O'Malley, E.; Morrin, A.; Smyth, M. R.; Killard, A. J. *Analyst* **133**, 391-399 (2008).
9950. Opto-fluidic micro-ring resonator for sensitive label-free viral detection  
Zhu, H.; White, I. M.; Suter, J. D.; Zourob, M.; Fan, X. *Analyst* **133**, 356-360 (2008).
9951. Carbon nanotube-based electrochemical sensor for assay of salivary cholinesterase enzyme activity: an exposure biomarker of organophosphate pesticides and nerve agents  
Wang, J.; Timchalk, C.; Lin, Y. *Environ. Sci. Technol.* **42**, 2688-2693 (2008).
9952. Fabrication of Si-based planar type patch clamp biosensor using silicon on insulator substrate  
Zhang, Z. L.; Asano, T.; Uno, H.; Tero, R.; Suzui, M.; Nakao, S.; Kaito, T.; Shibasaki, K.; Tominaga, M.; Utsumi, Y.; Gao, Y. L.; Urisu, T. *Thin Solid Films* **516**, 2813-2815 (2008).
9953. Determination of antimony(III) and antimony(V) in natural waters at ultratrace levels by flow injection on-line sorption preconcentration coupled with hydride

- generation atomic fluorescence spectrometry  
Wu, H.; Jin, Y.; Tian, Y.; Tao, X.; Bi, S.  
*Atom. Spectrosc.* **28**, 220-226 (2007).
9954. Flow injection determination of aluminum by spectrofluorometric detection after complexation with *N*-o-vanillinidine-2-amino-p-cresol: The application to natural waters  
Kara, D.; Fisher, A.; Hill, S. J.  
*Anal. Chim. Acta* **611**, 62-67 (2008).
9955. Effect of gold nanoparticle as a novel nanocatalyst on luminol-hydrazine chemiluminescence system and its analytical application  
Safavi, A.; Absalan, G.; Bamdad, F.  
*Anal. Chim. Acta* **610**, 243-248 (2008).
9956. Detection of membrane biointeractions based on fluorescence superquenching  
Zeineldin, R.; Piyasena, M. E.; Sklar, L. A.; Whitten, D.; Lopez, G. P.  
*Langmuir* **24**, 4125-4131 (2008).
9957. Review of the analytical methods for levodopa  
Chi, Q.; Mei, X.-G.  
*Guoji Yaoxue Yanjiu Zazhi* **34**, 369-373 (2007).
9958. Chemiluminescence detection of permanganate index (CODMn) by a luminol-KMnO<sub>4</sub> based reaction  
Tian, J.; Hu, Y.; Zhang, J.  
*Journal of Environmental Sciences* **20**, 252-256 (2008).
9959. Selective determination of inorganic selenium species in parenteral solutions using *L*-methionine as retaining agent in ETAAS  
Pacheco, P. H.; Gil, R. A.; Smichowski, P.; Polla, G.; Martinez, L. D.  
*J. Anal. Atom. Spectrom.* **23**, 397-401 (2008).
9960. Automated flow injection system using extraction chromatography for the determination of plutonium in urine by inductively coupled plasma mass spectrometry  
Lariviere, D.; Cumming, T. A.; Kiser, S.; Li, C.; Cornett, R. J.  
*J. Anal. Atom. Spectrom.* **23**, 352-360 (2008).
9961. Sequential injection reductive bio-sorption of Cr(VI) on the surface of egg-shell membrane and chromium speciation with detection by electrothermal atomic absorption spectrometry  
Zou, A.-M.; Chen, X.-W.; Chen, M.-L.; Wang, J.-H.  
*J. Anal. Atom. Spectrom.* **23**, 412-415 (2008).
9962. Determination of *D*-malate using immobilized *D*-malate dehydrogenase in a flow system and its application to analyze the *D*-malate content of beverages  
Mori, H.; Shiraki, S.  
*J. Health Sci.* **54**, 72-75 (2008).
9963. Recent progress in chemiluminescence detection of amino acids  
Xu, J.-M.; Tao, H.-L.  
*Anjisuan He Shengwu Ziyuan* **29**, 70-75, 80 (2007).
9964. High throughput flow injection bioluminometric method for olive oil antioxidant capacity  
Minioti, K. S.; Georgiou, C. A.  
*Food Chem.* **109**, 455-461 (2008).
9965. Ultrasensitive flow injection chemiluminescence detection of DNA hybridization using nanoCuS tags  
Ding, C.; Zhong, H.; Zhang, S.  
*Biosens. Bioelectron.* **23**, 1314-1318 (2008).
9966. On-line micellar-enhanced spectrofluorometric determination of rhodamine dye in cosmetics  
Wang, C. C.; Masi, A. N.; Fernandez, L.  
*Talanta* **75**, 135-140 (2008).
9967. Optimization of a FIA system with amperometric detection by a desirability function: Determination of sulfadiazine, sulfamethazine and sulfamerazine in milk  
Reguera, C.; Ortiz, M. C.; Herrero, A.; Sarabia, L. A.  
*Talanta* **75**, 274-283 (2008).
9968. Differential amperometric determination of hydrogen peroxide in honeys using flow-injection analysis with enzymatic reactor  
Franchini, R. A. de A.; Matos, M. A. C.; Colombara, R.; Matos, R. C.  
*Talanta* **75**, 301-306 (2008).
9969. A low-cost and low-tech electrochemical flow system for the evaluation of total phenolic content and antioxidant power of tea infusions  
Buratti, S.; Scampicchio, M.; Giovanelli, G.; Mannino, S.  
*Talanta* **75**, 312-316 (2008).
9970. Flow-injection chemiluminescence determination of polyphenols using luminol-NaIO<sub>4</sub>-gold nanoparticles system  
Li, S.; Li, X.; Xu, J.; Wei, X.  
*Talanta* **75**, 32-37 (2008).
9971. Flow injection biosensor  
Yao, T.  
*Bio Denki Kagaku no Jissai* 133-144 (2007).
9972. Determination of arsenic content in copper concentrate by hydride generation atomic fluorescence spectrometry with sequential injection system  
Su, M.; Feng, Y.; Wang, H.; Ma, D.; Wei, W.  
*Yejin Fenxi* **27**, 36-39 (2007).
9973. Flow-injection spectrophotometric determination of trace selenium(IV) in water after enrichment and separation with thiohydroxy cotton  
Xu, G.; Dong, W.; Li, H.  
*Yejin Fenxi* **27**, 43-46 (2007).
9974. Flow techniques in NMR spectroscopy  
Keifer, P. A.  
*Annu. Rep. NMR Spectro.* **62**, 1-47 (2007).
9975. Flow injection amperometric determination of propanolol hydrochloride in pharmaceutical preparations  
Abdalla, M. A.  
*Journal of Saudi Chemical Society* **11**, 399-404 (2007).
9976. Preprocessing, classification modeling and feature selection using flow injection electrospray mass spectrometry metabolite fingerprint data  
Enot, D. P.; Lin, W.; Beckmann, M.; Parker, D.; Overy, D. P.; Draper, J.  
*Nature Protocols* **3**, 446-470 (2008).
9977. Explanatory signal interpretation and metabolite identification strategies for nominal mass FIE-MS metabolite fingerprints  
Overy, D. P.; Enot, D. P.; Taillart, K.; Jenkins, H.; Parker, D.; Beckmann, M.; Draper, J.  
*Nature Protocols* **3**, 471-485 (2008).
9978. High-throughput, nontargeted metabolite fingerprinting using nominal mass flow injection electrospray mass spectrometry  
Beckmann, M.; Parker, D.; Enot, D. P.; Duval, E.; Draper, J.  
*Nature Protocols* **3**, 486-504 (2008).
9979. A filtration probe-free on-line monitoring of glycerol during fermentation by a biosensor device  
Sefcovicova, J.; Katrlik, J.; Stefuca, V.; Mastihuba, V.; Vostiar, I.; Greif, G.; Bucko, M.; Tkac, J.; Gemeiner, P.  
*Enzyme Microb. Tech.* **42**, 434-439 (2008).
9980. FIA of phenol and pentachlorophenol at glassy carbon electrode in oxidative mode  
Butt, S. B.; Masood, M. N.  
*J. Chem. Soc. Pakistan* **30**, 75-80 (2008).
9981. Magnetic-controlled non-competitive enzyme-linked voltammetric immunoassay for carcinoembryonic antigen Fu, X.-H.  
*Biochem. Eng. J.* **39**, 267-275 (2008).
9982. Methods of sample-pretreatment in the determination of platinum group elements  
Wang, X.; Liu, C.; Yin, X.; Wang, X.

9983. Determination of aniline in water by flow injection spectrophotometry  
Huang, J.; Zhang, X.-S.; Yuan, D.; Xie, Y.-H.  
*Guangpuxue Yu Guangpu Fenxi* **28**, 415-417 (2008).
9984. Flow-injection chemiluminescence determination of procatenol hydrochloride  
Rao, Z.-M.; Zou, P.; Chen, M.; Xiu, F.-R.; Chen, Y.-L.; Hong, K.-J.  
*Guangpuxue Yu Guangpu Fenxi* **28**, 269-272 (2008).
9985. An environmental friendly method for the automatic determination of hypochlorite in commercial products using multisyringe flow injection analysis  
Ornelas Soto, N.; Horstkotte, B.; March, J. G.; Lopez de Alba, P. L.; Lopez Martinez, L.; Cerdá Martin, V.  
*Anal. Chim. Acta* **611**, 182-186 (2008).
9986. Flow-injection chemiluminometric analysis of thyroxine hormone in a KMnO<sub>4</sub> - Na<sub>2</sub>SO<sub>3</sub> system  
Waseem, A.; Yaqoob, M.; Nabi, A.  
*J. Chin. Chem. Soc.-Taip.* **54**, 1505-1510 (2007).
9987. Enzymatic microreactors for the determination of ethanol by an automatic sequential injection analysis system  
Alhadeff, E. M.; Salgado, A. M.; Cos, O.; Pereira, N.; Valdman, B.; Valero, F.  
*Appl. Biochem. Biotech.* **137-140** 17-25 (2007).
9988. Online monitoring of aluminium in drinking water with fluorimetric detection  
Alonso-Mateos, A.; Almendral-Parra, M. J.; Curto-Serrano, Y.; Rodriguez-Martin, F. J.  
*J. Fluoresc.* **18**, 183-192 (2008).
9989. Towards minimization of chlorinated solvents consume in Fourier transform infrared spectroscopy determination of Propamocarb in pesticide formulations  
Quintas, G.; Armenta, S.; Garrigues, S.; de la Guardia, M.  
*Talanta* **75**, 339-343 (2008).
9990. Sensitized chemiluminescence of CdTe quantum-dots on Ce(IV)-sulfite and its analytical applications  
Sun, C.; Liu, B.; Li, J.  
*Talanta* **75**, 447-454 (2008).
9991. Continuous filtration as a separation technique  
Luque de Castro, M. D.; Priego-Capote, F.  
*TrAC-Trends Anal. Chem.* **27**, 101-107 (2008).
9992. Lab-on-valve: a useful tool in biochemical analysis  
Luque de Castro, M. D.; Ruiz-Jimenez, J.; Perez-Serradilla, J. A.  
*TrAC-Trends Anal. Chem.* **27**, 118-126 (2008).
9993. Determining the levels of tannin in tea by amperometry of ferricyanide pre-reaction with a sample in a flow-injection system  
Hung, Y.-T.; Chen, P.-C.; Chen, R. L. C.; Cheng, T.-J.  
*Sens. Actuator B-Chem.* **B130**, 135-140 (2008).
9994. Flow injection potentiometry by a novel coated graphite electrode based on 5-(9-anthracenylmethyl)-5-aza-2,8-dithia[9](2,9)-1,10-ph enanthrolinophane for the selective determination of uranyl ions  
Shamsipur, M.; Mizani, F.; Alizadeh, K.; Mousavi, M. F.; Lippolis, V.; Garau, A.; Caltagirone, C.  
*Sens. Actuator B-Chem.* **B130**, 300-309 (2008).
9995. Determination of sulphate in water by flow-injection analysis with electrode-separated piezoelectric quartz crystal sensor  
Fung, Y. S.; Wong, C. C. W.; Choy, J. T. S.; Sze, K. L.  
*Sens. Actuator B-Chem.* **B130**, 551-560 (2008).
9996. Determination of germanium, arsenic, selenium in nickel-base superalloy by flow injection hydride generation and dynamic reaction cell- inductively coupled plasma mass spectrometry  
Gan, N.; Li, T.; Wang, L.; Xu, W.  
*Yejin Fenxi* **27**, 7-11 (2007).
9997. Simultaneous determination of lead and tin in water by sequential injection hydride generation-atomic fluorescence spectrometry  
Xu, W.  
*Yejin Fenxi* **27**, 29-32 (2007).
9998. Direct introduction of biological samples into a LTQ-orbitrap hybrid mass spectrometer as a tool for fast metabolome analysis  
Madalinski, G.; Godat, E.; Alves, S.; Lesage, D.; Genin, E.; Levi, P.; Labarre, J.; Tabet, J.-C.; Ezan, E.; Junot, C.  
*Anal. Chem.* **80**, 3291-3303 (2008).
9999. Gaseous ions and chemical mass spectrometry  
Boehme, D. K.  
*Canadian Journal of Chemistry* **86**, 177-198 (2008).
10000. On-line preconcentration and analysis of zinc in water by flow injection-knotted reactor: application to geological and environmental exploration  
Salonia, J. A.; Cerutti, E. S.; Martinez, L. D.; Turiel, J. L. F.; Gasquez, J. A.  
*Instrum. Sci. Technol.* **36**, 302-309 (2008).
10001. Flow injection analysis of ascorbic acid based on its thermoelectrochemistry at disposable screen-printed carbon electrodes  
Ke, J.-H.; Tseng, H.-J.; Hsu, C.-T.; Chen, J.-C.; Muthuraman, G.; Zen, J.-M.  
*Sens. Actuator B-Chem.* **B130**, 614-619 (2008).
10002. Effect of sulfuric acid concentration on determination of total nitrogen  
Mo, Q.-M.; Fan, H.; Bai, T.  
*Huagong Jishu Yu Kaifa* **36**, 32-34 (2007).
10003. Detection limit estimator for multivariate calibration by an extension of the IUPAC recommendations for univariate methods  
Ostra, M.; Ubide, C.; Vidal, M.; Zuriarrain, J.  
*Analyst* **133**, 532-539 (2008).
10004. Continuous amperometric detection of co-released serotonin and melatonin from the mucosa in the ileum  
Patel, B. A.  
*Analyst* **133**, 516-524 (2008).
10005. Cyclic flow-injection photometric determination of mercaptans in hydrocarbon gases  
Bulatov, A. V.; Goldvirt, D. K.; Moskvin, L. N.  
*J. Anal. Chem.* **63**, 228-231 (2008).
10006. Application of photoelectro-synergistic catalysis biosensor on determination of organophosphorus pesticide  
Wei, Y.; Zhu, J.; Qu, Y.; Min, H.; Xiao, F.; Jin, L.  
*Huaxue Chuangqi* **27**, 21-28 (2007).
10007. Development of novel detection reagent for simple and sensitive determination of trace amounts of formaldehyde and its application to flow injection spectrophotometric analysis  
Li, Q.; Sritharathikhum, P.; Oshima, M.; Motomizu, S.  
*Anal. Chim. Acta* **612**, 165-172 (2008).
10008. Trace molybdenum determination in drinking waters by USN-ICP-OES after solid phase extraction on ethyl vinyl acetate turnings-packed minicolumn  
Escudero, L.; Gil, R. A.; Gasquez, J. A.; Olsina, R. A.; Martinez, L. D.  
*Atom. Spectrosc.* **29**, 21-26 (2008).
10009. Determination of hexavalent chromium in welding fumes by flow injection flame atomic absorption spectrometry after dynamic alkaline ultrasound-assisted extraction/anion exchange preconcentration  
Yebra, M. C.; Cespon, R. M.  
*Atom. Spectrosc.* **29**, 27-31 (2008).
10010. Ion pair solid phase extraction for the indirect determination of gatifloxacin by flow injection flame atomic absorption spectrometry  
Zhan, H.-Y.; Ning, M.-Z.; Zhang, Z.-Q.; Kang, L.-P.

- Atom. Spectrosc.* **29**, 32-38 (2008).
10011. Application of factorial design and doehlert matrix for determination of trace lead in environmental samples by on-line column preconcentration FAAS using silica gel chemically modified with niobium(V) oxide  
Di Pietro Roux, K. C.; Maltez, H. F.; Carletto, J. S.; Martendal, E.; Carasek, E.  
*Anal. Sci.* **24**, 365-370 (2008).
10012. Flow injection analysis for oxidation state speciation of vanadium(IV) and vanadium(V) in natural water  
Wei, J.; Teshima, N.; Sakai, T.  
*Anal. Sci.* **24**, 371-376 (2008).
10013. Design of a field flow system for the on-line spectrophotometric determination of phosphate, nitrite and nitrate in natural water and wastewater  
Tsoulfanidis, I. A.; Tsogas, G. Z.; Giokas, D. L.; Vlessidis, A. G.  
*Microchim. Acta* **160**, 461-469 (2008).
10014. Flow injection on-line hydrophobic sorbent extraction for flame atomic absorption spectrometric determination of cadmium in water samples  
Anthemidis, A. N.; Karapatouchas, C.-P. P.  
*Microchim. Acta* **160**, 455-460 (2008).
10015. Determination of volatile phenol in tannery effluent  
Xie, Y.; Zhang, X.; Wang, W.; Huang, J.; Wei, L.  
*J. Soc. Leather Technol. Chem.* **92**, 30-33 (2008).
10016. A novel sensitized chemiluminescence flow injection system for the determination of adriamycin and mitomycin  
Li, L.; Sun, H.  
*J. Iran. Chem. Soc.* **5**, 140-149 (2008).
10017. Indirect gold trap-MC-ICP-MS coupling for Hg stable isotope analysis using a syringe injection interface  
Sonke, J. E.; Zambardi, T.; Toutain, J.-P.  
*J. Anal. Atom. Spectrom.* **23**, 569-573 (2008).
10018. A novel hydride generation system for the simultaneous determination of lead and cadmium using atomic fluorescence spectrometry  
Zou, A.-M.; Liu, Y.; Chen, M.-L.; Wang, J.-H.  
*Fenxi Huaxue* **36**, 162-166 (2008).
10019. Efficient decomposition of trichloroethylene (TCE) in groundwater by ozone-hydrogen peroxide treatment  
Yasunaga, N.; Hirotsuji, J.  
*Ozone: Science & Engineering* **30**, 127-135 (2008).
10020. A novel method for fast determination of vitamin B<sub>6</sub> by fast continuous cyclic voltammetry  
Ganjali, M. R.; Norouzi, P.; Shirvani-Arani, S.; Mohammadi, A.  
*Russ. J. Electrochem.* **44**, 158-166 (2008).
10021. Flow-injection chemiluminescence analysis of lomefloxacin in drugs and biological fluids  
Li, L.; Sun, H.; Chen, X.  
*Curr. Anal. Chem.* **4**, 152-156 (2008).
10022. Numerical simulation of field-scale contaminant mass transfer during air sparging  
VanAntwerp, D. J.; Falta, R. W.; Gierke, J. S.  
*Vadose Zone J.* **7**, 294-304 (2008).
10023. Flow-injection chemiluminescence determination of tryptophan using galangin-potassium permanganate-polyphosphoric acid system  
Chen, H.; Li, L.; Zhou, M.; Ma, Yong J.  
*Chinese Chem. Lett.* **19**, 203-206 (2008).
10024. Flow injection analysis for the determination of urea in the water of swimming pools  
Zhou, R.; Chen, Z.; Ou, H.; Huang, C.  
*Zhiye Yu Jiankang* **23**, 269-270 (2007).
10025. Development of an in vivo antibody-mediated killing (IVAK) model, a flow cytometric method to rapidly evaluate therapeutic antibodies  
Guyre, C. A.; Gomes, D.; Smith, K. A.; Kaplan, J. M.; Perricone, M. A.  
*J. Immunol. Methods* **333**, 51-60 (2008).
10026. Immersed single-drop microextraction interfaced with sequential injection analysis for determination of Cr(VI) in natural waters by electrothermal-atomic absorption spectrometry  
Pena, F.; Lavilla, I.; Bendicho, C.  
*Spectrochim. Acta B* **63**, 498-503 (2008).
10027. Integrated multisensor chip with sequential injection technique as a base for "electronic tongue" devices  
Ipatov, A.; Abramova, N.; Bratov, A.; Dominguez, C.  
*Sens. Actuator B-Chem.* **131**, 48-52 (2008).
10028. Use of pulse transient response as input information for an automated SIA electronic tongue  
Calvo, D.; Duran, A.; del Valle, M.  
*Sens. Actuator B-Chem.* **131**, 77-84 (2008).
10029. Electrogenerated chemiluminescence: An oxidative-reductive mechanism between quinolone antibiotics and tris(2,2'-bipyridyl)ruthenium(II)  
Burkhead, M. S.; Wang, H.; Fallet, M.; Gross, E. M.  
*Anal. Chim. Acta* **613**, 152-162 (2008).
10030. Cyclic injection analysis as a possibility of detection limit reduction in effluent analysis  
Moskvin, L. N.; Bulatov, A. V.; Kolot, A. S.; Grigor'ev, G. L.  
*Zavodskaya Laboratoriya, Diagnostika Materialov* **74**, 8-10 (2008).
10031. Chemiluminescence determination of bromhexine hydrochloride with morin as chemiluminescent reagent  
Jiang, Q.; Nie, F.; Lu, J.  
*Luminescence* **23**, 32-36 (2008).
10032. Direct determination of Calcium in milk by atomic absorption spectrometry using flow-injection analysis  
Petrovich, M. B.; Filho, V. R. A.; Neto, J. A. G.  
*Ecletica Quimica* **32**, 25-30 (2007).
10033. Simultaneous determination of cefalexin and trimethoprim by flow injection on line H-point standard additions method  
Wang, J.; Zhang, L.; Yang, J.  
*Yaoxu Fenxi Zazhi* **27**, 100-102 (2007).
10034. A step-wise approach to the determination of the lower limit of analysis of the calibration line  
Andersen, J. E. T.  
*J. Anal. Chem.* **63**, 308-319 (2008).
10035. Measurement of hydroxyl radical production in ultrasonic aqueous solutions by a novel chemiluminescence method  
Hu, Y.; Zhang, Z.; Yang, C.  
*Ultrason. Sonochem.* **15**, 665-672 (2008).
10036. Simultaneous determination of potassium and total fluoride in toothpastes using a SIA system with two potentiometric detectors  
Perez-Olmos, R.; Soto, J. C.; Zarate, N.; Diez, I.  
*J. Pharm. Biomed. Anal.* **47**, 170-176 (2008).
10037. Flow-injection chemiluminescence sensor for determination of lead (II) in gasoline  
Qu, P.; Wei, M.; Li, B.-X.; Zhang, Z.-J.  
*Yingyong Huaxue* **25**, 326-329 (2008).
10038. Determination of formaldehyde in beers by flow injection coupled with kinetic spectrophotometry  
Chen, T.; Huang, Z.-Y.; Li, L.-P.; Dai, Y.-L.  
*Fenxi Huaxue* **36**, 373-376 (2008).
10039. Flow injection spectrophotometric determination of acetonchlor in food samples  
Shah, J.; Jan, M. R.; Bashir, N.  
*Am. Lab.* **40**, 12, 14, 16 (2008).
10040. Amperometric determination of sulfite by gas diffusion-sequential injection with boron-doped diamond electrode  
Chinvongamorn, C.; Pinwattana, K.; Praphairaksit, N.; Imato, T.; Chailapakul, O.

- Sensors* **8**, 1846-1857 (2008).
10041. Integrating an enzyme-entrapped conducting polymer electrode and a prereactor in a microfluidic system for sensing glucose  
Nien, P.-C.; Huang, M.-C.; Chang, F.-Y.; Ho, K.-C.  
*Electroanalysis* **20**, 635-642 (2008).
10042. Novel polymeric membrane sensors based on Mn(III) porphyrin and Co(II) phthalocyanine ionophores for batch and flow injection determination of azide  
Hassan, S. S. M.; Kelany, A. E.; Al-Mehrezi, S. S.  
*Electroanalysis* **20**, 438-443 (2008).
10043. Disposable injection-moulded cell-on-a-chip microfluidic devices with integrated conducting polymer electrodes for on-line voltammetric and electrochemiluminescence detection  
Naseri, N. G.; Baldock, S. J.; Economou, A.; Goddard, N. J.; Fielden, P. R.  
*Electroanalysis* **20**, 448-454 (2008).
10044. Chemically modified carbon paste electrodes for ascorbic acid determination in soft drinks by flow injection amperometric analysis  
Goreti, M.; Sales, F.; Castanheira, M. S. A.; Ferreira, R. M. S.; Carmo, M.; Vaz, V. G.; Delerue-Matos, C.  
*Portugaliae Electrochimica Acta* **26**, 147-157 (2008).
10045. Determination of  $\text{Al}_2\text{O}_3$  in tanning liquor by flow-injection spectrophotometry  
Yuan, D.; Fu, D.; Zhang, X.; Zhang, L.  
*J. Soc. Leather Technol. Chem.* **91**, 233-235 (2007).
10046. Electrochemical analysis of chloramphenicol using boron-doped diamond electrode applied to a flow-injection system  
Chuanuwatanakul, S.; Chailapakul, O.; Motomizu, S.  
*Anal. Sci.* **24**, 493-498 (2008).
10047. Spectrophotometric determination of 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride by flow injection analysis  
Seno, K.; Matumura, K.; Oshima, M.; Motomizu, S.  
*Anal. Sci.* **24**, 505-508 (2008).
10048. Selective determination of diphenhydramine in compound pharmaceutical containing ephedrine by flow-injection electrochemiluminescence  
Zhao, C.; Chai, X.; Tao, S.; Li, M.; Jiao, K.  
*Anal. Sci.* **24**, 535-538 (2008).

