

FIA Bibliography (53)

Yasuhiro IIDA, Kanagawa Institute of Technology

FIA-related papers and monographs which appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

11096. FIA Bibliography (52)
Iida, Y.
J. Flow Injection Anal. **26**, 157-169 (2009).
11097. Neural observer based hybrid intelligent scheme for activated sludge wastewater treatment
Hernandez-Vargas, E. A.; Sanchez, E. N.; Beteau, J. F.; Cadet, C.
Chem. Biochem. Eng. Q., **23**, 377-384 (2009).
11098. Electrophoretic exclusion for the selective transport of small molecules
Meighan, M. M.; Keebaugh, M. W.; Quihuis, A. M.; Kenyon, S. M.; Hayes, M. A.
Electrophoresis, **30**, 3786-3792 (2009).
11099. Development of a multichannel flow-through chemiluminescence microarray chip for parallel calibration and detection of pathogenic bacteria
Karsunke, X. Y. Z.; Niessner, R.; Seidel, M.
Anal. Bioanal. Chem., **395**, 1623-1630 (2009).
11100. An Automated Hydride Generation Interface to ICPMS for Measuring Total Arsenic in Environmental Samples
Sengupta, M. K.; Dasgupta, P. K.
Anal. Chem., **81**, 9737-9743 (2009).
11101. A microfluidic device with integrated fluorimetric detection for flow injection analysis
Fonseca, A.; Raimundo, I. M., Jr.; Rohwedder, J. J. R.; Lima, R. S.; Araujo, M. C. U.
Anal. Bioanal. Chem., **396**, 715-723 (2010).
11102. A method for low volume and low Se concentration samples and application to paired cerebrospinal fluid and serum samples
Michalke, B.; Grill, P.; Berthele, A.
J. Trace Elem. Med. Biol., **23**, 243-250 (2009).
11103. Interfacing Microchip Electrophoresis to a Growth Tube Particle Collector for Semicontinuous Monitoring of Aerosol Composition
Noblitt, S. D.; Lewis, G. S.; Liu, Y.; Hering, S. V.; Collett, J. L., Jr.; Henry, C. S.
Anal. Chem., **81**, 10029-10037 (2009).
11104. The successful inclusion of succinylacetone as a marker of tyrosinemia type I in Tuscany newborn screening program
La M., G.; Malvagia, S.; Funghini, S.; Pasquini, E.; Moneti, G.; Guerrini, R.; Zammarchi, E.
Rapid Commun. Mass Spectrom., **23**, 3891-3893 (2009).
11105. Droplet-based magnetically activated cell separation: analysis of separation efficiency based on the variation of flow-induced circulation in a pendent drop
Kim, Y.; Lee, S. H.; Kim, U.
Anal. Bioanal. Chem., **395**, 2415-2421 (2009).
11106. Lab-on-Chip Flow Injection Analysis System without an External Pump and Valves and Integrated with an In Line Electrochemical Detector
Chen, I.-Jane; Lindner, E.
Anal. Chem., **81**, 9955-9960 (2009).
11107. Melamine acoustic chemosensor based on molecularly imprinted polymer film
Pietrzyk, A.; Kutner, W.; Chitta, R.; Zandler, M. E.; D'Souza, F.; Sannicola, F.; Mussini, P. R.
Anal. Chem., **81**, 10061-10070 (2009).
11108. Coupled multisyringe flow injection/reactor tank for the spectrophotometric detection of azinphos methyl in water samples
Ornelas-Soto, N. E.; Guzman-Mar, J. L.; Lopez A., Pedro L.; Lopez M., L.; Barbosa-Garcia, O.; Cerda M., V.
Microchim. Acta, **167**, 273-280 (2009).
11109. Flow-injection determination of vitamin A in pharmaceutical formulations using Tris(2,2'-bipyridyl)Ru(II)-Ce(IV) chemiluminescence detection
Yaqoob, M.; Waseem, A.; Rishi, L.; Nabi, A.
Luminescence, **24**, 276-281 (2009).
11110. NMR-based multi parametric quality control of fruit juices: SGF profiling
Spraul, M.; Schuetz, B.; Rinke, P.; Koswig, S.; Humpfer, E.; Schaefer, H.; Moertter, M.; Fang, F.; Marx, U. C.; Minoja, A.
Nutrients, **1**, 148-155 (2009).
11111. Two rapid and sensitive automated methods for the determination of nitrite and nitrate in soil samples
Pasquali, C. E. L.; Gallego-Pico, A.; Hernando, P. F.; Velasco, M.; Alegria, J. S. D.
Microchem. J., **94**, 79-82 (2010).
11112. Rheostatic control of tryptic digestion in a microscale fluidic system
Percy, A. J.; Schriemer, D. C.
Anal. Chim. Acta, **657**, 53-59 (2010).
11113. Combined contactless conductometric, photometric, and fluorimetric single point detector for capillary separation methods
Ryvolova, M.; Preisler, J.; Foret, F.; Hauser, P. C.; Krasensky, P.; Paull, B.; Macka, M.
Anal. Chem., **82**, 129-135 (2010).
11114. Application of chloromethylated polystyrene functionalized with N,N-bis(naphthylideneimino)diethylenetriamine in an online preconcentration system for the determination of cadmium by FAAS
Chamjangali, M. Arab; Farooji, S. Talebzadeh; Bahramian, B.
J. Hazard. Mater., **174**, 843-850 (2010).
11115. Multisyringe Flow Injection Technique for Development of Green Spectroscopic Analytical Methodologies
Maya, F.; Estela, J. M.; Cerda, V.
Spectroscopy Lett., **42**, 312-319 (2009).
11116. Sequential Injection Analysis (SIA) for Arsenic Speciation by Capillary Electrophoresis Hyphenated to Inductively Coupled Plasma Sector Field Mass Spectrometry (CE-ICP-SFMS)
Suarez, C. A.; Araujo, G. C. L.; Gine, M. F.; Kakazu, M. H.; Sarkis, J. E. S.
Spectroscopy Lett., **42**, 376-382 (2009).
11117. Green chemistry. Sensitive analytical procedure for photometric determination of orthophosphate in river and tap water by use of a simple LED-based photometer
Silva, M. B.; Borges, S. S.; Perdigao, S. R. W.; Reis, B. F.
Spectroscopy Lett., **42**, 356-362 (2009).
11118. Indirect Sequential Injection Enzymatic Determination of

- Allopurinol in Pharmaceuticals Based on Xanthine Oxidase Inhibition
Silvestre, C. I. C.; Segundo, M. A.; Saraiva, M. L. M. F. S.; Lima, J. L. F. C.
Spectroscopy Lett., **42**, 341-350 (2009).
11119. An optimal design method for preventing air bubbles in high-temperature microfluidic devices
Nakayama, T.; Hiep, H. M.; Furui, S.; Yonezawa, Y.; Saito, M.; Takamura, Y.; Tamiya, E.
Anal. Bioanal. Chem., **396**, 457-464 (2010).
11120. Determination of Sudan IV in hot chilli powder with luminol/dissolved oxygen chemiluminescence system
Niu, L.; Song, Z.; Chen, D.
J. Sci. Food Agricul., **90**, 338-342 (2010).
11120. Determination of free and total sulfites in wine using an automatic flow injection analysis system with voltammetric detection
Goncalves, L. M.; Grosso P., J.; Jorge M., Paulo; Antonio R., J.; Araujo B., A.
Food Add. Contaminant., **27**, 175-180 (2010).
11121. Fluorescent cisplatin analogues and cytotoxic activity
Rodriguez-Fernandez, E.; Manzano, J. L.; Alonso, A.; Almendral, M. J.; Perez-Andres, M.; Orfao, A.; Criado, J. J.
Curr. Med. Chem., **16**, 4314-4327 (2009).
11122. Developing automated analytical methods for scientific environments using LabVIEW
Wagner, C.; Armenta, S.; Lendl, B.
Talanta, **80**, 1081-1087 (2010).
11123. A highly sensitive HPLC method with automated on-line sample pre-treatment and fluorescence detection for determination of reboxetine in human plasma
Khalil, N. Y.
Talanta **80**, 1251-1256 (2010),.
11124. Preparation of a new Cd(II)-imprinted polymer and its application to determination of cadmium(II) via flow-injection-flame atomic absorption spectrometry
Gawin, M.; Konefal, J.; Trzewik, B.; Walas, S.; Tobiasz, A.; Mrowiec, H.; Witek, E
Talanta, **80**, 1305-1310 (2010).
11125. Single interface flow system with potentiometric detection for the determination of nitrate in water and vegetables
Santos, J. R.; Santos, J. L. M.; Lima, J. L. F. C.
Talanta, **80**, 1326-1332 (2010).
11126. Interfacing on-line solid phase extraction with monolithic column multisyringe chromatography and chemiluminescence detection: An effective tool for fast, sensitive and selective determination of thiazide diuretics
Maya, F.; Estela, J. M.; Cerda, V.
Talanta, **80**, 1333-1340 (2010).
11127. A multisyringe flow injection Winkler-based spectrophotometric analyzer for in-line monitoring of dissolved oxygen in seawater
Horstkotte, B.; Alonso, J. C.; Miro, M.; Cerda, V.
Talanta, **80**, 1341-1346 (2010).
11128. Batch and hydrodynamic monitoring of vitamin C using novel periodate selective sensors based on a newly synthesized Ni(II)-Schiff bases complexes as a neutral receptors
Abdel A., Ayman A.; Kamel, A. H.
Talanta, **80**, 1356-1363 (2010).
11129. Two analyte calibrations from the transient response of a single potentiometric sensor employed with the SIA technique
Cartas, R.; Mimendia, A.; Legin, A.; Valle, M.
Talanta, **80**, 1428-1435 (2010).
11130. Simultaneous kinetic determination of 3-hydroxybutyrate and 3-hydroxyvalerate in biopolymer degradation processes
Garcia M., C.; Hueso D., K. B.
Talanta, **80**, 1436-1440 (2010).
11131. Analysis of commercial beverage products by size exclusion chromatography coupled with UV-vis absorbance detection and dynamic surface tension detection
Pierce, K. M.; Bramanti, E.; Onor, M.; Spiniello, R.; Kangas, A.; Skogerboe, K. J.; Synovec, R. E.
Talanta, **80**, 1445-1451 (2010).
11132. Preparing of hybrid bio-organic-inorganic composite membrane for amperometric mediatorless glucose micro biosensor
Li, J.; Liu, R.; Pan, H.; Wang, H.
Sens. Lett., **7**, 557-562 (2009).
11133. A micro-coated wire ion-selective electrode for flow-injection analysis of trazodone in pharmaceuticals, human urine and serum
Ortuno, J. A.; Garcia, M. S.; Albero, M. I.; Cuartero, M.
Sens. Lett., **7**, 615-620 (2009).
11134. Development of a sequential injection system for the determination of nitrite and nitrate in waters with different salinity: application to estuaries in NW Portugal
Mesquita, R. B. R.; Ferreira, M. T. S. O. B.; Segundo, R. L. A.; Teixeira, C. F. C. P.; Bordalo, A. A.; Rangel, A. O. S. S.
Anal. Methods, **1**, 195-202 (2009).
11135. A study of the chemiluminescence behavior of cephalosporins with luminol and its analytical application
Niu, L.; Song, Z.; He, X.
Drug Metab. Lett., **3**, 144-151 (2009).
11136. Sequential injection analysis for automation of the Winkler methodology, with real-time SIMPLEX optimization and shipboard application
Horstkotte, B.; Sanchez, A. T.; Duarte, . M.; Cerda, V.
Anal. Chim. Acta, **658**, 147-155 (2010).
11137. QCM sensors for aqueous phenols based on active layers constituted by tetrapyrrolic macrocycle Langmuir films
Giancane, G.; Guascito, M. R.; Malitesta, C.; Mazzotta, E.; Picca, R. A.; Valli, L.
J. Porphy. Phthalocyanines, **13**, 1129-1139 (2009).
11138. Antimony-film electrode for the determination of trace metals by sequential-injection analysis/anodic stripping voltammetry
Guzsvany, V.; Nakajima, H.; Soh, N.; Nakano, K.; Imato, T.
Anal. Chim. Acta, **658**, 12-17 (2010).
11139. Fluidized-bed column method for automatic dynamic extraction and determination of trace element bioaccessibility in highly heterogeneous solid wastes
Rosende, M.; Miro, M.; Cerda, V.
Anal. Chim. Acta, **658**, 41-48 (2010).
11140. Recombinant protein detection in crude extracts by flow-injection immunoassay
Bartolomeo, M. P.; Maisano, F.
J. Immunol. Methods, **352**, 54-58 (2010).
11141. ESI-MS, ESI-MS/MS fingerprint and LC-ESI-MS analysis of proanthocyanidins from *Bursera simaruba* Sarg Bark
Maldini, Mariateresa; Montoro, Paola; Piacente, Sonia; Pizza, C.
Nat. Prod. Commun., **4**, 1671-1674 (2009).
11142. Fabrication of a Sensitive Cholesterol Biosensor Based on Cobalt-oxide Nanostructures Electrodeposited onto Glassy Carbon Electrode
Salimi, A.; Hallaj, R.; Soltanian, S.
Electroanal., **21**, 2693-2700 (2009).
11143. High flow rate microfluidic device for blood plasma separation using a range of temperatures

- Rodriguez-Villarreal, A. I.; Arundell, M.; Carmona, M.; Samitier, J.
Lab Chip, **10**, 211-219 (2010).
11144. Selective trapping and concentration of nanoparticles and viruses in dual-height nanofluidic channels
Hamblin, M. N.; Xuan, J.; Maynes, D.; Tolley, H. D.; Belnap, D. M.; Woolley, A. T.; Lee, M. L.; Hawkins, A. R.
Lab Chip, **10**, 173-178 (2010).
11145. The determination of trace lead in drinking water by flow injection spectrophotometry
Dai, S.; Zhang, X.; Yu, L.; Yang, Y.
Spectrochim. Acta A Mol. Biomol. Spectrosc., **75**, 330-333 (2010).
11146. Flow-injection chemiluminescence determination of dihydralazine sulfate in serum using luminol and diperiodatocuprate(III) system
Yang, C.; Zhang, Z.; Wang, J.
Spectrochim. Acta A Mol. Biomol. Spectrosc., **75**, 77-82 (2010).
11147. An automated surface plasmon resonance-based system
Havard, Jeffery; Gillock, Nathan; Martin, Aaron; Quinn, John
Am. Biotechnol. Lab., **27**, 24-25 (2009).
11148. Analysis of part-per-billion level of arsine and phosphine in light hydrocarbons by capillary flow technology and dielectric barrier discharge detector
Gras, R.; Luong, J.; Hawryluk, M.; Monagle, M.
J. Chromatogr. A, **1217**, 348-352 (2010).
11149. A nanoparticle-based solid-phase extraction procedure followed by flow injection inductively coupled plasma-optical emission spectrometry to determine some heavy metal ions in water samples
Faraji, M.; Yamini, Y.; Saleh, A.; Rezaee, M.; Ghambarian, M.; Hassani, R.
Anal. Chim. Acta, **659**, 172-177 (2010).
11150. Measurement of acetylcholinesterase inhibition using bienzymes immobilized monolith micro-reactor with integrated electrochemical detection
He, P.; Davies, J.; Greenway, G.; Haswell, S. J.
Anal. Chim. Acta, **659**, 9-14 (2010).
11151. Flow-Injection Amperometric Method for Indirect Determination of Dopamine in the Presence of a Large Excess of Ascorbic Acid
Gimenes, D. T.; Santos, W. T. P.; Tormin, T. F.; Munoz, R. A. A.; Richter, E. M.
Electroanal., **22**, 74-78 (2010).
11152. Experimental investigations of an internal flow generated by porous injection
Fournier, C.; Michard, M.; Bataille, F.
J. Appl. Mech. (2010), **77**(2), 021020/1-021020/7.
11153. Ceramic Microsystem Incorporating a Microreactor with Immobilized Biocatalyst for Enzymatic Spectrophotometric Assays
Baeza, M.; Lopez, C.; Alonso, J.; Lopez-Santin, J.; Alvaro, G.
Anal. Chem., **82**, 1006-1011 (2010).
11154. Activated Nickel Platform for Electrochemical Sensing of Phosphate
Cheng, Wan-Ling; Sue, Jun-Wei; Chen, Wei-Chung; Chang, Jen-Lin; Zen, Jyh-Myng
Anal. Chem., **82**, 1157-1161 (2010).
11155. Flow injection chemiluminescent immunoassay for carcinoembryonic antigen using boronic immunoaffinity column
Ma, X.; Li, H.; Wu, M.; Sun, C.; Li, L.; Yang, X.
Sensors, **9**, 10389-10399 (2009).
11156. Determination of coenzyme A (CoASH) in the presence of different thiols by using flow-injection with a UV/Vis spectrophotometric detector and potentiometric determination of CoASH using an iodide ion
Giljanovic, J.; Prkic, A.
Molecules, **15**, 100-113 (2010).
11157. Factorial design and response surface optimization of spectrophotometric sequential injection analysis of olanzapine formulations
Idris, A. M.
J. Anal. Chem., **65**, 36-42 (2010).
11158. Simultaneous assay of trace Cr(VI) and total chromium in tannery effluent. Using flow injection spectrophotometry with Ce(IV) as oxidant
Dai, S.; Zhang, X.; Yu, L.; Xiao, K.; Tong, L.; Sun, D.; Tu, J.
J. Soc. Leather Technol. Chem., **93**, 245-249 (2009).
11159. Simultaneous online visible detection of sulphide and chloride in tannery effluent by combination of FIA and low pressure ion chromatography
Yu, L.; Zhang, X.; Dai, S.; Sun, J.; Yang, Y.; Yu, L.; Xiao, K.
J. Soc. Leather Technol. Chem., **93**, 250-254 (2009).
11160. Determination of Hg and Pb in fuels by inductively coupled plasma mass spectrometry using flow injection chemical vapor generation
Chen, Feng-yi; Jiang, Shih-Jen
Anal. Sci., **25**, 1471-1476 (2009).
11161. Stopped-Flow Sequential Injection Spectrophotometry for Simultaneous Determination of Cu, Zn, Ni, and Mn in Environmental Water with Artificial Neural Networks Calibration
Chu, N.; Ding, C.; Fan, S.
Anal. Lett., **43**, 335-348 (2010).
11162. FIA potentiometric system based on periodate polymeric membrane sensors for the assessment of ascorbic acid in commercial drinks
Guerreiro, J. R. L.; Kamel, A. H.; Sales, M. G. F.
Food Chem., **120**, 934-939 (2010).
11163. Internal standard in flow injection analysis with amperometric detection
Gimenes, D. T.; Pio S., Wallans T.; Munoz, R. A. A.; Richter, E. M.
Electrochem. Commun., **12**, 216-218 (2010).
11164. Development of a sequential injection-square wave voltammetry method for determination of Paraquat in water samples employing the hanging mercury drop electrode
Santos, L. B. O.; Infante, C. M. C.; Masini, J. C.
Anal. Bioanal. Chem., **396**, 1897-1903 (2010).
11165. Microcontroller-driven fluid-injection system for atomic force microscopy
Kasas, S.; Alonso, L.; Jacquet, P.; Adamcik, J.; Haeblerli, C.; Dietler, G.
Rev. Sci. Instrum., **81**, 013704/1-013704/3 (2010).
11166. Design and evaluation of flow distributors for microfabricated pillar array columns
Vangeloooven, J.; De Malsche, W.; Op B., J.; Eghbali, H.; Gardeniers, H.; Desmet, G.
Lab Chip, **10**, 349-356 (2010).
11167. A regenerable flow-through affinity sensor for label-free detection of proteins and DNA
Zavali, M.; Petrou, P. S.; Goustouridis, D.; Raptis, I.; Misiakos, K.; Kakabakos, S. E.
J. Chromatogr. B, **878**, 237-242 (2010).
11168. Sibutramine selective electrodes for batch and flow injection determinations in pharmaceutical preparations
Zayed, S. I. M.; Issa, Y. M.
Anal. Sci., **26**, 45-49 (2010).
11169. Sequential injection-immunoassay system with a plain glass capillary reactor for the assay of hyaluronan
Kradtap H., Supaporn; Boonmalai, A.; Kongtawelert, P.; Grudpan, K.

- Anal. Sci.*, **26**, 69-74 (2010).
11170. Depolarization of surface-attached hypothalamic mouse neurons studied by acoustic wave (thickness shear mode) detector
Cheung, S.; Fick, L. J.; Belsham, D. D.; Thompson, M. *Analyst*, **135**, 289-295 (2010).
11171. Evaluation of the number of factors needed for residual bilinearization in BLLS and UPLS models to achieve the secondorder advantage
Batista B., Jez W.; Carneiro, R. L.; Poppi, R. J. *Chemometrics Intell. Lab. Syst.*, **100**, 99-109 (2010).
11172. Thiol-stabilized luminescent CdTe quantum dot as biological fluorescent probe for sensitive detection of methyl parathion by a fluorimmunochemical technique
Chouhan, R. S.; Vinayaka, A. C.; Thakur, M. S. *Anal. Bioanal. Chem.*, **397**, 1467-1475 (2010).
11173. Flow injection on-line displacement solid phase extraction coupled with flame atomic absorption spectrometry for the selective determination of trace cadmium
Jia, Wen-Ping; Han, De-Man; Gao, T.; Li, F. *Atom. Spectrosc.*, **30**, 201-207 (2009).
11174. Single Cell Impedance Cytometry for Identification and Counting of CD4 T-Cells in Human Blood Using Impedance Labels
Holmes, D.; Morgan, H. *Anal. Chem.*, **82**, 1455-1461 (2010).
11175. Screen-printed sensor for batch and flow injection potentiometric chromium(VI) monitoring
Sanchez-Moreno, R. A.; Gismera, M. J.; Sevilla, M. T.; Procopio, J. R. *Anal. Bioanal. Chem.*, **397**, 331-338 (2010).
11176. Determination of enalapril maleate and atenolol in their pharmaceutical products and in biological fluids by flow-injection chemiluminescence
Al-Arfaj, N. A.; Al-Abdulkareem, E. A.; Aly, F. A. *Luminescence*, **24**, 422-428 (2009).
11177. Highly selective determination of phenolphthalein by flow injection chemiluminescence method based on a molecular imprinting polymer
Yu, J.; Ge, L.; Dai, P.; Zhang, C.; Ge, S.; Huang, J. *Luminescence*, **24**, 444-447 (2009).
11178. Automated determination of asulam by enhanced chemiluminescence using luminol/peroxidase system
Sanchez, F. G.; Diaz, A. N.; Bracho, V.; Aguilar, A.; Algarra, M. *Luminescence*, **24**, 448-452 (2009).
11179. Sequential Injection Lab-on-Valve System for the Determination of the Activity of Peroxidase in Vegetables
Vidigal, S. S. M. P.; Toth, I. V.; Rangel, A. O. S. S. *J. Agric. Food Chem.*, **58**, 2071-2075 (2010).
11180. Quartz Crystal Microbalance Biosensor for Saxitoxin Based on Immobilized Sodium Channel Receptors
Bergantin, J. H.; Sevilla, F., III *Anal. Lett.*, **43**, 476-486 (2010).
11181. N-bromosuccinimide-fluorescein system for the determination of protein by flow injection chemiluminescence
Cao, Wei; Fu, Yanjing; Gong, P.; Ma, Y.; Qiao, S.; Yang, J. *Microchim. Acta*, **168**, 17-21 (2010).
11182. Chemiluminescence determination of indole derivatives in human body fluids and soil by flow injection analysis using potassium permanganate
Han, S. *Microchim. Acta*, **168**, 169-175 (2010).
11183. Flow injection amperometric determination of pyridoxine at a Prussian blue nanoparticle-modified carbon ceramic electrode
Razmi, H.; Mohammad-Rezaei, R. *Electrochim. Acta*, **55**, 1814-1819 (2010).
11184. A critical review of Total Volatile Bases and trimethylamine as indices of freshness of fish. Part 1. Determination
Howgate, P. *Electron. J. Environ. Agric. Food Chem.*, **9**, 29-57 (2010).
11185. Highly sensitive and selective amperometric sensors for nanomolar detection of iodate and periodate based on glassy carbon electrode modified with iridium oxide nanoparticles
Salimi, A.; Hallaj, R.; Kavosi, B.; Hagighi, B. *Anal. Chim. Acta*, **661**, 28-34 (2010).
11186. On-column silver substrate synthesis and surface-enhanced Raman detection in capillary electrophoresis
Leopold, N.; Lendl, B. *Anal. Bioanal. Chem.*, **396**, 2341-2348 (2010).
11187. Flow Cytometry as New Approach To Investigate Drug Transfer between Lipid Particles
Petersen, S.; Fahr, A.; Bunjes, H. *Mol. Pharm.*, **7**, 350-363 (2010).
11188. Sol-Gel Immobilization of Lactate Oxidase from Organic Solvent: Toward the Advanced Lactate Biosensor
Yashina, E. I.; Borisova, A. V.; Karyakina, E. E.; Shchegolikhina, O. I.; Vagin, M. Y.; Sakharov, D. A.; Tonevitsky, A. G.; Karyakin, A. A. *Anal. Chem.*, **82**, 1601-1604 (2010).
11189. Small and reproducible isotope effects during methylation with trimethylsulfonium hydroxide (TMSH): A convenient derivatization method for isotope analysis of negatively charged molecules
Reinicke, S.; Bernstein, A.; Elsner, M. *Anal. Chem.*, **82**, 2013-2019 (2010).
11190. Application of porphyrins in flow-injection analysis: A review
Staden, J. F.; Stefan-van S., R. I. *Talanta*, **80**, 1598-1605 (2010).
11191. A sensor based on electrodes supported on ion-exchange membranes for the flow-injection monitoring of sulphur dioxide in wines and grape juices
Toniole, R.; Pizzariello, A.; Susmel, S.; Dossi, N.; Bontempelli, G. *Talanta*, **80**, 1809-1815 (2010).
11192. 11-Molybdo-bismuthophosphate-A new reagent for the determination of ascorbic acid in batch and sequential injection systems
Vishnikin, A. B.; Svinarenko, T. Y.; Sklenarova, H.; Solich, P.; Bazel, Y. R.; Andrich, V. *Talanta*, **80**, 1838-1845 (2010).
11193. Determination of cadmium with a sequential injection lab-on-valve by anodic stripping voltammetry using a nafion coated bismuth film electrode
Wang, Y.; Liu, Z.; Yao, G.; Zhu, P.; Hu, X.; Xu, Q.; Yang, C. *Talanta*, **80**, 1959-1963 (2010).
11194. Determination of progesterone (P4) from bovine serum samples using a microfluidic immunosensor system
Arevalo, F. Javier; Messina, G. A.; Molina, P. G.; Zon, M. A.; Raba, J.; Fernandez, H. *Talanta*, **80**, 1986-1992 (2010).
11195. A novel low-cost and easy to develop functionalization platform. Case study: Aptamer-based detection of thrombin by surface plasmon resonance
Polonschii, C.; David, S.; Tombelli, S.; Mascini, M.; Gheorghiu, M. *Talanta*, **80**, 2157-2164 (2010).
11196. On-line flow-through extraction-preconcentration-large volume injection-RP LC for trace determination of

- pyrethroids in Slovak soil
Chalanyova, Maria; Hutta, Milan; Pagac, Martin
J. Sep. Sci., **33**, 134-142 (2010).
11197. A gas diffusion technique coupled with flow injection systems. Optimization of the process in its application to the fluorimetric determination of ammonium in water samples
Almendral-Parra, Maria-Jesus; Alonso-Mateos, A.; Fuentes-Prieto, Maria-Socorro
J. Fluoresc., **20**, 55-65 (2010).
11198. Flow-Injection Determination of Benzimidazole Fungicides in Natural Waters with Copper(II)-Hydrogen Peroxide Chemiluminescence
Waseem, A.; Yaqoob, M.; Nabi, A.
Anal. Lett., **43**, 603-617 (2010).
11199. Determination of Diphenylpyraline Hydrochloride in Pure Solutions and Pharmaceutical Preparations Using Ion Selective Electrodes Under Batch and FIA Conditions
Abdel-Ghani, Nour T.; Hussein, S. H.
Anal. Lett., **43**, 582-602 (2010).
11200. A Novel Chemosensor for Fe(III) Based on Phosphorescence Quenched 9-Bromophenanthrene Induced by β -Cyclodextrin Combined with Flow Injection Renewable Drop
Chai, Hua-Peng; Feng, F.; Li, Ren-Jun; Chen, Ze-Zhong; Liang, Wen-Juan; Bai, Yun-Feng; Dong, C.; Shao-Min, S.
Anal. Lett., **43**, 711-720 (2010).
11201. Dissolved iron (II) in the Baltic Sea surface water and implications for cyanobacterial bloom development
Breitbarth, E.; Gelting, J.; Walve, J.; Hoffmann, L. J.; Turner, D. R.; Hasselsoev, M.; Ingri, J.
Biogeosci., **6**, 2397-2420 (2009).
11202. Electrochemical oxidation of glucose on silver nanoparticle-modified composite electrodes
Quan, Hongmei; Park, Seung-Un; Park, Jongman
Electrochim. Acta, **55**, 2232-2237 (2010).
11203. Numerical investigation of flow-through immunoassay in a microchannel
Sinha, A.; Ganguly, R.; Puri, I. K.
J. Appl. Phys., **107**, 034907/1-034907/6 (2010).
11204. Autocatalytic nature of permanganate oxidations exploited for highly sensitive chemiluminescence detection
Slezak, T.; Terry, J. M.; Francis, P. S.; Hindson, C. M.; Olson, D. C.; Wolcott, D. K.; Barnett, N. W.
Anal. Chem., **82**, 2580-2584 (2010).
11205. Evaluation of the influence of arsenical livestock drinking waters on total arsenic levels in cow's raw milk from Argentinean dairy farms
Sigrist, M.; Beldomenico, H.; Rosa R., M.
Food Chem., **121**, 487-491 (2010).
11206. Determination of As, Cd, Cu, Hg and Pb in biological samples by modern electrothermal atomic absorption spectrometry
Sardans, J.; Montes, F.; Penuelas, J.
Spectrochim. Acta Part B At. Spectrosc., **65B**, 97-112 (2010).
11207. Flow injection determination of vitamin C in pharmaceutical preparations by differential electrolytic potentiometry
Abulkibash, A. M. S.; Fraihat, S.; El A., B.
J. Flow Injection Anal., **26**, 121-125 (2009).
11208. Fluorescence detection-FIA for ppb levels of bromate with trifluoperazine
Ohtomo, T.; Yatabe, R.; Tanaka, Y.; Kato, Jun; Igarashi, S.
J. Flow Injection Anal., **26**, 127-131 (2009).
11209. Spectrophotometric determination of anionic surfactant based on ion-pair formation with methylene blue in reversed flow injection mode
Aydan Tursunjan; Takeuchi, Masaki; Tanaka, Hideji
J. Flow Injection Anal., **26**, 133-137 (2009).
11210. Flow injection simultaneous determination of copper and iron in lubricating oil using a new spectrophotometer with dual light-emitting diode
Teshima, N.; Sakai, T.; Higuchi, K.; Takahashi, M.; Komoda, T.; Kurahashi, Ken-ichi; Grudpan, K.
J. Flow Injection Anal., **26**, 139-142 (2009).
11211. DNA manipulation, sorting, and mapping in nanofluidic systems
Levy, S. L.; Craighead, H. G.
Chem. Soc. Rev., **39**, 1133-1152 (2010).
11212. Selenium metabolism in hepatocytes incubated with selenite, selenate, selenomethionine, Se-methylselenocysteine and methylseleninic acid (sic) and analysed by LC-ICP-MS
Gabel-Jensen, C.; Gammelgaard, B.
J. Anal. At. Spectrom., **25**, 414-418 (2010).
11213. Development of a flow through photo-reactor to study degradation of organic compounds by sequential injection analysis (SIA)
Santos, A. C. V.; Masini, J. C.
J. Braz. Chem. Soc., **20**, 1800-1804 (2009).
11214. Flow injection analysis-solid phase extraction (FIA-SPE) method for preconcentration and determination of trace amounts of penicillins using methylene blue grafted polyurethane foam
El-Shahat, M. F.; Burham, N.; Azeem, S. M. A.
J. Hazard. Mater., **177**, 1054-1060 (2010).
11215. Novel flow-through bulk optode for spectrophotometric determination of lithium in pharmaceuticals and saliva
Albero, M. I.; Ortuno, J. A.; Garcia, M. S.; Cuartero, M.; Alcaraz, M. C.
Sens. Actuator B-Chem., **145**, 133-138 (2010).
11216. In-channel modification of biosensor electrodes integrated on a polycarbonate microfluidic chip for micro flow-injection amperometric determination of glucose
Wang, Y.; He, Q.; Dong, Y.; Chen, H.
Sens. Actuator B-Chem., **145**, 553-560 (2010).
11217. Cost-effective disposable thiourea film modified copper electrode for capacitive immunosensor
Limbut, W.; Thavarungkul, P.; Kanatharana, P.; Wongkittisuksa, B.; Asawatreratanakul, P.; Limsakul, C.
Electrochim. Acta, **55**, 3268-3274 (2010).
11218. Parabens determination with a hybrid FIA/HPLC system with ultra-short monolithic column
Garcia J., J. F.; Carmen V., M.; Capitan-Vallvey, L. F.
J. Anal. Chem., **65**, 188-194 (2010).
11219. Voltammetric and amperometric determination of N-nitroso antineoplastic drugs at mercury and amalgam electrodes
Peckova, K.; Vrzalova, L.; Bencko, V.; Barek, J.
Collect. Czech. Chem. Commun., **74**, 1697-1713 (2009).
11220. Determination of cytochrome c in human serum and pharmaceutical injections using flow injection chemiluminescence
Li, X.; Liu, H.; He, X.; Song, Z.
Appl. Biochem. Biotechnol., **160**, 1065-1073 (2010).
11221. On-line speciation of inorganic and methyl mercury in waters and fish tissues using polyaniline micro-column and flow injection-chemical vapour generation-inductively coupled plasma mass spectrometry (FI-CVG-ICPMS)
Balarama K., M. V.; Chandrasekaran, K.; Karunasagar, D.
Talanta, **81**, 462-472 (2010).
11222. A novel flow-injection chemiluminescence determination

- of uric acid based on diperiodatoargentate(III) oxidation
Yang, C.; Zhang, Z.
Talanta, **81**, 477-481 (2010).
11223. A novel chemiluminescence method for the determination of ergometrine maleate in serum sample without chemiluminescence reagent
Hu, Y.; Zhang, Z.; Li, G.
Talanta, **81**, 499-504 (2010).
11224. Carbon paste and PVC electrodes for the flow injection potentiometric determination of dextromethorphan
Khaled, E. H.; H. N. A.; Mohamed, G. G.; Seleim, A. A.
Talanta, **81**, 510-515 (2010).
11225. Sequential injection analysis with lab-at-valve (SI-LAV) for the determination of solasodine in Solanum species
Thongchai, W.; Liawruangrath, B.; Liawruangrath, S.
Talanta, **81**, 565-571 (2010).
11226. Solid phase extraction - Multisyringe flow injection system for the spectrophotometric determination of selenium with 2,3-diaminonaphthalene
Serra, A. M.; Estela, J. M.; Coulomb, B.; Boudenne, J. L.; Cerda, V.
Talanta, **81**, 572-577 (2010).
11227. Flow injection spectrophotometric determination of lead using 1,5-diphenylthiocarbazon in aqueous micellar Ruengsitagoon, W.; Chisvert, A.; Liawruangrath, S.
Talanta, **81**, 709-713 (2010).
11228. Real-time assay method of lipid extraction activity
Sugiki, T.; Takahashi, H.; Nagasu, M.; Hanada, K.; Shimada, I.
Anal. Biochem., **399**, 162-167 (2010).
11229. Micro-column preconcentration/separation using thiacalix[4]arene tetracarboxylate derivative modified mesoporous TiO₂ as packing materials on-line coupled to inductively coupled plasma optical emission spectrometry for the determination of trace heavy metals in environmental water samples
Chen, D.; Hu, B.; He, M.; Huang, C.
Microchem. J., **95**, 90-95 (2010).
11230. Determination of nickel and vanadium by capillary flow-injection ICPMS coupled to on column asphaltene separation method
Ellis, J.; Rogel, E.; Thomas, L.; Moir, M.; Ovalles, C.
Am. Chem. Soc. Div. Petrol. Chem., **55**, 18-20 (2010).
11231. Simultaneous injection-effective mixing analysis of palladium
Teshima, N.; Noguchi, D.; Joichi, Y.; Lenghor, N.; Ohno, N.; Sakai, T.; Motomizu, S.
Anal. Sci., **26**, 143-144 (2010).
11232. Identification and prediction of air core diameter in a hydrocyclone by a novel online sensor based on digital signal processing technique
Krishna, V.; Sripriya, R.; Kumar, V.; Chakraborty, S.; Meikap, B. C.
Chem. Eng. Process., **49**, 165-176 (2010).
11233. Pervaporation flow injection analysis for the determination of sulphite in food samples utilising potassium permanganate-rhodamine B chemiluminescence detection
Satieperakul, S.; Phongdong, P.; Liawruangrath, S.
Food Chem., **121**, 893-898 (2010).
11234. Compaction and size segregation in a liquid-saturated grain packing due to pulsation effect during air injection
Kong, Xiang-Zhao; Kinzelbach, W.; Stauffer, F.
Chem. Eng. Sci., **65**, 2680-2688 (2010).
11235. Determination of globotriaosylceramide in plasma and urine by mass spectrometry
Krueger, R.; Bruns, K.; Gruenhage, S.; Rossmann, H.; Reinke, J.; Beck, M.; Lackner, K. J.
Clin. Chem. Lab. Med., **48**, 189-198 (2010).
11236. Trace-level detection of atrazine using immuno-chemiluminescence: dipstick and automated flow injection analyses formats
Chouhan, R. S.; Rana, K. V. S.; Suri, C. R.; Thampi, R. K.; Thakur, M. S.
J. AOAC Int., **93**, 28-35 (2010).
11237. Enhanced stability of enzyme organophosphate hydrolase interfaced on the carbon nanotubes
Pedrosa, V. A.; Paliwal, S.; Balasubramanian, S.; Nepal, D.; Davis, V.; Wild, J.; Ramanculov, E.; Simonian, A.
Colloids Surf. B Biointerfaces, **77**, 69-74 (2010).
11238. Online Hyphenation of Multimodal Microsolid Phase Extraction Involving Renewable Molecularly Imprinted and Reversed-Phase Sorbents to Liquid Chromatography for Automatic Multiresidue Assays
Boonjob, W.; Yu, Y.; Miro, M.; Segundo, M. A.; Wang, Ji.; Cerda, V.
Anal. Chem., **82**, 3052-3060 (2010).
11239. Electrochemical Oxidation and Sensitive Determination of Acetaminophen in Pharmaceuticals at Poly(3,4-ethylenedioxythiophene)-Modified Screen-Printed Electrodes
Su, Wan-Yu; Cheng, Shu-Hua
Electroanal., **22**, 707-714 (2010).
11240. Amperometric Sniffer Based on Electrodes Supported on Ion-Exchangers for Monitoring the State of Turning Rancid of Lipids
Toniolo, R.; Susmel, S.; Dossi, N.; Pizzariello, A.; Martinis, M.; Bontempelli, G.
Electroanal., **22**, 645-652 (2010).
11241. Multicommution in flow systems: a useful tool for pharmaceutical and clinical analysis
Llorent-Martinez, E. J.; Barrales, P. O.; Fernandez-de C., M. L.; Ruiz-Medina, A.
Curr. Pharm. Anal., **6**, 53-65 (2010).
11242. Gas chromatographic determination of venlafaxine hydrochloride from tablet
Kokate, S. J.; Talekar, U. M.; Aher, H. R.; Kuchekar, S. R.
Anal. Chem.: An Indian Journal (2009), **8**, 636-639.
11243. Photometric cyclic-injection trace determination of phosphate ions in natural waters as an ion associate of phosphomolybdate with Astra hloxine
Bulatov, A. V.; Ivasenko, P. A.; Subbotina, K. A.; Vishnikin, A. B.; Moskvina, L. N.
J. Anal. Chem., **65**, 234-238 (2010).
11244. Microsequential injection analysis: Determination of rutin and quercetin in food supplements and pharmaceutical products
Matyushina, T. A.; Morosanova, E. I.; Zolotov, Yu. A.
J. Anal. Chem., **65**, 308-315 (2010).
11245. Recent trends in solid phase spectrometry: 2003-2009. A Review
Matsuoka, S.; Yoshimura, K.
Anal. Chim. Acta, **664**, 1-18 (2010).
11246. Automated determination of uranium(VI) at ultra trace levels exploiting flow techniques and spectrophotometric detection using a liquid waveguide capillary cell
Avivar, J.; Ferrer, L.; Casas, M.; Cerda, V.
Anal. Bioanal. Chem., **397**, 871-878 (2010).
11247. A Flow-Injection Chemiluminescence Determination of Formaldehyde in Textiles
Kanwal, Shamsa; Ma, Qiang; Fu, Xiaohong; Yuan, Pingfan; Su, Xingguang
Spectroscopy Lett. (2010), **43**(2), 84-90.
11248. Development of a novel on-line flow injection mercury analyzer to determine gaseous elemental mercury over the northern South China Sea
Tseng, C. M.; Lamborg, C. H.; Fitzgerald, W. F.
J. Anal. At. Spectrom., **25**, 526-533 (2010).
11249. Flow-injection catalytic spectrophotometric

- determination of molybdenum(VI) in plants using bromate oxidative coupling of p-hydrazinobenzenesulfonic acid with N-(1-naphthyl)ethylenediamine
Nakano, S.; Kamaguchi, C.; Hirakawa, N.
Talanta, **81**, 786-791 (2010).
11250. Flow-injection determination of vanadium in seawater samples with acidic potassium permanganate chemiluminescence
Waseem, A.; Yaqoob, M.; Nabi, A.
Anal. Sci., **26**, 355-360 (2010).
11251. Flow-injection on-line electrochemical determination of acetylcholine and choline ions using a two-step oil/water-type flow cell system
Gohara, E.; Osakai, T.
Anal. Sci., **26**, 375-378 (2010).
11252. Sequential injection kinetic flow assay for monitoring glycerol in a sugar fermentation process by *Saccharomyces cerevisiae*
Dominguez, K. B. Hueso; Toth, I. V.; Souto, M. R. S.; Mendes, F.; Garcia D. M., C.; Vasconcelos, I.; Rangel, A. O. S. S.
Appl. Biochem. Biotechnol., **160**, 1664-1673 (2010).
11253. Comprehensive identification of active compounds in tablets by flow-injection data-dependent tandem mass spectrometry combined with library search
Pavlic, M.; Schubert, B.; Libiseller, K.; Oberacher, H.
Forensic. Sci. Int., **197**, 40-47 (2010).
11254. A simple turbidimetric flow injection system for saccharin determination in sweetener products
Mendes, C. B.; Laignier, E. P.; Brigagao, M. R. P. L.; Luccas, P. O.; Tarley, C. R. T.
Chem. Papers, **64**, 285-293 (2010).
11255. Determination of lead(II) by flow-injection analysis using luminol-potassium periodate post-chemiluminescence reaction
Chen, Li; Li, Nian Bing; Luo, Hong Qun
Instrum. Sci. Technol., **38**, 151-164 (2010).
11256. A portable flow injection analyzer for the in situ determination of filterable reactive phosphorus (FRP) in freshwater
Mankasingh, U.; Worsfold, P. J.
Instrum. Sci. Technol. (2010), **38**(2), 187-200.
11257. α -novel determination method of Cu(II) ions on the immobilized humic acid by SPE-FIA hyphenated technique
Durmaz, F.; Kara, H.
Desalination, **256**, 1-8 (2010).
11258. Flow injection solid-phase extraction using multi-walled carbon nanotubes packed micro-column for the determination of polycyclic aromatic hydrocarbons in water by gas chromatography-mass spectrometry
Wu, H.; Wang, X.; Liu, B.; Lu, J.; Du, B.; Zhang, L.; Ji, J.; Yue, Q.; Han, B.
J. Chromatogr. A, **1217**, 2911-2917 (2010).
11259. Development of a fully automated sequential injection solid-phase extraction procedure coupled to liquid chromatography to determine free 2-hydroxy-4-methoxybenzophenone and 2-hydroxy-4-methoxybenzophenone-5-sulphonic acid in human urine
Leon, Z.; Chisvert, A.; Balaguer, A.; Salvador, A.
Anal. Chim. Acta, **664**, 178-184 (2010).
11260. Biosorption of lead by filamentous fungal biomass-loaded TiO₂ nanoparticles
Bakircioglu, Y.; Bakircioglu, D.; Akman, S.
J. Hazard. Mater., **178**, 1015-1020 (2010).
11261. On-line separation/preconcentration of V(IV)/V(V) in environmental water samples with CTAB-modified alkyl silica microcolumn and their determination by inductively coupled plasma-optical emission spectrometry
Xiong, C.; Qin, Y.; Hu, B.
J. Hazard. Mater., **178**, 164-170 (2010).
11262. Determination of tannic acid after precipitation with bovine serum albumin by visible light scattering in a flow injection system
Cheng, Tzong-Jih; Hsiao, Hsien-Yi; Chung, Chien-Yu; Chen, Po-Chung; Chen, Richie L. C.
Microchim. Acta, **169**, 117-122 (2010).
11263. Size dependent active effect of CdTe quantum dots on pyrogallol-H₂O₂ chemiluminescence system for chromium(III) detection
Kanwal, S.; Fu, X.; Su, X.
Microchim. Acta, **169**, 167-172 (2010).
11264. Highly Sensitive Detection of Protein Toxins by Surface Plasmon Resonance with Biotinylation-Based Inline Atom Transfer Radical Polymerization Amplification
Liu, Y.; Dong, Y.; Jauw, J.; Linman, M. J.; Cheng, Q.
Anal. Chem., **82**, 3679-3685 (2010).
11265. Introduction of electromagnetic induction heating technique into on-line chemical oxygen demand determination
Han, S.; Gan, W.; Jiang, X.; Zi, Hongjing; Su, Q.
Int. J. Environ. Anal. Chem., **90**, 137-147 (2010).
11266. Capillary electrophoresis with contactless conductivity detection coupled to a sequential injection analysis manifold for extended automated monitoring applications
Mai, T. D.; Schmid, S.; Mueller, B.; Hauser, P. C.
Anal. Chim. Acta, **665**, 1-6 (2010).
11267. Flow injection method for the determination of silver concentration in drinking water for spacecrafts
Bruzzone, M. C.; Kobylinska, D. K.; Franko, M.; Sarzanini, C.
Anal. Chim. Acta, **665**, 69-73 (2010).
11268. Measurement of the hydroxyl radical formation from H₂O₂, NO₃⁻, and Fe(III) using a continuous flow injection analysis
Kwon, B. G.; Kwon, Jung-Hwan
J. Ind. Eng. Chem., **16**, 193-199 (2010).
11269. Flow-injection amperometry at microfabricated silicon-based μ -liquid-liquid interface arrays
Scanlon, M. D.; Berduque, A.; Strutwolf, J.; Arrigan, D. W. M.
Electrochim. Acta, **55**, 4234-4239 (2010).
11270. Competitive capacitive biosensing technique (CCBT): A novel technique for monitoring low molecular mass analytes using glucose assay as a model study
Labib, M.; Hedstroem, M.; Amin, M.; Mattiasson, B.
Anal. Bioanal. Chem., **397**, 1217-1224 (2010).
11271. Fast Fourier transformation with continuous cyclic voltammetry at Pt-Au dual microelectrode for the determination of chloramphenicol in a flow injection system
Norouzi, P.; Rashedi, H.; Mirzaei G., T.; Mirshafian, R.; Ganjali, M. R.
Int. J. Electrochem. Sci., **5**, 377-391 (2010).
11272. Flow injection chemiluminescence determination of isoniazid using luminol and silver nanoparticles
Haghighi, B.; Bozorgzadeh, S.
Microchem. J., **95**, 192-197 (2010).
11273. Flow injection system for the on-line preconcentration of Pb by cloud point extraction coupled to USN-ICP OES
Gil, R. A.; Salonia, J. A.; Gasquez, J. A.; Olivieri, A. C.; Olsina, R.; Martinez, L. D.
Microchem. J., **95**, 306-310 (2010).
11274. A manganese porphyrin-based sensor for flow-injection potentiometric determination of thiocyanate
Beheshti, S. S.; Sohbat, F.; Amini, M. K.

- J. Porphyr. Phthalocyanines*, **14**, 158-165 (2010).
11275. Use of Sequential Injection Analysis to construct a potentiometric electronic tongue: Application to the multidetermination of heavy metals
Mimendia, A.; Legin, A.; Merkoci, A.; Valle, M. *Sens. Actuator B-Chem.*, **B146**, 420-426 (2010).
11276. Flow injection green method for the quantitative analysis of ketoconazole in pharmaceutical preparations
Scatolin, F.; Tubino, M.; Vila, M. M. D. C. *Quim. Nova*, **33**, 624-628 (2010).
11277. Electroalytic Reagent Introduction in Flow Systems
Mishra, S. K.; Dasgupta, P. K. *Anal. Chem.*, **82**, 3981-3984 (2010).
11278. Isothermal flow measurements in a gas turbine combustor using a fast flame ionization detector
Read, R. W.; Hochgreb, S. *Meas. sci. technol.*, **21**, 055107/1-055107/10 (2010).
11279. Development of microfluidic alginate microbead generator tunable by pulsed airflow injection for the microencapsulation of cells
Wu, Min-Hsien; Pan, Wei-Chung *Microfluid. Nanofluid.* (2010), **8**(6), 823-835.
11280. Validation of a portable flow injection-chemiluminescence (FI-CL) method for the determination of dissolved iron in Atlantic open ocean and shelf waters by comparison with isotope dilution-inductively coupled plasma mass spectrometry (IDICPMS)
Ussher, S. J.; Petrov, I.; Quétel, C. R.; Worsfold, P. J. *Environ. Chem.*, **7**, 139-145 (2010).
11281. Sequential injections as an alternative to gradient exploitation for implementing differential kinetic analysis in a flow injection system
Fortes, P. R.; Feres, M. A.; Zagatto, E. A. G.; Lima, J. L. F. C. *Talanta*, **81**, 1409-1412 (2010).
11282. Rapid determination of methylxanthines in real samples by high-performance liquid chromatography using the new FastGradient narrow-bore monolithic column
Tzanavaras, P. D.; Zacharis, C. K.; Themelis, D. G. *Talanta*, **81**, 1494-1501 (2010).
11283. Determination of antimony in environment samples by gas phase chemiluminescence detection following flow injection hydride generation and cryotrapping
Ye, Y.; Sang, J.; Ma, H.; Tao, G. *Talanta*, **81**, 1502-1507 (2010).
11284. Analysis of total dissolved mercury in waters after on-line preconcentration on an active gold column
Zierhut, A.; Leopold, K.; Harwardt, L.; Schuster, M. *Talanta*, **81**, 1529-1535 (2010).
11285. Sequential injection titration method using second-order signals: Determination of acidity in plant oils and biodiesel samples
Rio, V.; Larrechi, M. S.; Callao, M. P. *Talanta*, **81**, 1572-1577 (2010).
11286. Determination of -ascorbic acid in human serum by chemiluminescence based on hydrogen peroxide-sodium hydrogen carbonate-CdSe/CdS quantum dots system
Chen, H.; Li, R.; Lin, L.; Guo, G.; Lin, Jin-Ming *Talanta*, **81**, 1688-1696 (2010).
11287. A novel flow-injection method for the determination of Pt(IV) in environmental samples based on chemiluminescence reaction of lucigenin and biosorption
Malejko, J.; Godlewska-Zylkiewicz, B.; Kojlo, A. *Talanta*, **81**, 1719-1724 (2010).
11288. Determination of sulfite by pervaporation-flow injection with amperometric detection using copper hexacyanoferrate-carbon nanotube modified carbon paste electrode
Alamo, L. S. T.; Tangkuaram, T.; Satienerakul, S. *Talanta*, **81**, 1793-1799 (2010).
11289. Hydrogen peroxide, antioxidant compounds and biological targets: An in vitro approach for determination of scavenging capacity using fluorimetric multisyringe flow injection analysis
Ribeiro, Joana P. N.; Magalhaes, Luis M.; Segundo, Marcela A.; Reis, Salette; Lima, Jose L. F. C. *Talanta*, **81**, 1840-1846 (2010).
11290. A novel dual-valve sequential injection manifold (DV-SIA) for automated liquid-liquid extraction. Application for the determination of picric acid
Skrlikova, J.; Andruch, V.; Sklenarova, H.; Chocholous, P.; Solich, P.; Balogh, I. S. *Anal. Chim. Acta*, **666**, 55-61 (2010).
11291. Application of a superoxide (O₂⁻) thermal source (SOTS-1) for the determination and calibration of O₂⁻ fluxes in seawater
Heller, M. I.; Croot, P. L. *Anal. Chim. Acta*, **667**, 1-13 (2010).
11292. A novel solidified floating organic drop microextraction method for preconcentration and determination of copper ions by flow injection flame atomic absorption spectrometry
Sahin, C. A.; Tokgoez, I. *Anal. Chim. Acta*, **667**, 83-87 (2010).
11293. Electrokinetic control of fluid transport in gold-coated nanocapillary array membranes in hybrid nanofluidic-microfluidic devices
Piruska, A.; Branagan, S. P.; Minnis, A. B.; Wang, Z.; Crokek, D. M.; Sweedler, J. V.; Bohn, P. W. *Lab Chip*, **10**, 1237-1244 (2010).
11294. Flow injection spectrofluorimetric determination of iron(III) in water using salicylic acid
Asan, A.; Andac, M.; Isildak, I. *Chem. Papers*, **64**, 424-428 (2010).
11295. Engineered Pyranose 2-Oxidase: efficiently Turning Sugars into Electrical Energy
Spadiut, O.; Brugger, D.; Coman, V.; Haltrich, D.; Gorton, L. *Electroanal.*, **22**, 813-820 (2010).
11296. New luminol chemiluminescence reaction using diperiodatoargentate as oxidate for the determination of amikacin sulfate
Yang, C.; Zhang, Z.; Wang, J. *Luminescence*, **25**, 36-42 (2010).
11297. The determination of glutamine with flow-injection chemiluminescence detection and mechanism study
Liu, Yan-Ming; Liu, Zhuan-Li; Shi, Yan-Mei; Tian, W. *Luminescence*, **25**, 50-54 (2010).
11298. Determination of thiram in natural waters using flow-injection with cerium(IV)-quinine chemiluminescence system
Waseem, A.; Yaqoob, M.; Nabi, A. *Luminescence*, **25**, 71-75 (2010).
11299. Chemiluminescence determination of naproxen based on europium(III)-sensitized KIO₄-H₂O₂ reaction
Du, J.; Li, D.; Lu, J. *Luminescence*, **25**, 76-80 (2010).
11300. SI lab-on-valve analysis of histamine using potentiometric detection for food quality control
Amorim, C. G.; Souza, R. C.; Araujo, A. N.; Montenegro, M. C. B. S. M.; Silva, V. L. *Food Chem.*, **122**, 871-876 (2010).
11301. A rapid antioxidant assay based on acidic potassium permanganate chemiluminescence
Francis, P. S.; Costin, J. W.; Conlan, X. A.; Bellomarino, S. A.; Barnett, J. A.; Barnett, N. W. *Food Chem.*, **122**, 926-929. (2010).
11302. Experimental and numerical investigation of injection molding with microrib patterns

- Lee, J. G.; Lee, Bong-Kee; Kang, T. G.; Kwon, T. H. *Polymer Eng. & Sci.*, **50**, 1186-1198 (2010).
11303. Effects of film and substrate dimensions on warpage of film insert molded parts
Kim, S. Y.; Lee, J. T.; Kim, J. Y.; Youn, J. R. *Polymer Eng. & Sci.*, **50**, 1205-1213 (2010).
11304. Enzymatic flow injection method for rapid determination of choline in urine with electrochemiluminescence detection
Jin, J.; Muroga, M.; Takahashi, F.; Nakamura, T. *Bioelectrochem.*, **79**, 147-151 (2010).
11305. Interaction of surface-attached haemoglobin with hydrophobic anions monitored by on-line acoustic wave detector
Ellis, J. S.; Xu, S. Q.; Wang, X.; Herzog, G.; Arrigan, D. W. M.; Thompson, M. *Bioelectrochem.*, **79**, 6-10 (2010).
11306. Fructose-selective calorimetric biosensor in flow injection analysis
Bhand, S. G.; Soundararajan, S.; Surugiu-Waernmark, I.; Milea, J. S.; Dey, E. S.; Yakovleva, M.; Danielsson, B. *Anal. Chim. Acta*, **668**, 13-18 (2010).
11307. Flow injection chemiluminescence determination of the total phenolics levels in plant-derived beverages using soluble manganese(IV)
Nalewajko-Sieliwoniuk, E.; Tarasewicz, I.; Kojlo, A. *Anal. Chim. Acta*, **668**, 19-25 (2010).
11308. Computer controlled-flow injection potentiometric system based on virtual instrumentation for the monitoring of metalbiosorption processes
Florido, A.; Valderrama, C.; Nualart, S.; Velazco-Molina, L.; Arias F., O.; Valle, M. *Anal. Chim. Acta*, **668**, 26-34 (2010).
11309. Downscaling a multicommutated flow injection analysis system for the photometric determination of iodate in table salt
Borges, S. S.; Peixoto, J. S.; Feres, M. A.; Reis, B. F. *Anal. Chim. Acta*, **668**, 3-7 (2010).
11310. Development of a sequential injection dispersive liquid-liquid microextraction system for electrothermal atomic absorption spectrometry by using a hydrophobic sorbent material: Determination of lead and cadmium in natural waters
Anthemidis, A. N.; Ioannou, Kallirroy-Ioanna G. *Anal. Chim. Acta*, **668**, 35-40 (2010).
11311. A thionine-based reversible redox sensor in a sequential injection system
Passos, M. L. C.; Saraiva, M. Lucia M. F. S.; Lima, J. L. F. C. *Anal. Chim. Acta*, **668**, 41-46 (2010).
11312. A reagent-free SIA module for monitoring of sugar, color and dissolved CO₂ content in soft drinks
Teerasong, S.; Chan-Eam, S.; Sereenonchai, K.; Amornthammarong, N.; Ratanawimarnwong, N.; Nacapricha, D. *Anal. Chim. Acta*, **668**, 47-53 (2010).
11313. Determination of trace heavy metals in herbs by sequential injection analysis-anodic stripping voltammetry using screenprinted carbon nanotubes electrodes
Injang, U.; Noyrod, P.; Siangproh, W.; Dungchai, W.; Motomizu, S.; Chailapakul, O. *Anal. Chim. Acta*, **668**, 54-60 (2010).
11314. Two-column Sequential Injection Chromatography-New approach for fast and effective analysis and its comparison with gradient elution chromatography
Chocholous, P.; Satinsky, D.; Sklenarova, H.a; Solich, P. *Anal. Chim. Acta*, **668**, 61-66 (2010).
11315. New method for simultaneous determination of Fe(II) and Fe(III) in water using flow injection technique
Kozak, J.; Gutowski, J.; Kozak, M.; Wieczorek, M.; Koscielniak, P. *Anal. Chim. Acta*, **668**, 8-12 (2010).
11316. Gas flow analysis in a Kraft recovery boiler
Ferreira, D. J. O.; Cardoso, M.; Park, S. W. *Fuel Processing Technol.*, **91**, 789-798. (2010).

