

## FIA Bibliography (54)

Yasuhiro IIDA, Kanagawa Institute of Technology

FIA-related papers and monographs which appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

11317. FIA Bibliography (53)  
Iida, Y.  
*J. Flow Injection Anal.* **27**, 74-82 (2010).
11318. Developing automated analytical methods for scientific environments using LabVIEW  
Wagner C.; Armenta S.; Lendl B.  
*Talanta*, **80**, 1081-1087 (2010).
11319. Preparation of a new Cd(II)-imprinted polymer and its application to determination of cadmium(II) via flow-injection flame atomic absorption spectrometry  
Gawin M.; Konefal J.; Trzewik B.; Walas S.; Tobiasz A.; Mrowiec H.; Witek E.  
*Talanta*, **80**, 1305-1310 (2010).
11320. Interfacing on-line solid phase extraction with monolithic column multisyringe chromatography and chemiluminescence detection: An effective tool for fast, sensitive and selective determination of thiazide diuretics  
Maya F.; Estela J. M.; Cerda V.  
*Talanta*, **80**, 1333-1340 (2010).
11321. A multisyringe flow injection Winkler-based spectrophotometric analyzer for in-line monitoring of dissolved oxygen in seawater  
Horstkotte B.; Alonso J. C.; Miro M.; Cerda V.  
*Talanta*, **80**, 1341-1346 (2010).
11322. Batch and hydrodynamic monitoring of vitamin C using novel periodate selective sensors based on a newly synthesized Ni(II)-Schiff bases complexes as a neutral receptors  
Aziz A. A. A.; Kamel A. H.  
*Talanta*, **80**, 1356-1363 (2010).
11323. Two analyte calibrations from the transient response of a single potentiometric sensor employed with the SIA technique  
Cartas R.; Mimendia A.; Legin A.; Del V. M.  
*Talanta*, **80**, 1428-1435 (2010).
11324. Analysis of commercial beverage products by size exclusion chromatography coupled with UV-vis absorbance detection and dynamic surface tension detection  
Pierce K. M.; Bramanti E.; Onor M.; Spiniello R.; Kangas A.; Skogerboe K. J.; Synovec R. E.  
*Talanta*, **80**, 1445-1451 (2010).
11325. Determination of free and total sulfites in wine using an automatic flow injection analysis system with voltammetric detection  
Goncalves L. M.; Grosso P. J.; Jorge M. P.; Antonio R. J.; Araujo B. A.  
*Food addit. contam. A*, **27**, 175-180 (2010).
11326. Combined contactless conductometric, photometric, and fluorimetric single point detector for capillary separation methods  
Ryvolova M.; Preisler J.; Foret F.; Hauser P. C.; Krasensky P.; Paull B.; Macka M.  
*Anal. chem.*, **82**, 129-135 (2010).
11327. Sibutramine selective electrodes for batch and flow injection determinations in pharmaceutical preparations  
Zayed S. I. M.; Issa Y. M.  
*Anal. Sci.*, **26**, 45-49 (2010).
11328. Macro- and microscale fluid flow systems for endothelial cell biology  
Young E. W. K.; Simmons C. A.  
*Lab Chip*, **10**, 143-160 (2010).
11329. Selective trapping and concentration of nanoparticles and viruses in dual-height nanofluidic channels  
Hamblin M. N.; Xuan J.; Maynes D.; Tolley H. D.; Belnap D. M.; Woolley A. T.; Lee M. L.; Hawkins A. R.  
*Lab Chip*, **10**(2), 173-178 (2010).
11330. High flow rate microfluidic device for blood plasma separation using a range of temperatures  
Rodriguez-Villarreal A. I.; Arundell M.; Carmona M.; Samitier J.  
*Lab Chip*, **10**, 211-219 (2010).
11331. Recombinant protein detection in crude extracts by flow-injection immunoassay  
Bartolomeo M. P.; Maisano F.  
*J. immunol. method*, **352**, 54-58 (2010).
11332. A microfluidic device with integrated fluorimetric detection for flow injection analysis  
By Fonseca Alexandre; Raimundo Ivo M Jr; Rohwedder Jarbas J R; Lima Renato S; Araujo Mario C Ugulino  
*Anal. Bioanal. Chem.* (2010), **396**(2), 715-23.
11333. Antimony-film electrode for the determination of trace metals by sequential-injection analysis/anodic stripping voltammetry  
Guzsvany V.; Nakajima H.; Soh N.; Nakano K.; Imato T.  
*Anal. Chim. Acta*, **658**, 12-17 (2010).
11334. Microfluidic devices for cell based high throughput screening  
Upadhyaya S.; Selvaganapathy P. R.  
*Lab Chip*, **10**(3), 341-348 (2010).
11335. Generation of oxygen gradients with arbitrary shapes in a microfluidic device  
Adler M.; Polinkovsky M.; Gutierrez E.; Groisman A.  
*Lab Chip*, **10**, 388-391 (2010).
11336. Sequential injection analysis for automation of the Winkler methodology, with real-time SIMPLEX optimization and shipboard application  
Horstkotte B.; Tovar S. A.; Duarte C. M.; Cerda V.  
*Anal. Chim. Acta*, **658**, 147-155 (2010).
11337. Microfluidic gradient PCR (MG-PCR): a new method for microfluidic DNA amplification  
Zhang C.; Xing D.  
*Biomed. microdevices*, **12**, 1-12 (2010).
11338. Droplet position control in digital microfluidic systems  
Bhattacharjee B.; Najjaran H.  
*Biomed. microdevices*, **12**, 115-124 (2010).
11339. Tape underlayment rotary-node (TURN) valves for simple on-chip microfluidic flow control  
Markov D. A.; Manuel S.; Shor L. M.; Opalenik S. R.; Wikswo J. P.; Samson P. C.  
*Biomed. microdevices*, **12**, 135-144 (2010).
11340. Sustained release of multiple growth factors from injectable polymeric system as a novel therapeutic approach towards angiogenesis  
Sun Q.; Silva E. A.; Wang A.; Fritton J. C.; Mooney D. J.; Schaffler M. B.; Grossman P. M.; Rajagopalan S.  
*Pharm. res.*, **27**, 264-271 (2010).

11341. Activated nickel platform for electrochemical sensing of phosphate  
Cheng Wan-Ling; Sue Jun-Wei; Chen Wei-Chung; Chang Jen-Lin; Zen Jyh-Myng  
*Anal. chem.*, **82**, 1157-1161 (2010).
11342. Ceramic microsystem incorporating a microreactor with immobilized biocatalyst for enzymatic spectrophotometric assays  
Baeza M.; Lopez C.; Alonso J.; Lopez-Santin Josep; Alvaro G.  
*Anal. chem.*, **82**, 1006-1011 (2010).
11343. Determination of coenzyme A (CoASH) in the presence of different thiols by using flow-injection with a UV/Vis spectrophotometric detector and potentiometric determination of CoASH using an iodide ISE  
Giljanovic J.; Prkic A.  
*Molecules*, **15**, 100-113 (2010).
11344. Analysis of part-per-billion level of arsine and phosphine in light hydrocarbons by capillary flow technology and dielectric barrier discharge detector  
Gras R.; Luong J.; Hawryluk M.; Monagle M.  
*J. Chromatogr. A*, **1217**, 348-352 (2010).
11345. Hydrodynamic focusing of conducting fluids for conductivity-based biosensors  
Nasir M.; Ateya D. A.; Burk D.; Golden J. P.; Ligler F. S.  
*Biosens. Bioelectron.*, **25**, 1363-1369 (2010).
11346. Determination of cytochrome c in human serum and pharmaceutical injections using flow injection chemiluminescence  
Li X.; Liu H.; He X.; Song Z.  
*Appl. Biochem. Biotechnol.*, **160**, 1065-1073 (2010).
11347. On-line flow-through extraction-preconcentration-large volume injection-RP LC for trace determination of pyrethroids in Slovak soil  
Chalanyova M.; Hutta M.; Pagac M.  
*J. Sep. Sci.*, **33**, 134-142 (2010).
11348. Simultaneous injection-effective mixing analysis of palladium  
Teshima N.; Noguchi D.; Joichi Y.; Lenghor N.; Ohno N.; Sakai T.; Motomizu S.  
*Anal. Sci.*, **26**(2), 143-144 (2010).
11349. Integrated microfluidic magnetic immunosensor for quantification of human serum IgG antibodies to *Helicobacter pylori*  
Pereira S. V.; Messina G. A.; Raba J.  
*J. Chromatogr. B*, **878**, 253-257 (2010).
11350. The determination of trace lead in drinking water by flow injection spectrophotometry  
Dai S.; Zhang X.; Yu L.; Yang Y.  
*Spectrochim. Acta A Mol. Biomol. Spectrosc.*, **75**, 330-333 (2010).
11351. Sequential injection kinetic flow assay for monitoring glycerol in a sugar fermentation process by *Saccharomyces cerevisiae*  
Dominguez K. B. H.; Toth I. V.; Souto M. R. S.; Mendes F.; De Maria C. G.; Vasconcelos I.; Rangel A. O. S. S.  
*Appl. Biochem. Biotechnol.*, **160**, 1664-1673 (2010).
11352. Sequential injection lab-on-valve system for the determination of the activity of peroxidase in vegetables  
Vidigal S. S. M. P.; Toth I. V.; Rangel A. O. S. S.  
*J. Agricul. Food Chem.*, **58**(4), 2071-2075 (2010).
11353. Microfluidics for the upstream pipeline of DNA sequencing--a worthy application?  
Coupland P.  
*Lab Chip*, **10**, 544-547 (2010).
11354. Study on the kinetics of homogeneous enzyme reactions in a micro/nanofluidics device  
Wang C.; Li Su-Juan; Wu Zeng-Qiang; Xu Jing-Juan; Chen Hong-Yuan; Xia Xing-Hua  
*Lab Chip*, **10**, 639-646 (2010).
11355. Application of porphyrins in flow-injection analysis: a review  
van Staden J. F.; Stefan-van S. R. I.  
*Talanta*, **80**, 1598-1605 (2010).
11356. A sensor based on electrodes supported on ion-exchange membranes for the flow-injection monitoring of sulphur dioxide in wines and grape juices  
Toniole R.; Pizzariello A.; Susmel S.; Dossi N.; Bontempelli G.  
*Talanta*, **80**, 1809-1815 (2010).
11357. 11-Molybdo-bismuthophosphate--a new reagent for the determination of ascorbic acid in batch and sequential injection systems  
Vishnikin A. B.; Svinarenko T. Y.; Sklenarova H.; Solich P.; Bazal Y. R.; Andruch V.  
*Talanta*, **80**, 1838-1845 (2010).
11358. Determination of cadmium with a sequential injection lab-on-valve by anodic stripping voltammetry using a nafion coated bismuth film electrode  
Wang Y.; Liu Z.; Yao G.; Zhu P.; Hu X.; Xu Q.; Yang C.  
*Talanta*, **80**, 1959-1963 (2010).
11359. Determination of progesterone (P4) from bovine serum samples using a microfluidic immunosensor system  
Arevalo F. J.; Messina G. A.; Molina P. G.; Zon M. A.; Raba J.; Fernandez H.  
*Talanta*, **80**, 1986-1992 (2010).
11360. Direct label-free electrical immunodetection in human serum using a flow-through-apparatus approach with integrated field-effect transistors  
Kim A.; Ah C. S.; Park C. W.; Yang Jong-Heon; Kim T.; Ahn Chang-Geun; Park S. H.; Sung G. Y.  
*Biosens. Bioelectron.*, **25**, 1767-1773 (2010).
11361. Sol-gel immobilization of lactate oxidase from organic solvent: toward the advanced lactate biosensor  
Yashina E. I.; Borisova A. V.; Karyakina E. E.; Shchegolikhina O. I.; Vagin M. Y.; Sakharov D. A.; Tonevitsky A. G.; Karyakin A. A.  
*Anal. chem.*, **82**, 1601-1604 (2010).
11362. Flow analysis techniques as effective tools for the improved environmental analysis of organic compounds expressed as total indices  
Maya F. Estela J. M.; Cerda V.  
*Talanta*, **81**, 1-8 (2010).
11363. On-line speciation of inorganic and methyl mercury in waters and fish tissues using polyaniline micro-column and flow injection-chemical vapour generation-inductively coupled plasma mass spectrometry (FI-CVG-ICPMS)  
Krishna M. V. B.; Chandrasekaran K.; Karunasagar D.  
*Talanta*, **81**, 462-472 (2010).
11364. Carbon paste and PVC electrodes for the flow injection potentiometric determination of dextromethorphan  
Khaled E.; Hassan H. N. A.; Mohamed G. G.; Seleim A. A.  
*Talanta*, **81**, 510-515 (2010).
11365. Sequential injection analysis with lab-at-valve (SI-LAV) for the determination of solasodine in *Solanum* species  
Thongchai W.; Liawruangrath B.; Liawruangrath S.  
*Talanta*, **81**, 565-571 (2010).
11366. Solid phase extraction--multisyringe flow injection system for the spectrophotometric determination of selenium with 2, 3-diaminonaphthalene  
Serra A. M.; Estela J. M.; Coulomb B.; Boudenne J. L.; Cerda V.  
*Talanta*, **81**, 572-577 (2010).
11367. Automatic determination of chlorine without standard

- solutions using a biamperometric flow-batch analysis system  
Nascimento V. B.; Selva T. M. G.; Coelho E. C. S.; Santos F. P.; Antonio J. L. S.; Silva J. R.; Gaiao E. N.; Araujo M. C. U.  
*Talanta*, **81**, 609-613 (2010).
11368. Flow injection spectrophotometric determination of lead using 1,5-diphenylthiocarbazone in aqueous micellar Ruengsitagoon W.; Chisvert A.; Liawruangrath S.  
*Talanta*, **81**, 709-713 (2010).
11369. Flow injection analysis-solid phase extraction (FIA-SPE) method for preconcentration and determination of trace amounts of penicillins using methylene blue grafted polyurethane foam  
El-Shahat M. F.; Burham N.; Azeem S. M. A.  
*J. Hazard. Mater.*, **177**, 1054-1060 (2010).
11370. Flow-injection determination of vanadium in seawater samples with acidic potassium permanganate chemiluminescence  
Waseem A.; Yaqoob M.; Nabi A.  
*Anal. Sci.*, **26**, 355-60 (2010).
11371. Sequential injection-cation exchange micro-column system for hemoglobin typing to differentiate HbE carriers  
Kradtap H. S.; Sriporaya W.; Lapanantnoppakhun S.; Sanguansermsri T.; Grudpan K.  
*Anal. Sci.*, **26**, 361-365 (2010).
11372. Flow-injection on-line electrochemical separation/determination of ions using a two-step oil/water-type flow cell system  
Gohara E.; Osakai T.  
*Anal. Sci.*, **26**, 375-358 (2010).
11373. A digital microfluidic platform for the automation of quantitative biomolecular assays  
Jensen E. C.; Bhat B. P.; Mathies R. A.  
*Lab Chip*, **10**, 685-691 (2010).
11374. Microfabricated polymer chip with integrated U-bend waveguides for evanescent field absorption based detection  
Prabhakar A.; Mukherji S.  
*Lab Chip*, **10**, 748-754 (2010).
11375. An injection method for measuring the carbon isotope content of soil carbon dioxide and soil respiration with a tunable diode laser absorption spectrometer  
Moyes A. B.; Schauer A. J.; Siegwolf R. T. W.; Bowling D. R.  
*Rapid Commun. Mass Spectrom.*, **24**, 894-900 (2010).
11376. Mathematical modeling of dispersion in single interface flow analysis  
Rodrigues S. S. M.; Marques K. L.; Lopes J. A.; Santos J. L. M.; Lima J. L. F. C.  
*Anal. Chim. Acta*, **663**, 178-183 (2010).
11377. Capillary electrophoresis procedure for the simultaneous analysis and stoichiometry determination of a drug and its counter-ion by using dual-opposite end injection and contactless conductivity detection: application to labetalol hydrochloride  
Nehme R.; Lascaux A.; Delepee R.; Claude B.; Morin P.  
*Anal. Chim. Acta*, **663**, 190-197 (2010).
11378. Aligned carbon nanotubes on quartz substrate for liquid gated biosensing  
Palaniappan A.; Goh W. H.; Tey J. N.; Wijaya I P. M.; Moochhala S. M.; Liedberg B.; Mhaisalkar S. G.  
*Biosens. Bioelectron.*, **25**, 1989-1993 (2010).
11379. A dual gold nanoparticle conjugate-based lateral flow assay (LFA) method for the analysis of troponin I  
Choi D. H.; Lee S. K.; Oh Y. K.; Bae B. W.; Lee S. D.; Kim S.; Shin Yong-Beom; Kim Min-Gon  
*Biosens. Bioelectron.*, **25**, 1999-2002 (2010).
11380. Controlling of band width, resolution and sample loading by injection system in a simple preparative free-flow electrophoresis with gratis gravity  
Shao J.; Li S.; Zhang W.; Fan Liu-Yin; Cao Cheng-Xi; Sun R.; Dong Yu-Chao  
*J. Chromatogr. A*, **1217**, 2182-2186 (2010).
11381. Flow induced dispersion analysis quantifies noncovalent interactions in nanoliter samples  
Jensen H.; Ostergaard J.  
*J. Am. Chem. Soc.*, **132**, 4070-4071 (2010).
11382. Flow-injection catalytic spectrophotometric determination of molybdenum(VI) in plants using bromate oxidative coupling of p-hydrazinobensenesulfonic acid with N-(1-naphthyl)ethylenediamine  
Nakano S.; Kamaguchi C.; Hirakawa N.  
*Talanta*, **81**, 786-791 (2010).
11383. Chemical and biological single cell analysis  
Schmid A.; Kortmann H.; Dittrich P. S.; Blank L. M.  
*Curr. opin. biotechnol.*, **21**, 12-20 (2010).
11384. The determination of glutamine with flow-injection chemiluminescence detection and mechanism study  
Liu Yan-Ming; Liu Zhuan-Li; Shi Yan-Mei; Tian W.  
*Luminescence*, **25**, 50-54 (2010).
11385. Determination of thiram in natural waters using flow-injection with cerium(IV)-quinine chemiluminescence system  
Waseem A.; Yaqoob M.; Nabi A.  
*Luminescence*, **25**, 71-75 (2010).
11386. Comprehensive identification of active compounds in tablets by flow-injection data-dependent tandem mass spectrometry combined with library search  
Pavlic M.; Schubert B.; Libiseller K.; Oberacher H.  
*Forensic. Sci. Int.*, **197**, 40-47 (2010).
11387. Microfluidic cell culture systems for drug research  
Wu Min-Hsien; Huang Song-Bin; Lee Gwo-Bin  
*Lab Chip*, **10**, 939-956 (2010).
11388. Enclosed pillar arrays integrated on a fluidic platform for on-chip separations and analysis  
Lavrik N. V.; Taylor L. C.; Sepaniak M. J.  
*Lab Chip*, **10**, 1086-1094 (2010).
11389. Flow injection solid-phase extraction using multi-walled carbon nanotubes packed micro-column for the determination of polycyclic aromatic hydrocarbons in water by gas chromatography-mass spectrometry  
Wu H.; Wang X.; Liu B.; Lu J.; Du B.; Zhang L.; Ji J.; Yue Q.; Han B.  
*J. Chromatogr. A*, **1217**, 2911-2917 (2010).
11390. Biosorption of lead by filamentous fungal biomass-loaded TiO<sub>2</sub> nanoparticles  
Bakircioglu Y.; Bakircioglu D.; Akman S.  
*J. Hazard. Mater.*, **178**, 1015-1020 (2010).
11391. Optical chromatography using a photonic crystal fiber with on-chip fluorescence excitation  
Ashok P. C.; Marchington R. F.; Mthunzi P.; Krauss T. F.; Dholakia K.  
*Opt. express*, **18**, 6396-6407 (2010).
11392. Development and fabrication of nanoporous silicon-based bioreactors within a microfluidic chip  
Retterer S. T.; Siuti P.; Choi Chang-Kyoung; Thomas D. K.; Doktycz M. J.  
*Lab Chip*, **10**, 1174-1181 (2010).
11393. Screen-printed sensor for batch and flow injection potentiometric chromium(VI) monitoring  
Sanchez-Moreno R. A.; Gismera M. J.; Sevilla M. T.; Procopio J. R.  
*Anal. Bioanal. Chem.*, **397**, 331-338 (2010).
11394. Exploiting automatic on-line renewable molecularly imprinted solid-phase extraction in lab-on-valve format as front end to liquid chromatography: application to the determination of riboflavin in foodstuffs  
Oliveira H. M.; Segundo M. A.; Lima J. L. F. C.; Miro

- M.; Cerda V.  
*Anal. Bioanal. Chem.*, **397**, 77-86 (2010).
11395. Approach combining on-line metal exchange and tangential-flow ultrafiltration for in-situ characterization of metal species in humic hydrocolloids  
Goveia D.; Lobo F. A.; Burba P.; Fraceto L. F.; Dias F. N. L.; Rosa A. H.  
*Anal. Bioanal. Chem.*, **397**, 851-860 (2010).
11396. Automated determination of uranium(VI) at ultra trace levels exploiting flow techniques and spectrophotometric detection using a liquid waveguide capillary cell  
Avivar J.; Ferrer L.; Casas M.; Cerda V.  
*Anal. Bioanal. Chem.*, **397**, 871-878 (2010).
11397. Simultaneous quantification of the organophosphorus pesticides dimethoate and omethoate in porcine plasma and urine by LC-ESI-MS/MS and flow-injection-ESI-MS/MS  
John H.; Eddleston M.; Clutton R. E.; Worek F.; Thiermann H.  
*J. Chromatogr. B*, **878**, 1234-1245 (2010).
11398. A novel solidified floating organic drop microextraction method for preconcentration and determination of copper ions by flow injection flame atomic absorption spectrometry  
Sahin C. A.; Tokgoz I.  
*Anal. Chim. Acta*, **667**, 83-87 (2010).
11399. Sequential injections as an alternative to gradient exploitation for implementing differential kinetic analysis in a flow injection system  
Fortes P. R.; Feres M. A.; Zagatto E. A. G.; Lima J. L. F. C.  
*Talanta*, **81**, 1409-1412 (2010).
11400. Rapid determination of methylxanthines in real samples by high-performance liquid chromatography using the new FastGradient narrow-bore monolithic column  
Tzanavaras P. D.; Zacharis C. K.; Themelis D. G.  
*Talanta*, **81**, 1494-1501 (2010).
11401. Determination of antimony in environment samples by gas phase chemiluminescence detection following flow injection hydride generation and cryotrapping  
Ye Y.; Sang J.; Ma H.; Tao G.  
*Talanta*, **81**, 1502-1507 (2010).
11402. Analysis of total dissolved mercury in waters after on-line preconcentration on an active gold column  
Zierhut A.; Leopold K.; Harwardt L.; Schuster M.  
*Talanta*, **81**, 1529-1535 (2010).
11403. Sequential injection titration method using second-order signals: determination of acidity in plant oils and biodiesel samples  
del Rio V.; Larrechi M. S.; Callao M. P.  
*Talanta*, **81**, 1572-1577 (2010).
11404. Determination of L-ascorbic acid in human serum by chemiluminescence based on hydrogen peroxide-sodium hydrogen carbonate-CdSe/CdS quantum dots system  
Chen H.; Li R.; Lin L.; Guo G.; Lin Jin-Ming  
*Talanta*, **81**, 1688-1696 (2010).
11405. A novel flow-injection method for the determination of Pt(IV) in environmental samples based on chemiluminescence reaction of lucigenin and biosorption  
Malejko J.; Godlewska-Zylkiewicz B.; Kojlo A.  
*Talanta*, **81**, 1719-1724 (2010).
11406. Determination of sulfite by pervaporation-flow injection with amperometric detection using copper hexacyanoferrate-carbon nanotube modified carbon paste electrode  
Alamo L. S. T.; Tangkuaram T.; Satienperakul S.  
*Talanta*, **81**, 1793-1799 (2010).
11407. Hydrogen peroxide, antioxidant compounds and biological targets: an in vitro approach for determination of scavenging capacity using fluorimetric multisyringe flow injection analysis  
Ribeiro J. P. N.; Magalhaes L. M.; Segundo M. A.; Reis S.; Lima J. L. F. C.  
*Talanta*, **81**, 1840-1846 (2010).
11408. Enzymatic flow injection method for rapid determination of choline in urine with electrochemiluminescence detection  
Jin J.; Muroga M.; Takahashi F.; Nakamura T.  
*Bioelectrochem.*, **79**, 147-151 (2010).
11409. Fructose-selective calorimetric biosensor in flow injection analysis  
Bhand S. G.; Soundararajan S.; Surugiu-Warnmark I.; Milea J. S.; Dey Estera S.; Yakovleva M.; Danielsson B.  
*Anal. Chim. Acta*, **668**, 13-18 (2010).
11410. A thionine-based reversible redox sensor in a sequential injection system  
Passos M. L. C.; Saraiva M. L. M. F. S.; Lima J. L. F. C.  
*Anal. Chim. Acta*, **668**, 41-46 (2010).
11411. Two-column sequential injection chromatography--new approach for fast and effective analysis and its comparison with gradient elution chromatography  
Chocholous P.; Satinsky D.; Sklenarova H.; Solich P.  
*Anal. Chim. Acta*, **668**, 61-66 (2010).
11412. Competitive capacitive biosensing technique (CCBT): a novel technique for monitoring low molecular mass analytes using glucose assay as a model study  
Labib M.; Hedstrom M.; Amin M.; Mattiasson B.  
*Anal. Bioanal. Chem.*, **397**, 1217-1224 (2010).
11413. Electroalytic reagent introduction in flow systems  
Mishra S. K.; Dasgupta P. K.  
*Anal. chem.*, **82**, 3981-3984 (2010).
11414. Highly sensitive determination of cadmium and lead in leached solutions from ceramic ware by graphite furnace atomic absorption spectrometry coupled with sequential injection-based solid phase extraction method  
Ueda M.; Teshima N.; Sakai T.; Joichi Y.; Motomizu S.  
*Anal. Sci.*, **26**, 597-602 (2010).
11415. Hybrid integrated PDMS microfluidics with a silica capillary  
By Dimov Ivan K.; Riaz Asif; Ducree Jens; Lee Luke P  
Lab Chip (2010), 10(11), 1468-1471.
11416. Second-order advantage with excitation-emission fluorescence spectroscopy and a flow-through optosensing device. Simultaneous determination of thiabendazole and fuberidazole in the presence of uncalibrated interferences  
Piccirilli G. N.; Escandar G. M.  
*Analyst*, **135**, 1299-1308 (2010).
11417. Thiol-stabilized luminescent CdTe quantum dot as biological fluorescent probe for sensitive detection of methyl parathion by a fluoroimmunochemical technique  
Chouhan R. S.; Vinayaka A. C.; Thakur M. S.  
*Anal. Bioanal. Chem.*, **397**, 1467-1475 (2010).
11418. Coupling capillary electrochromatography with mass spectrometry by using a liquid-junction nano-spray interface  
D'Orazio G.; Fanali S.  
*J. Chromatogr. A*, **1217**, 4079-4086 (2010).
11419. Analysis of arginine and methylated metabolites in human plasma by field amplified sample injection capillary electrophoresis tandem mass spectrometry  
Desiderio C.; Rossetti D. V.; Messana I.; Giardina B.; Castagnola M.  
*Electrophoresis*, **31**, 1894-1902 (2010).
11420. Online fluorescence enhancement assay for the acetylcholine binding protein with parallel mass spectrometric identification

- Kool J.; de Kloe G. E.; Bruyneel B.; de Vlieger J. S.; Retra K.; Wijtmans M.; van Elk R.; Smit A. B.; Leurs R.; Lingeman H.; et al  
*J. med. chem.*, **53**, 4720-4730 (2010).
11421. Thickened saliva after effective management of drooling with botulinum toxin A  
Erasmus C. E.; Van Hulst K.; Van Den H. F. J.; Van Limbeek J.; Roeleveld N.; Veerman E. C.; Rotteveel J. J.; Jongerius P.H.  
*Dev. med. child neurol.*, **52**, e114-118 (2010).
11422. Rapid and label-free screening of enzyme inhibitors using segmented flow electrospray ionization mass spectrometry  
Pei J.; Li Q.; Kennedy R. T.  
*J. Am. Soc. Mass Spectr.*, **21**, 1107-1113 (2010).
11423. Analytical parameters for amplitude-modulated multiplexed flow analysis  
Kurokawa Y.; Takeuchi M.; Tanaka H.  
*Anal. Sci.*, **26**, 791-796.
11424. Spectrophotometric determination of trace phosphate ions by amplitude-modulated flow analysis coupled with malachite green method  
Uemura T.; Ogusu T.; Takeuchi M.; Tanaka H.  
*Anal. Sci.*, **26**, 797-801 (2010).
11425. Fully automatic flow method for the determination of scavenging capacity against nitric oxide radicals  
Ribeiro J. P. N.; Magalhaes L. M.; Segundo M. A.; Reis S.; Lima J. L. F. C.  
*Anal. Bioanal. Chem.*, **397**, 3005-3014 (2010).
11426. Derivatization of thiols under flow conditions using two commercially available propiolate esters  
Tzanavaras P. D.; Tsiomlektis A.; Zacharis C. K.  
*J. Pharm. Biomed. Anal.*, **53**, 790-794 (2010).
11427. Operationally realistic validation for prediction of cocoa sensory qualities by high-throughput mass spectrometry  
Wood J. E.; Allaway D.; Boulton E.; Scott I. M.  
*Anal. chem.*, **82**, 6048-6055 (2010).
11428. Comparison of CIM discs and CPG glass as solid supports for bioanalytical columns used in allergen detection  
Cevdek A.; Franko M.  
*Anal. Bioanal. Chem.*, **398**, 555-562 (2010).
11429. Rapid determination of C4-acylcarnitine and C5-acylcarnitine isomers in plasma and dried blood spots by UPLC-MS/MS as a second tier test following flow-injection MS/MS acylcarnitine profile analysis  
Forni S.; Fu X.; Palmer S. E.; Sweetman L.  
*Mol. genet. metab.*, **101**, 25-32 (2010).
11430. Redox-magnetohydrodynamic microfluidics without channels and compatible with electrochemical detection under immunoassay conditions  
Weston M. C.; Nash C. K.; Fritsch I.  
*Anal. chem.*, **82**, 7068-7072 (2010).
11431. Integration of a precolumn fluorogenic reaction, separation, and detection of reduced glutathione  
Wu J.; Ferrance J. P.; Landers J. P.; Weber S. G.  
*Anal. chem.*, **82**, 7267-7273 (2010).
11432. Solvent-bar microextraction of herbicides combined with non-aqueous field-amplified sample injection capillary electrophoresis  
Xu L.; Basheer C.; Lee H. K.  
*J. Chromatogr. A*, **1217**, 6036-6043 (2010).
11433. Imaging of flow patterns with fluorescent molecular rotors  
Mustafic A.; Huang Hsuan-Ming; Theodorakis E. A.; Haidekker M. A.  
*J. Fluoresc.*, **20**, 1087-1098 (2010).
11434. Molecularly imprinted polymeric microspheres for determination of bovine serum albumin based on flow injection chemiluminescence sensor  
Yu J.; Wan F.; Zhang C.; Yan M.; Zhang X.; Wang S.  
*Biosens. Bioelectron.*, **26**, 632-637 (2010).
11435. Development of a sequential injection-square wave voltammetry method for determination of paraquat in water samples employing the hanging mercury drop electrode  
dos Santos L. B. O.; Infante C. M. C.; Masini J. C.  
*Anal. Bioanal. Chem.*, **396**, 1897-1903 (2010).
11436. Integrated droplet analysis system with electrospray ionization-mass spectrometry using a hydrophilic tongue-based droplet extraction interface  
Zhu Y.; Fang Q.  
*Anal. chem.*, **82**, 8361-8366 (2010).
11437. Sensitive chemiluminescence determination of thirteen cephalosporin antibiotics with luminol-copper(II) reaction  
Du J.; Li H.  
*Appl. Spectrosc.*, **64**, 1154-1159 (2010).
11438. Activators generated electron transfer for atom transfer radical polymerization for immunosensing  
Wu Y.; Liu S.; He L.  
*Biosens. Bioelectron.*, **26**, 970-975 (2010).
11439. CE-ESI-MS coupled with dynamic pH junction online concentration for analysis of peptides in human urine samples  
Ye H.; Xia S.; Lin W.; Yu L.; Xu X.; Zheng C.; Liu X.; Chen G.  
*Electrophoresis*, **31**, 3400-3406 (2010).
11440. A reversed phase high performance liquid chromatography method for the determination of fumonisins B1 and B2 in food and feed using monolithic column and positive confirmation by liquid chromatography/tandem mass spectrometry  
Khayoon W. S.; Saad B.; Salleh B.; Ismail N. A.; Abdul M. N. H.; Abdul L. A.  
*Anal. Chim. Acta*, **679**, 91-97 (2010).
11441. Fractionation and characterization of gold nanoparticles in aqueous solution: asymmetric-flow field flow fractionation with MALS, DLS, and UV-Vis detection  
Cho T. J.; Hackley V. A.  
*Anal. Bioanal. Chem.*, **398**, 2003-2018 (2010).
11442. Fast and accurate analysis of drugs using amperometry associated with flow injection analysis  
Felix F. S.; Angnes L.  
*J. pharm. sci.*, **99**, 4784-4804 (2010).
11442. High-throughput metal screening in pharmaceutical samples by ICP-MS with automated flow injection using a modified HPLC configuration  
Tu, Q.; Wang, T.; Welch, C. J.  
*J. Pharm. Biomed. Anal.*, **51**, 90-95 (2010).
11443. Superoxide Decay Kinetics in the Southern Ocean  
Heller, M. I.; Croot, P. L.  
*Environ. Sci. Technol.*, **44**, 191-196 (2010).
11444. A flow injection system, comprising a biosensor based on a screen-printed carbon electrode containing Meldola's Blue-Reinecke salt coated with glucose dehydrogenase, for the measurement of glucose  
Piano, M.; Serban, S.; Biddle, N.; Pittson, R.; Drago, G. A.; Hart, J. P.  
*Anal. Biochem.*, **396**, 269-274 (2010).
11445. Milliseconds microfluidic chaotic bubble mixer  
Mao, X.; Juluri, B. K.; Lapsley, M. I.; Stratton, Z. S.; Huang, T. J.  
*Microfluid. Nanofluid.*, **8**, 139-144 (2010).
11446. Immunochemical binding assays for detection and quantification of trace impurities in biotechnological production  
Mattiasson, B.; Teeparuksapun, K.; Hedstroem, M.  
*Trends Biotechnol.*, **28**, 20-27 (2010).
11447. Femto Liquid Chromatography with Attoliter Sample

- Separation in the Extended Nanospace Channel  
Kato, M.; Inaba, M.; Tsukahara, T.; Mawatari, K.; Hibara, A.; Kitamori, T.  
*Anal. Chem.*, **82**, 543-547 (2010).
11448. Development and validation of a rapid method for the detection of latrunculol A in plasma  
Shaw, J.; Valeriote, F. A.; Media, J.; Johnson, T. A.; Amagata, T.; Tenney, K.; Crews, P.  
*Anal. Bioanal. Chem.*, **396**, 1741-1744 (2010).
11449. Modified paramagnetic beads in a microfluidic system for the determination of ethinylestradiol (EE2) in river water samples  
Martinez, N. A.; Schneider, R. J.; Messina, G. A.; Raba, J.  
*Biosens. Bioelectron.*, **25**, 1376-1381 (2010).
11450. Adsorption kinetics of proteins in plastic microfluidic channels: Real-time monitoring of lysozyme adsorption by pulsed streaming potentials  
Luna-Vera, F.; Alvarez, J. C.  
*Biosens. Bioelectron.*, **25**, 1539-1543 (2010).
11451. Experimental Investigation of a Bubbly Two-Phase Flow in an Open Capillary Channel under Microgravity Conditions  
Salim, A.; Colin, C.; Dreyer, M.  
*Microgravity Sci. Tech.*, **22**, 87-96 (2010).
11452. Immunogold-silver staining-on-a-chip biosensor based on cross-flow chromatography  
Cho, Il-Hoon; Seo, Sung-Min; Paek, Eui-Hwan; Paek, Se-Hwan  
*J. Chromatogr. B*, **878**, 271-277 (2010).
11453. Development of an on-line temperature-assisted ionic liquid dispersive microextraction system for sensitive determination of vanadium in environmental and biological samples  
Berton, P.; Martinis, E. M.; Wuilloud, R. G.  
*J. Hazard. Mater.*, **176**, 721-728 (2010).
11454. Sequential adsorption of egg-white proteins at the air-water interface suggests a stratified organization of the interfacial film  
Le Floch-Fouere, C.; Beaufile, S.; Lechevalier, V.; Nau, F.; Pezolet, M.; Renault, A.; Pezennec, S.  
*Food Hydrocolloid*, **24**, 275-284 (2010).
11455. Quantitative determination of propranolol by ultraviolet HPLC in human plasma  
Salman, S. A. B.; Sulaiman, S. A.; Ismail, Z.; Gan, S. H.  
*Toxicol. Mech. Method*, **20**, 137-142 (2010).
11456. Selective microfabrication of silver electrodes inside a microchannel by multiphase laminar flow with density difference  
Paek, S. H.; Choi, Y. K.; Kim, D. S.  
*Microelectron. Eng.*, **87**, 1375-1378 (2010).
11457. Non-chromatographic speciation  
Gonzalez, A.; Armenta, S.; Cervera, M. L.; de la Guardia, M.  
*TrAC-Trends Anal. Chem.*, **29**, 260-268 (2010).
11458. Sub-attomolar detection of cholera toxin using a label-free capacitive immunosensor  
Loyprasert, S.; Hedstroem, M.; Thavarungkul, P.; Kanatharana, P.; Mattiasson, B.  
*Biosens. Bioelectron.*, **25**, 1977-1983 (2010).
11459. A Fully Automated System with Online Sample Loading, Isotope Dimethyl Labeling and Multidimensional Separation for High-Throughput Quantitative Proteome Analysis  
Wang, F.; Chen, R.; Zhu, J.; Sun, D.; Song, C.; Wu, Y.; Ye, M.; Wang, L.; Zou, H.  
*Anal. Chem.*, **82**, 3007-3015 (2010).
11460. Generic Automated Fluorimetric Assay for the Quality Control of Gamma Aminobutyric Acid-Analogue Anti-Epileptic Drugs Using Sequential Injection  
Themelis, D. G.; Tzanavaras, P. D.; Boulimari, E. A.  
*Anal. Lett.*, **43**, 905-918 (2010).
11461. Molecular Imprinting-Chemiluminescence Sensor for the Determination of Amoxicillin  
Wan, F.; Yu, J.; Dai, P.; Ge, S.  
*Anal. Lett.*, **43**, 1033-1045 (2010).
11462. Determination of total antioxidant activity of wines using a flow injection method with chemiluminescence detection  
Popa, Claudia-Valentina; Danet, A. F.; Jipa, S.; Zaharescu, T.  
*Rev. Chim-Bucharest*, **61**, 11-16 (2010).
11463. On-line molecular imprinted solid-phase extraction flow-injection fluorescence sensor for determination of florfenicol in animal tissues  
Ge, S.; Yan, M.; Cheng, X.; Zhang, C.; Yu, J.; Zhao, P.; Gao, W.  
*J. Pharm. Biomed. Anal.*, **52**, 615-619 (2010).
11464. Extraction of trace amounts of mercury with sodium dodecyl sulfate-coated magnetite nanoparticles and its determination by flow injection inductively coupled plasma-optical emission spectrometry  
Faraji, M.; Yamini, Y.; Rezaee, M.  
*Talanta*, **81**, 831-836 (2010).
11465. Poly(etheretherketone)-turnings a novel sorbent material for lead determination by flow injection flame atomic absorption spectrometry and factorial design optimization  
Anthemidis, A. N.; Adam, I. S. I.; Zachariadis, G. A.  
*Talanta*, **81**, 996-1002 (2010).
11466. Flow Injection Mass Spectral Fingerprints Demonstrate Chemical Differences in Rio Red Grapefruit with Respect to Year, Harvest Time, and Conventional versus Organic Farming  
Chen, P.; Harnly, J. M.; Lester, G. E.  
*J. Agricul. Food Chem.*, **58**, 4545-4553 (2010).
11467. A semi-quantitative FIA-ESI-MS method for the rapid screening of Hypericum perforatum crude extracts  
Piovan, A.; Filippini, R.; Caniato, R.  
*Nat. Prod. Commun.*, **5**, 431-434 (2010).
11468. Open tubular capillary electrochromatography: A useful microreactor for collagen I glycation and interaction studies with low-density lipoprotein particles  
D'Ulivo, L.; Witos, J.; Oeoerni, K.; Kovanen, P. T.; Riekkola, Marja-Liisa  
*Anal. Chim. Acta*, **664**, 185-189 (2010).
11469. Development and Characterization of a Voltammetric Carbon-Fiber Microelectrode pH Sensor  
Makos, M. A.; Omiatek, D. M.; Ewing, A. G.; Heien, M. L.  
*Langmuir*, **26**, 10386-10391 (2010).
11470. On-line preconcentration and determination of nickel and zinc in natural water samples by flow injection-flame atomic absorption spectrometry using PTFE-turnings for column packing  
Anthemidis, A. N.; Zachariadis, G. A.; Stratis, J. A.  
*Int. J. Environ. Anal. Chem.*, **90**, 127-136 (2010).
11471. Effect of leachate injection modes on municipal solid waste degradation in anaerobic bioreactor  
Benbelkacem, H.; Bayard, R.; Abdelhay, A.; Zhang, Y.; Gourdon, R.  
*Bioresource Technol.*, **101**, 5206-5212 (2010).
11472. Overflow Microfluidic Networks for Open and Closed Cell Cultures on Chip  
Lovchik, R. D.; Bianco, F.; Tonna, N.; Ruiz, A.; Matteoli, M.; Delamarche, E.  
*Anal. Chem.*, **82**, 3936-3942 (2010).
11473. Electrokinetic Lab-on-a-BioChip for Multi-ligand/Multi-analyte Biosensing  
Krishnamoorthy, G.; Carlen, E. T.; de Boer, H. L.; van

- den Berg, A.; Schasfoort, R. B. M. *Anal. Chem.*, **82**, 4145-4150 (2010).
11474. Application of oxybutynin selective sensors for monitoring the dissolution profile and assay of pharmaceutical dosage forms  
El H., Marwa S.; Salem, O. H.; El N., Rasha M. *Anal. Sci.*, **26**, 437-442 (2010).
11475. Recent advances of capillary electrophoresis in pharmaceutical analysis  
Suntornsuk, L. *Anal. Bioanal. Chem.*, **398**, 29-52 (2010).
11476. A simple, effective mixing chamber used in conjunction with a syringe pump for flow analysis  
Amornthammarong, N.; Ortner, P. B.; Zhang, Jia-Zhong *Talanta*, **81**, 1472-1476 (2010).
11477. A study of glycoprotein-lectin interactions using quartz crystal microbalance  
Yakovleva, M. E.; Safina, G. R.; Danielsson, B. *Anal. Chim. Acta*, **668**, 80-85 (2010).
11478. Synthesis and application of a functionalized polystyrene resin for on-line preconcentration and determination of cobalt(II) in water samples by flow injection/FAAS  
Chamjangali, M. A.; Sharif-Razavian, L.; Bahramian, B.; Bagherian, G. *J. Braz. Chem. Soc.*, **21**, 525-532 (2010).
11479. Solid-state electrochemiluminescence analysis with coreactant of the immobilized tris(2,2'-bipyridyl) ruthenium  
Su, M.; Liu, S. *Anal. Biochem.*, **402**, 1-12 (2010).
11480. Hydrodynamic gating for sample introduction on a microfluidic chip  
Chen, P.; Feng, Xiao-Jun; Sun, J.; Wang, Y.; Du, W.; Liu, Bi-Feng *Lab Chip*, **10**, 1472-1475 (2010).
11481.  $\beta$ -Cyclodextrin-based potentiometric sensors for flow-injection determination of acetylcholines  
Khaled, E.; Hassan, H. N. A.; Mohamed, G. G.; Ragab, F. A.; Seleim, A. E. A. *Int. J. Electrochem. Sci.*, **5**, 448-458 (2010).
11482. Determination of Free L-T4 and Free L-T3 from Blood Using the Immunosensors/Sequential Injection Analysis System  
Stefan-van S., Raluca-Ioana; van Staden, J. F.; Aboul-Enein, H. Y.; Balcu, I.; Mirica, M.; Radu, Gabriel-Lucian *Anal. Lett.*, **43** 1119-1125 (2010).
11483. Flow based immuno/bioassay and trends in micro-immuno/biosensors  
Hartwell, S. K.; Grudpan, K. *Microchim. Acta*, **169**, 201-220 (2010).
11484. Electroanalytical performance of self-assembled monolayer gold electrode for chloramphenicol determination  
Codognoto, L.; Winter, E.; Doretto, K. M.; Monteiro, G. B.; Rath, S. *Microchim. Acta*, **169**, 345-351 (2010).
11485. Ultrasensitive flow-injection electrochemical method for determination of histamine in tuna fish samples  
Akbari-adergani, B.; Norouzi, P.; Ganjali, M. R.; Dinarvand, R. *Food Res. Int.*, **43**, 1116-1122 (2010).
11486. Electroosmotic flow-balanced isotachophoretic stacking with continuous electrokinetic injection for the concentration of anions in high conductivity samples  
Breadmore, M. C. *J. Chromatogr. A*, **1217**, 3900-3906 (2010).
11487. Simultaneous separation and detection of cations and anions on a microfluidic device with suppressed electroosmotic flow and a single injection point  
Reschke, B. R.; Schiffbauer, J.; Edwards, B. F.; Timperman, A. T. *Analyst*, **135**, 1351-1359 (2010).
11488. Direct electrochemistry and bioelectrocatalysis of a class II non-symbiotic plant haemoglobin immobilized on screenprinted carbon electrodes  
Chekin, F.; Leiva, N.; Raof, J. B.; Gorton, L.; Buelow, L. *Anal. Bioanal. Chem.*, **398**, 1643-1649 (2010).
11489. Amperometric detection at carbon felt electrodes. Application to the determination of nitro musk derivatives and phenolic endocrine disruptors  
Agui, L.; Serafin, V.; Yanez-Sedeno, P.; Pingarron, J. M. *Anal. Methods*, **2**, 499-506 (2010).
11490. Flow injection analysis of paracetamol using a biomimetic sensor as a sensitive and selective amperometric detector  
Oliveira, M. C. Q.; Lanza, M. R. V.; Tanaka, A. A.; Sotomayor, M. D. P. T. *Anal. Methods*, **2**, 507-512 (2010).
11491. Flow injection determination of iron ions with green tea extracts as a natural chromogenic reagent  
Pinyou, Piyanut; Hartwell, Suporn Kradtap; Jakmunee, Jaroon; Lapanantnoppakhun, Somchai; Grudpan, Kate *Anal. Sci.*, **26**, 619-623 (2010).
11492. An Integrated Amperometric Biosensor for the Determination of Lactose in Milk and Dairy Products  
Conzuelo, F.; Gamella, M.; Campuzano, S.; Ruiz, M. A.; Reviejo, A. J.; Pingarron, J. M. *J. Agric. Food Chem.*, **58**, 7141-7148 (2010).
11493. Automated analysis of the serum antioxidative activities against five different reactive oxygen species by sequential injection system with a chemiluminescence detector  
Kishikawa, N.; Ohyama, K.; Yao, Jun-Ko; Miyamoto, A.; Imazato, T.; Ueki, Y.; Nakashima, Ken-Ichiro; Maehata, Eisuke; Kuroda, Naotaka *Clin. Chim. Acta*, **411**, 1111-1115 (2010).
11494. A bioanode based on MWCNT/protein-assisted co-immobilization of glucose oxidase and 2,5-dihydroxybenzaldehyde for glucose fuel cells  
Yu, Chung-Mu; Yen, Miao-Ju; Chen, Lin-Chi *Biosens. Bioelectron.*, **25**, 2515-2521 (2010).
11495. Molecularly imprinted polymer (MIP) based piezoelectric microgravimetry chemosensor for selective determination of adenine  
Pietrzyk, A.; Suriyanarayanan, S.; Kutner, W.; Chitta, R.; Zandler, M. E.; D'Souza, F. *Biosens. Bioelectron.*, **25**, 2522-2529 (2010).
11496. Using the Angle-Dependent Resonances of Molded Plasmonic Crystals To Improve the Sensitivities of Biosensors  
Gao, H.; Yang, Jiun-Chan; Lin, J. Y.; Stuparu, A. D.; Lee, Min H.; Mrksich, M.; Odom, T. W. *Nano Lett.*, **10**, 2549-2554 (2010).
11497. A sequential injection system for indirect spectrophotometric determination of lactic acid in yogurt and fermented mash samples  
Dias, A. C. B.; Silva, R. A. O.; Arruda, M. A. Z. *Microchem. J.*, **96**, 151-156 (2010).
11498. An environmentally friendly flow system for high-sensitivity spectrophotometric determination of free chlorine in natural waters  
Melchert, W. R.; Oliveira, D. R.; Rocha, F. R. P. *Microchem. J.*, **96**, 77-81 (2010).
11499. Simultaneous chemiluminescence determination of amoxicillin and clavulanic acid using least squares support vector regression  
Hasanpour, F.; Ensafi, Ali A.; Khayamian, T.

- Anal. Chim. Acta*, **670**, 44-50 (2010).
11500. Reverse flow injection spectrophotometric for determination of aluminium(III)  
Norfun, P.; Pojanakaron, T.; Liawraungrath, S.  
*Talanta*, **82**, 202-207 (2010).
11501. Amperometric lactate biosensor for flow injection analysis based on a screen-printed carbon electrode containing Meldola's Blue-Reinecke salt, coated with lactate dehydrogenase and NAD<sup>+</sup>  
Piano, M.; Serban, S.; Pittson, R.; Drago, G. A.; Hart, J. P.  
*Talanta*, **82**, 34-37 (2010).
11502.  $\beta$ -cyclodextrins-based inclusion complexes of CoFe<sub>2</sub>O<sub>4</sub> magnetic nanoparticles as catalyst for the luminal chemiluminescence system and their applications in hydrogen peroxide detection  
He, S.; Shi, W.; Zhang, X.; Li, J.; Huang, Y.  
*Talanta*, **82**, 377-383 (2010).
11503. Injection profiles in liquid chromatography. I. A fundamental investigation  
Samuelsson, J.; Edstroem, L.; Forssen, P.; Fornstedt, T.  
*J. Chromatogr. A*, **1217**, 4306-4312 (2010).
11504. An experimental study of metal co-injection molding with sequential injection  
He, H.; Li, Y.; Zhang, J.  
*Adv. Mat. Res.*, **97-101**, 1116-1119 (2010).
11505. Flow injection spectrophotometric determination of vitamin E in pharmaceuticals, milk powder and blood serum using potassium ferricyanide-Fe(III) detection system  
Jadoon, S.; Waseem, A.; Yaqoob, M.; Nabi, A.  
*Chinese Chem. Lett.*, **21**, 712-715 (2010).
11506. Determination of lactulose in foods: a review of recent research  
Zhang, Z.; Yang, R.; Wang, H.; Ye, F.; Zhang, S.; Hua, X.  
*Int. J. Food Sci. Technol.*, **45**, 1081-1087 (2010).
11507. Development of cobalt responsive alkaline phosphatase and application of the enzyme to biosensing as a recognition element  
Nojima, D.; Satoh, I.; Iida, Y.  
*Chemical Sensors*, **26**(Suppl. A), 94-96 (2010).
11508. Photometric biosensing of effectors using a column packed with glycogen phosphorylase b immobilized preparations  
Satoh, I.; Yagishita, A.  
*Chemical Sensors*, **26**(Suppl. A), 187-189 (2010).
11509. Disposable Graphite Foil Based Electrodes and Their Application in Pharmaceutical Analysis  
Oliveira, A. G.; Munoz, R. A. A.; Angnes, L.  
*Electroanalysis*, **22**, 1290-1296 (2010).
11510. New determination scheme of p-aminophenol by MnO<sub>2</sub> modified electrode coupled with flow injection analysis  
Lin, Meng-Shan; Jan, Bor-Iuan; Chen, Pei-Yen; Cheng, Wen-Chuan; Chen, Chi-Hao  
*Electroanalysis*, **22**, 1278-1281 (2010).
11511. Ultrasensitive flow-injection electrochemical method using fast Fourier transform square-wave voltammetry for detection of vitamin B1  
Norouzi, P.; Mirzaei G., T.; Rashedi, H.; Zamani, H. A.; Ganjali, M. R.  
*Int. J. Electrochem. Sci.*, **5**, 639-652 (2010).
11512. A Ruthenium-Rhodamine Complex as an Activatable Fluorescent Probe  
del Marmol, J.; Filevich, O.; Etchenique, R.  
*Anal. Chem.*, **82**, 6259-6264 (2010).
11513. Flow injection spectrophotometric method for the quantitative determination of humic acid (HA) in treated and natural waters  
Ghous, T.; Rasheed, A.; Siraj, M.  
*J. Chem. Soc. Pakistan*, **32**, 313-318 (2010).
11514. Nano-molar level hydrogen peroxide detection by horseradish peroxidase adsorbed cup-stacked carbon nanotube electrodes and applications to L-glutamate detection  
Noda, T.; Ukai, T.; Yao, T.  
*Anal. Sci.*, **26**, 675-679 (2010).
11515. Study on the chemiluminescence resonance energy transfer between luminol and fluorescent dyes using a linear CCD spectrometer  
Xu, H.; Liu, Chun-Mei; He, Y.; Tang, Hong-Wu; Wu, Qiong-shui  
*J. Lumin.*, **130**, 1872-1879 (2010).
11516. Enhancement effect of CdTe quantum dots-IgG bioconjugates on chemiluminescence of luminol-H<sub>2</sub>O<sub>2</sub> system  
Kanwal, S.; Traore, Z.; Zhao, C.; Su, X.  
*J. Lumin.*, **130**, 1901-1906 (2010).
11517. Stable and sensitive flow-through monitoring of phenol using a carbon nanotube based screen printed biosensor  
Alarcon, G.; Guix, M.; Ambrosi, A.; Silva, M. T. Ramirez; Pardave, M. E. P.; Merkoci, A.  
*Nanotechnology*, **21**, 245502/1-245502/9 (2010).
11518. Bioanalytical systems with in vivo biosensors and microfluidic devices  
Yao, T.; Hisamoto, H.  
Edited by Anpo, Masakazu; M., K  
*Environment. Harmonious Chem. 21st Century*, 1-31 (2010).
11519. Magnetic bead based immunoassay for enumeration of CD4<sup>+</sup> T lymphocytes on a microfluidic device  
Gao, D.; Li, Hai-Fang; Guo, Guang-Sheng; Lin, Jin-Ming  
*Talanta*, **82**, 528-533 (2010).
11520. A microflow chemiluminescence system for determination of chloramphenicol in honey with preconcentration using a molecularly imprinted polymer  
Thongchai, W.; Liawruangath, B.; Liawruangrath, S.; Greenway, G. M.  
*Talanta*, **82**, 560-566 (2010).
11521. Flow injection analysis of ethyl xanthate by gas diffusion and UV detection as CS<sub>2</sub> for process monitoring of sulfide ore flotation  
Cordeiro, T. G.; Hidalgo, P.; Gutz, I. G. R.; Pedrotti, J. J.  
*Talanta*, **82**, 790-795 (2010).
11522. Chemiluminescence reactions with cationic, neutral, and anionic ruthenium(II) complexes containing 2,2'-bipyridine and bathophenanthroline disulfonate ligands  
Francis, P. S.; Papettas, D.; Zammit, E. M.; Barnett, N. W.  
*Talanta*, **82**, 859-862 (2010).
11523. Kinetic approach for the enzymatic determination of levodopa and carbidopa assisted by multivariate curve resolution/alternating least squares  
Gruenhut, M.; Garrido, M.; Centurion, M. E.; Band, B. S. F.  
*Anal. Chim. Acta*, **673**, 33-39 (2010).
11524. Amperometric sensor for cyanide utilizing cyanidase and formate dehydrogenase  
Ketterer, L.; Keusgen, M.  
*Anal. Chim. Acta*, **673**, 54-59 (2010).
11525. The effects of flow type on aptamer capture in differential mobility cytometry cell separations  
Liu, Y.; Bae, S. W.; Wang, K.; Hong, Jong-In; Zhu, Z.; Tan, W.; Pappas, D.  
*Anal. Chim. Acta*, **673**, 95-100 (2010).
11526. Preconcentration and determination of iron and copper in spice samples by cloud point extraction and flow



- injection flame atomic absorption spectrometry  
Sahin, C. A.; Tokgoez, I.; Bektas, S.  
*J. Hazard. Mater.*, **181**, 359-365 (2010).
11527. Determination of nitrofurans residues in animal feeds by flow injection chemiluminescence procedure  
Thongsrisomboon, P.; Liawruangrath, B.; Liawruangrath, S.; Satienerakul, S.  
*Food Chem.*, **123**, 834-839 (2010).
11528. Flow injection spectrophotometric determination of methamidophos using online hydrolysis  
Jan, M. R.; Shah, J.; Bashir, N.; Salman, M.  
*Environ. Monit. Assess.*, **167**, 685-689 (2010).
11529. Surface-acoustic-wave counterflow micropumps for on-chip liquid motion control in two-dimensional microchannel arrays  
Masini, L.; Cecchini, M.; Girardo, S.; Cingolani, R.; Pisignano, D.; Beltram, F.  
*Lab Chip*, **10**, 1997-2000 (2010).
11530. Surface-acoustic-wave counterflow micropumps for on-chip liquid motion control in two-dimensional microchannel arrays  
Masini, L.; Cecchini, M.; Girardo, S.; Cingolani, R.; Pisignano, D.; Beltram, F.  
*Lab Chip*, **10**, 1997-2000 (2010).
11531. Portable, lightweight, low power, ion chromatographic system with open tubular capillary columns  
By Kiplagat, Isaac K.; Kuban, Petr; Pelcova, Pavlina; Kuban, Vlastimil  
*J. Chromatogr. A* (2010), 1217(31), 5116-5123.
11532. Laminar Flow Effects During Laser-Induced Oxidative Labeling for Protein Structural Studies by Mass Spectrometry  
Koneremann, L.; Stocks, B. B.; Czarny, T.  
*Anal. Chem.*, **82**, 6667-6674 (2010).
11533. Selective detection of hydroxyl radical scavenging capacity based on electrogenerated chemiluminescence detection using tris(2,2'-bipyridine)ruthenium(III) by flow injection analysis  
Nobushi, Y.; Uchikura, K.  
*Chem. Pharm. Bull.*, **58**, 117-120 (2010).
11534. Flow injection determination of trace amounts of copper based on its catalytic effect on the oxidation of 3, 3', 5, 5'-tetramethylbenzidine by cumene hydroperoxide  
Sekine, Y.; Shitanda, I.; Itagaki, M.; Watanabe, K.; Nakano, S.; Kawashima, T.  
*Microchim. Acta*, **170**, 113-119 (2010).
11535. Edge effect in RTM processes under constant pressure injection conditions  
Yang, J.; Jia, Y.; Ding, Y.; He, H.; Shi, T.; An, L.  
*J. Appl. Polym. Sci.*, **118**, 1014-1019 (2010).
11536. Simple method to determine flow characteristics of injectable hydrogels  
Nadarajan, S. B.; Nguyen, A.; Kolb, J. T.; Stepanskiy, L.; Papazoglou, E. S.  
*J. Appl. Polym. Sci.*, **118**, 574-579 (2010).
11537. Rheological properties of elastomer-modified polypropylene and their influence on the formation of flow marks  
Iannuzzi, G.; Rigdahl, M.  
*J. Appl. Polym. Sci.*, **118**, 604-610 (2010).
11538. Luminescence methods for study and determination of pollutants in the environment  
Morales, T. V.; Esponda, S. M.; Rodriguez, J. J. S.; Aaron, S. E.; Aaron, Jean-Jacques  
*Maced. J. Chem. Chem. En.*, **29**, 1-42 (2010).
11539. On-Line Derivatization of N-acetylcysteine Using Ethyl-Propiolate as a Novel Advantageous Reagent and Sequential Injection Analysis  
Tzanavaras, P. D.; Zacharis, C. K.; Themelis, D. G.  
*Anal. Lett.*, **43**, 1889-1901 (2010).
11540. Isotopic Fractionation by Transverse Dispersion: Flow-through Microcosms and Reactive Transport Modeling Study  
Rolle, M.; Chiogna, G.; Bauer, R.; Griebler, C.; Grathwohl, P.  
*Environ. Sci. Technol.*, **44**, 6167-6173 (2010).
11541. Novel in vivo model of inducible multi-drug resistance in acute lymphoblastic leukemia with chromosomal translocation t(4;11)  
Zunino, S. J.; Storms, D. H.; Ducore, J. M.  
*Cancer Lett.*, **296**, 49-54 (2010).
11542. Recent progress of flow-through optosensing in clinical and pharmaceutical analysis  
Ruiz-Medina, A.; Llorent-Martinez, E. J.  
*J. Pharm. Biomed. Anal.*, **53**, 250-261 (2010).
11543. Electrogeneration of ferrate (VI) in low concentration NaOH solution for flow-injection-chemiluminescence detection  
Zhang, H. J.; Hu, Y. G.; Wang, Y. Q.; Zhang, J.  
*Chinese Chem. Lett.*, **21**, 951-954 (2010).
11544. High throughput automated determination of glutathione based on the formation of a UV-absorbing thioacrylate derivative  
Zacharis, C. K.; Tzanavaras, P. D.  
*Comb. Chem. High T. Scr.*, **13**, 461-468 (2010).
11545. Simultaneous determination of L- and D-T4 using a sequential injection analysis/sensors system  
van Staden, Raluca-Ioana S.; van Staden, Jacobus F.; Aboul-Enein, H. Y.; Balcu, I.  
*Comb. Chem. High T. Scr.*, **13**, 497-501 (2010).
11546. Flow injection: a new approach in analysis  
Parikh, A.; Patel, K.; Patel, C.; Patel, B. N.  
*J. Chem. Pharmaceu. Res.*, **2**, 118-125 (2010).
11547. Flow injection spectrophotometric determination of doxorubicin hydrochloride in urine samples  
Tavallal, H.; Jahanbekam, A.  
*Int. J. PharmTech Res.*, **2**, 1943-1947 (2010).
11548. Alcohol biosensing by polyamidoamine (PAMAM)/cysteamine/alcohol oxidase-modified gold electrode  
Akin, M.; Yuksel, M.; Geyik, C.; Odaci, D.; Bluma, A.; Hopfner, T.; Beutel, S.; Scheper, T.; Timur, S.  
*Biotechnol. Progr.*, **26**, 896-906 (2010).
11549. Autonomous Microfluidic Control by Chemically Actuated Micropumps and Its Application to Chemical Analyses  
Takashima, A.; Kojima, K.; Suzuki, H.  
*Anal. Chem.*, **82**, 6870-6876 (2010).
11550. Automatic multisyringe flow injection system for the spectrophotometric determination of tinidazole in pharmaceutical preparations  
Guzman-Mar, J. L.; Hinojoza-Reyes, L.; Hernandez-Ramirez, A.; Peralta-Hernandez, J. M.; Lopez-Chuken, V. J.; Lopez-De-Alba, P. L.; Cerda-Martin, V.  
*J. Chil. Chem. Soc.*, **55**, 215-218 (2010).
11551. Evaluation of flow injection analysis for determination of cholinesterase activities in biological material  
Cabal, J.; Bajgar, J.; Kassa, J.  
*Chem-Biol Interact.*, **187**, 225-228 (2010).
11552. A fast method to determine formaldehyde in leather wastewater  
Yuan, D.; Fu, D.  
*J. Soc. Leather Technol. Chem.*, **94**, 98-101 (2010).
11553. SIA system employing the transient response from a potentiometric sensor array - Correction of a saline matrix effect  
Mimendia, A.; Gutierrez, J. M.; Opalski, L. J.; Ciosek, P.; Wroblewski, W.; del Valle, M.  
*Talanta*, **82**, 931-938 (2010).

11554. An Overview of the Generations and Recent Versions of Flow Injection Techniques  
Idris, A. M.  
*Crit. Rev. Anal. Chem.*, **40**, 150-158 (2010).
11555. Cholesterol biosensor based on MWCNTs-MnO<sub>2</sub> nanoparticles using FFT continuous cyclic voltammetry  
Norouzi, P.; Faridbod, F.; Nasli-Esfahani, E.; Larijani, B.; Ganjali, M. R.  
*Int. J. Electrochem. Sci.*, **5**, 1008-1017 (2010).
11556. Determination of trace chromium(VI) in tanning wastewater by flow injection spectrophotometry  
Zhao, X.; Sui, Z.; Zhang, J.  
*Adv. Mat. Res.*, **113-116**, 1732-1734 (2010).
11557. Development of enzyme sensors based on the gas permeation with the use of a hollow fiber membrane  
Iida, Y.; Chiba, Y.; Matsumoto, K.; Noda, T.; Satoh, I.  
*Desalination Water Treat.*, **17**, 19-24 (2010).
11558. Development of a fully automated Flow Injection analyzer implementing bioluminescent biosensors for water toxicity assessment  
Komaitis, E.; Vasiliou, E.; Kremmydas, G.; Georgakopoulos, D. G.; Georgiou, C.  
*Sensors*, **10**, 7089-7098 (2010).
11559. Determination of Meclofenoxate Hydrochloride by Resonance Rayleigh Scattering Method Coupled with Flow Injection Technique  
Hu, X.; Xu, D.; Liu, S.; Liu, Z.; Li, C.; Chen, P.  
*Anal. Lett.*, **43**, 2125-2133 (2010).
11560. Chemiluminescence Behavior and Application of Ce (IV)-Tween20-Tryptophan System  
Gao, Chun-Ying; Chu, Ning; Fan, Shi-hua  
*Anal. Lett.*, **43**, 2142-2151 (2010).
11561. On-Line Flow-Injection Chemiluminescence Determination of Bovine Serum Albumin Using Surfactant-Enhanced Dichlorofluorescein-Hypochlorite System  
Huang, Chun-Bao; Zhang, K.; Yang, Wen-Yue; Wang, Sheng-Fu  
*Anal. Lett.*, **43**, 2275-2282 (2010).
11562. Electrochemical biosensors for the detection of pesticides  
Mostafa, G. A. E.  
*Open Electrochem. J.*, **2**, 22-42 (2010).
11563. Trace detection of diphenhydramine by adsorption on a microelectrode at flow injection system by fast fourier transform continuous cyclic voltammetry  
Norouzi, P.; Ganjali, M. R.; Nouryousefi, E.; Shahtaheri, S. J.; Dinarvand, R.  
*Croat. Chem. Acta*, **83**, 135-142 (2010).
11564. Flow injection analysis with immobilized enzymes in nonaqueous media  
Araujo, A. R. T. S.; Saraiva, M. L. M. F. S.; Lima, J. L. F. C.  
*Curr. Anal. Chem.*, **6**, 193-202 (2010).
11565. Flow injection determination of metoclopramide based on KMnO<sub>4</sub>-HCHO chemiluminescence in a micellar medium  
Jia, Bao-xiu; Li, Yu-qin; Liu, Cai-hong; Li, Ke; Qi, Yong-xiu  
*J. Lumin.*, **130**, 2188-2191 (2010).
11566. Monitoring of anti cancer drug letrozole by fast fourier transform continuous cyclic voltammetry at gold microelectrode  
Norouzi, P.; Ganjali, M. R.; Qomi, M.; Nemati K., A.; Zamani, H. A.  
*Chin. J. Chem.*, **28**, 1133-1139 (2010).
11567. Myeloperoxidase-mediated oxidation of organophosphorus pesticides as a pre-step in their determination by AChE based bioanalytical methods  
Lazarevic P., Tamara; M., T.; Onjia, A.; Vujisic, L.; Vasic, V.  
*Microchim. Acta*, **170**, 289-297 (2010).
11568. Chemiluminescence based technique for the detection of methyl parathion in water and fruit beverages  
Chouhan, R. S.; Vinayaka, A. C.; Thakur, M. S.  
*Anal. Methods*, **2**, 924-928 (2010).
11569. Oxidation and flow-injection amperometric determination of 5-hydroxytryptophan at an electrode modified by electrochemically assisted deposition of a sol-gel film with templated nanoscale pores  
Ranganathan, D.; Zamponi, S.; Berrettoni, M.; Layla M., B.; Cox, J. A.  
*Talanta*, **82**, 1149-1155 (2010).
11570. Mathematical modeling of a Nafion membrane based optode incorporating 1-(2'-pyridylazo)-2-naphthol under flow injection conditions  
Kolev, S. D.; Cardwell, T. J.; Cattrall, R. W.; Coe, L. dC.  
*Talanta*, **82**, 1156-1163 (2010).
11571. On-line solid-phase extraction-HPLC-fluorescence detection for simultaneous determination of puerarin and daidzein in human serum  
Liu, Ying-Kun; Jia, Xiao-Yan; Liu, Xiao; Zhang, Zhi-Qi  
*Talanta*, **82**, 1212-1217 (2010).
11572. Flow-injection determination of hydrogen peroxide based on fluorescence quenching of chromotropic acid catalyzed with Fe(II)  
Li, Zhen-Hai; Li, Dong-Hao; Oshita, K.; Motomizu, S.  
*Talanta*, **82**, 1225-1229 (2010).
11573. Determination of trace metals in seawater by an automated flow injection ion chromatograph pretreatment system with ICPMS  
Ho, Tung-Yuan; Chien, Chia-Te; Wang, Bing-Nan; Siriraks, A.  
*Talanta*, **82**, 1478-1484 (2010).
11574. Determination of bisphenol A based on chemiluminescence from gold(III)-peroxymonocarbonate  
Lu, C.; Li, Jin-Ge; Yang, Y.; Lin, Jin-Ming  
*Talanta*, **82**, 1576-1580 (2010).
11575. Developments in protein assays with flow injection/sequential injection techniques  
Chen, Xu-Wei; Wang, Jian-Hua  
*J. Flow Injection Anal.*, **27**, 5-11 (2010).
11576. The stepwise injection analysis as a new opportunity for automation of chemical analysis of liquid, gaseous and solidphase samples  
Bulatov, A. V.; Moskvina, A. L.; Moskvina, L. N.; Mozhuhin, A. V.  
*J. Flow Injection Anal.*, **27**, 13-19 (2010).
11577. Comparison of detectors and cell configurations in flow-injection potentiometric technique of pharmaceutical analysis  
Khaled, E.; Kamel, M. S.; Hassan, H. N. A.  
*J. Flow Injection Anal.*, **27**, 20-25 (2010).
11578. Chemometric optimization of sequential injection spectrophotometric method for chlorpheniramine determination in pharmaceutical formulations  
Ibrahim, A. E. E.; Saleh, T. A.; Abulkibash, A. M.; Ibrahim, K. E. E.  
*J. Flow Injection Anal.*, **27**, 26-31 (2010).
11579. Determination of the total phosphorous using a Non-Segmented Biphasic Flow (NSBF) injection  
Correa L., A.; Silva, A. F. S.; Oliveira, A. F.  
*J. Flow Injection Anal.*, **27**, 32-35 (2010).
11580. Flow of injection chemiluminescence determination of neomycin in pharmaceutical formulations  
Thongsrisomboon, P.; Liawruangrath, B.; Liawruangrath, S.; Satienerperakul, S.  
*J. Flow Injection Anal.*, **27**(1), 36-41 (2010).

11581. Reversed flow injection system for the spectrophotometric determination of cetylpyridinium chloride in pharmaceutical products with eriochrome black T in triton X-100 medium  
Montes, L. H. C.; Cassella, R. J.  
*J. Flow Injection Anal.*, **27**(1), 42-48 (2010).
11582. Sequential injection spectrophotometric method for the assay of anti-inflammatory diclofenac sodium in pharmaceutical preparations  
Sultan, S. M.; Mohamed, H. D.; Jaber, A.; Alarfaj, N. A.  
*J. Flow Injection Anal.*, **27**, 49-55 (2010).
11583. Enzyme-encapsulated layer-by-layer assemblies: current status and challenges toward ultimate nanodevices  
Ariga, K.; Ji, Q.; Hill, J. P.  
*Adv. Polym. Sci.*, **229**, 51-87(2010).
11584. Silver nanoparticle-based chemiluminescence enhancement for the determination of norfloxacin  
Yu, X.; Jiang, Z.; Wang, Q.; Guo, Y.  
*Microchim. Acta*, **171**, 17-22 (2010).
11585. Development and application of a highly selective biomimetic sensor for detection of captopril, an important ally in hypertension control  
Wong, A.; Lanza, M. R. V.; Sotomayor, M. D. P. T.  
*Comb. Chem. High T. Scr.*, **13**, 666-674 (2010).
11586. Glucose biosensor based on MWCNTs-gold nanoparticles in a nafion film on the glassy carbon electrode using flow injection FFT continuous cyclic voltammetry  
Norouzi, P.; Faridbod, F.; Larijani, B.; Ganjali, M. R.  
*Int. J. Electrochem. Sci.*, **5**, 1213-1224 (2010).
11587. Flow injection phosphate biosensor based on PyOx-MWCNTs film on a glassy carbon electrode using FFT continuous cyclic voltammetry  
Norouzi, P.; Pirali-Hamedani, M.; Faridbod, F.; Ganjali, M. R.  
*Int. J. Electrochem. Sci.*, **5**, 1225-1235 (2010).
11588. Development of mediated BOD biosensor system of flow injection mode for shochu distillery wastewater  
Oota, Shin-Ichi; Hatae, Y.; Amada, K.; Koya, H.; Kawakami, M.  
*Biosens. Bioelectron.* **26**, 262-266 (2010),.
11589. Development and characterization of a FIA system for selective assay of l-ascorbic acid in food samples  
Vig, A.; Igloi, A.; Adanyi, N.; Gyemant, G.; Csutoras, C.; Kiss, A.  
*Bioproc. Biosys. Eng.*, **33**, 947-952 (2010).
11590. Gas-phase chemiluminescence with ozone oxidation for the determination of total tin in environmental samples using flow injection hydride generation and cryotrapping  
Ye, Y.; Sang, J.; Ma, H.; Tao, G.  
*Anal. Chim. Acta*, **677**, 149-155 (2010).
11591. Flow-injection analysis for multi-component determinations of drugs based on chemometric approaches  
Saurina, Javier  
*TrAC-Trends Anal. Chem.*, **29**, 1027-1037 (2010).
11592. Wireless Instantaneous Neurotransmitter Concentration System: electrochemical monitoring of serotonin using fast-scan cyclic voltammetry - a proof-of-principle study  
Griessenauer, C. J.; Chang, Su-Youne; Tye, S. J.; Kimble, C. J.; Bennet, K. E.; Garris, P. A.; Lee, K. H.  
*J. Neurosurg.*, **113**, 656-665 (2010).
11593. Cerium(IV)-based chemiluminescence of felodipine sensitized by rhodamine 6G  
Zhao, F.; Bian, L.  
*Instrum. Sci. Technol.*, **38**, 366-375 (2010).
11594. Flow-Injection Differential-Pulse Anodic Stripping Voltammetry as a Tool for Thallium Monitoring in the Environment  
Lukaszewski, Z.; Jakubowska, M.; Zembruski, W.; Karbowska, B.; Pasieczna, A.  
*Electroanalysis*, **22**, 1963-1966 (2010).
11595. A valuable way for understanding the relationships between lysozyme and cephalosporin analogues by flow injection chemiluminescence  
Wang, Z.; Song, Z.  
*Analyst*, **135**, 2546-2553 (2010).
11596. Magnetic bead-based fluorescence immunoassay for aflatoxin B1 in food using bifunctionalized rhodamine B-doped silica nanoparticles  
By Tang, Dianping; Yu, Yongliang; Niessner, Reinhard; Miro, Manuel; Knopp, Dietmar  
*Analyst* (2010), **135**(10), 2661-2667.
11597. Simple Flow Injection Analysis System for Simultaneous Determination of Phenolic Antioxidants with Multiple Pulse Amperometric Detection at a Boron-Doped Diamond Electrode  
Medeiros, R. A.; Lourencao, B. C.; Rocha-Filho, R. C.; Fatibello-Filho, O.  
*Anal. Chem.*, **82**, 8658-8663 (2010).
11598. Polystyrene microspheres based sandwich immunosensor using CdTe nanoparticles amplification and ultrasensitive flowinjection chemiluminescence detection  
Kanwal, S.; Traore, Z.; Su, X.  
*Colloids Surf. B Biointerfaces*, **81**, 549-554 (2010).
11599. Determination of picloram in waters by sequential injection chromatography with UV detection  
dos Santos, L. B. O.; Infante, C. M. C.; Masini, J. C.  
*J. Braz. Chem. Soc.*, **21**, 1557-1562 (2010).
11600. A flow-injection chemiluminescent method for the evaluation of the antioxidant activity of 5'-nucleotides  
Wang, Z.; Xu, H.; Qian, J.; Ye, J.; Yang, Z.; Sun, H.; Shi, Y.  
*Luminescence*, **25**, 300-306 (2010).
11601. Flow injection determination of benzhexol based on its sensitizing effect on the chemiluminescent reaction of Ce(IV)-sulfite  
Zhang, J.; Li, J.; Tu, Y.  
*Luminescence*, **25**, 317-321 (2010).
11602. Controlled band dispersion for quantitative binding determination and analysis with electrospray ionization-mass spectrometry  
Schug, K. A.; Serrano, C.; Frycak, P.  
*Mass Spectrom. Rev.*, **29**, 806-829 (2010).
11603. Evaluation of a bolus/infusion protocol for 11C-ABP688, a PET tracer for mGluR5  
Burger, C.; Deschwanden, A.; Ametamey, S.; Johayem, A.; Mancosu, B.; Wyss, M.; Hasler, G.; Buck, A.  
*Nucl. Med. Biol.*, **37** 845-851 (2010).
11604. A simple colorimetric FIA method for the determination of pyrite oxidation rates  
Osborne, O. D.; Pring, A.; Lenehan, C. E.  
*Talanta*, **82**, 1809-1813 (2010).
11605. Rapid flow injection method for the determination of sulfite in wine using the permanganate-luminol luminescence system  
Navarro, M. V.; Payan, M. R.; Lopez, M. A. B.; Fernandez-Torres, R.; Mochon, M. C.  
*Talanta*, **82**, 2003-2006 (2010).
11606. Photoelectrocatalytic oxidation of NADH in a flow injection analysis system using a poly-hematoxylin modified glassy carbon electrode  
Dilgin, D. G.; Gligor, D.; Goekcel, H. I.; Dursun, Z.; Dilgin, Y.  
*Biosens. Bioelectron.*, **26**, 411-417 (2010).
11607. Visualization of flows inside x-shaped micro-channels and potential application to micro-reactors  
Umeda, S.; Yang, Wen-Jei

- J. Flow Visu. Image Process.*, **17**, 177-188 (2010).
11608. Effects of forced synthetic vibration on mixing in a flexible container installed in a  $\mu$ -TAS  
Yokoyama, M.; Mochizuki, O.  
*Sens. Actuator A-Phys.*, **163**, 393-400 (2010).
11609. Flow-injection potentiometric determination of trace concentrations of chloride ions in low-mineralized natural waters  
Telegina, E. V.; Moskvina, A. L.; Mozhukhin, A. V.  
*J. Anal. Chem.*, **65**, 1041-1044 (2010).
11610. Photoluminescent detection of dissolved underwater trace explosives  
Langston, T.  
*ScientificWorldJournal*, **10**, 546-562 (2010).
11611. New adsorptive square wave method for trace determination of prilocain in the flow injection system by a fast fourier analysis  
Norouzi, P.; Ganjali, M. R.; Dinarvand, R.; Eshraghi, M. H.; Zamani, H. A.  
*Russ. J. Electrochem.*, **46**, 999-1006 (2010).
11612. Three-Electrode-Integrated Sensor into a Micropipette Tip  
Bezerra S., R. A.; Rabelo, A. C.; Munoz, R. A. A.; Richter, E. M.  
*Electroanalysis*, **22**, 2167-2171 (2010).
11613. An air-assisted liquid-liquid extraction using a dual-valve sequential injection manifold (DV-SIA): determination of copper  
Skrlíkova, J.; Andruš, V.; Sklenarova, H.; Chochołous, P.; Solich, P.; Balogh, I. S.  
*Anal. Methods*, **2**, 1134-1139 (2010).
11614. A flow-injection chemiluminescence method for determination of cinchona alkaloids in pharmaceuticals and biological fluids  
Li, L.; Sun, H.  
*Anal. Methods*, **2**, 1270-1274 (2010).
11615. Sensitive assay for picogram levels of sudan I in chilli foodstuffs by flow injection chemiluminescence  
Chen, D.; Song, Z.; Yue, Q.  
*Anal. Methods*, **2**, 1316-1319 (2010).
11616. Multilayer Film Fabrication Using Flow Injection Coupled with Electrochemical Deposition  
Briggle, J.; Nolidin, P. D.; Golden, T. D.  
*Electroanalysis*, **22**, 2157-2161 (2010).
11617. FFT continuous cyclic voltammetry triglyceride dual enzyme biosensor based on MWCNTs-CeO<sub>2</sub> nanoparticles  
Ganjali, M. R.; Faridbod, F.; Nasli-Esfahani, E.; Larijani, B.; Rashedi, H.; Norouzi, P.  
*Int. J. Electrochem. Sci.*, **5**, 1422-1433 (2010).
11618. A novel acetylcholinesterase biosensor based on chitosan-gold nanoparticles film for determination of monocrotophos using FFT continuous cyclic voltammetry  
Norouzi, P.; Pirali-Hamedani, M.; Ganjali, M. R.; Faridbod, F.  
*Int. J. Electrochem. Sci.*, **5**, 1434-1446 (2010).
11619. Flow injection analysis vs. ultra high performance liquid chromatography coupled with tandem mass spectrometry for determination of imatinib in human plasma  
Micova, Katerina; Friedecky, David; Faber, Edgar; Polynkova, Adriana; Adam, Tomas  
*Clin. Chim. Acta* (2010), 411(23-24), 1957-1962.
11620. Rapid and simultaneous determination of neptunium and plutonium isotopes in environmental samples by extraction chromatography using sequential injection analysis and ICP-MS  
Qiao, J.; Hou, X.; Roos, P.; Miro, M.  
*J. Anal. At. Spectrom.*, **25**, 1769-1779 (2010).
11621. Determination of sulfite in water samples by flow injection analysis with fluorescence detection  
Yin, L. Q.; Yuan, D. X.; Zhang, M.  
*Chinese Chem. Lett.*, **21**, 1457-1461 (2010).
11622. Analytical applications of photoinduced chemiluminescence in flow systems  
Lara, F. J.; Garcia-Campana, A. M.; Aaron, Jean-Jacques  
*Anal. Chim. Acta*, **679**, 17-30 (2010).
11623. Molecularly imprinted poly[bis(2,2'-bithienyl)methane] film with built-in molecular recognition sites for a piezoelectric microgravimetry chemosensor for selective determination of dopamine  
Pietrzyk, A.; Suriyanarayanan, S.; Kutner, W.; Maligaspe, E.; Zandler, M. E.; D'Souza, F.  
*Bioelectrochem.*, **80**, 62-72 (2010).
11624. Flow injection analysis for amperometric detection of glucose with immobilized enzyme reactor  
Nenkova, R.; Atanasova, R.; Ivanova, D.; Godjevargova, T.  
*Biotechnol. Biotech. Eq.*, **24**, 1986-1992(2010).
11625. Amperometric detection of acetaminophen by an electrochemical sensor based on cobalt oxide nanoparticles in a flow injection system  
Razmi, H.; Habibi, E.  
*Electrochim. Acta*, **55**, 8731-8737 (2010).

