

## FIA Bibliography (VII)

Toshihiko Imato\* and Hiroki Ohura\*\*  
Kyushu University\*  
Kyushu Sangyo University\*\*

FIA-related papers appeared since 1984 have been compiled in this FIA Bibliography section. Six hundred papers were listed in the previous section (references 226-228, 342, 501, 598). All papers in this section are numbered in series and shown with the titles in English. The readers are requested to send us the reprints of their FIA-related papers that have not yet been listed in this section

---

\* Department of Applied Analytical Chemistry, Faculty of Engineering, Kyushu University, Hakozaki, Higashi-ku, Fukuoka, 812, JAPAN

\*\* Department of Industrial Chemistry, Faculty of Engineering, Kyushu Sangyo University, Matsugadai, Higashi-ku, Fukuoka, 813, JAPAN

598. FIA Bibliography(VI)  
T. Imato and M. Watanabe, J. Flow Injection Anal., 3(2), 121(1986)
599. The principles, applications and trends of flow injection analysis for monitoring chemiluminescence reactions  
J. L. Burguera and M. Burguera, Acta Cient. Venezolana, 34, 79(1983)
600. Selective determination of lithium in biological fluids using flow injection analysis  
G. E. Pacey, Y. P. Wu and K. Sasaki, Anal. Biochem., 160, 243(1986)
601. Measurement of protein using flow injection analysis with bicinchoninic acid  
L. C. Davis and G. A. Radke, Anal. Biochem., 161, 152(1987)
602. Solvent extraction using a polymer as solvent with an amperometric flow-injection detector  
Y. W. Feng and C. O. Huber, Adv. Chem. Ser., 214, 349(1987)

603. Determination of chromium(III), titanium, vanadium, iron(III), and aluminum by inductively coupled plasma atomic emission spectrometry with an on-line preconcentrating ion-exchange column  
S. Hirata, Y. Umezaki and M. Ikeda, *Anal. Chem.*, 58, 2602 (1986)
604. Amperometric response of microlithographically fabricated microelectrode array flow sensors in a thin-layer channel  
L. E. Fosdick, J. L. Anderson, T. A. Baginski, R and C. Jaeger, *Anal. Chem.*, 58, 2750(1986)
605. Trace determination of aqueous sulfite, sulfide and methanethiol by fluorometric flow injection analysis  
P. K. Dasgupta and H. C. Yang, *Anal. Chem.*, 58, 2839(1986)
606. Amperometric detection of picomole samples in a microdisk electrochemical flow-jet cell with dilute supporting electrolyte  
J. W. Bixler and A. M. Bond, *Anal. Chem.*, 58, 2859(1986)
607. Continuous-flow sample probe for fast atom bombardment mass spectrometry  
R. M. Caprioli, T. Fan and J. S. Cottrell, *Anal. Chem.*, 58, 2949(1986)
608. Properties and applications of the concentration gradient sensor to detection of flowing samples  
J. Pawliszyn, *Anal. Chem.*, 58, 3207(1986)
609. Analytical potential of continuous precipitation in flow injection-atomic absorption configurations  
P. Martinez-Jimenez, M. Gallego and M. Valcarcel, *Anal. Chem.*, 59, 69(1987)
610. Pulsed amperometric detection of carbohydrates at gold electrodes with a two-step potential waveform  
G. G. Neuburger and D. C. Johnson, *Anal. Chem.*, 59, 150(1987)
611. Comparison of the pulsed amperometric detection of carbohydrates at gold and platinum electrodes for flow injection and liquid chromatographic systems  
G. G. Neuburger and D. C. Johnson, *Anal. Chem.*, 59, 203(1987)
612. Plutonium and uranium ion determination and differentiation based on twin electrode flow coulometry  
H. Aoyagi, Z. Yoshida and S. Kihara, *Anal. Chem.*, 59,

- 400(1987)
613. Electrochemical determination of sulfur dioxide in air samples in a closed-loop flow injection system  
A. Rios, M. D. Luque de Castro, M. Valcarcel and H. A. Mottola, *Anal. Chem.*, 59, 666(1987)
  614. Voltammetric-amperometric dual-electrode detection for flow injection analysis and liquid chromatography  
C. E. Lunte, T. H. Ridgway and W. R. Heineman, *Anal. Chem.*, 59, 761(1987)
  615. Generation of chemiluminescence upon reaction of aliphatic amines with tris(2,2'-bipyridine)ruthenium(III)  
J. B. Noffsinger and N. D. Danielson, *Anal. Chem.*, 59, 865(1987)
  616. Chemiluminescence analysis in flowing streams with luminol immobilized on silica and controlled-pore glass  
K. Hool and T. A. Nieman, *Anal. Chem.*, 59, 869(1987)
  617. Flow injection spectrophotometric determination of aluminum in natural water using Eriochrome Cyanine R and cationic surfactants  
O. Roeyset, *Anal. Chem.*, 59, 899(1987)
  618. Improved response of carbon-paste electrodes for electrochemical detection in flow systems by pretreatment with surfactants  
F. N. Albahadily and H. A. Mottola, *Anal. Chem.*, 59, 958(1987)
  619. Properties of an asymmetrical flow field-flow fractionation channel having one permeable wall  
K. G. Wahlund and J. C. Giddings, *Anal. Chem.*, 59, 1332(1987)
  620. Buffer systems for use with the fluoride electrode in flow injection analysis  
T. J. Cardwell, R. W. Cattrall, P. C. Hauser and I. C. Hamilton, *Anal. Chem.*, 59, 206(1987)
  621. Luminol chemiluminescence for determination of iron(II) in ferrioxalate chemical actinometry  
M. A. Nussbaum, H. L. Nekimken and T. A. Nieman, *Anal. Chem.*, 59, 211(1987)
  622. Continuous-flow real-time and flow injection determination of rainwater pH with a poly(vinyl chloride)-based tubular membrane electrode  
B. C. Madsen and D. W. Doller, *Anal. Chem.*, 59, 127(1987)

623. Coulostatic electrochemical detection in flow injection analysis  
S. R. Mikkelsen and W. C. Purdy, *Anal. Chem.*, 59, 244(1987)
624. Rapid rate measurements by the pulsed-accelerated-flow method  
M. T. Nemeth, K. D. Fogelman, T. Y. Ridley and D. W. Margerum, *Anal. Chem.*, 59, 283(1987)
625. Poly(4-vinylpyridine)-coated glassy carbon flow detectors  
J. Wang, T. Golden and T. Peng, *Anal. Chem.*, 59, 740(1987)
626. Control of dispersion and variation of reaction coil length in flow injection analyzers by flow reversals  
D. Betteridge, P. B. Oates and A. P. Wade, *Anal. Chem.*, 59, 1236(1987)
627. Applications of a versatile injection valve for flow injection analysis  
B. C. Erickson, B. R. Kowalski and J. Ruzicka, *Anal. Chem.*, 59, 1246(1987)
628. Tubular microporous membrane entrapped enzyme reactors for flow injection analysis  
H. Hwang and P. K. Dasgupta, *Anal. Chem.*, 59, 1356(1987)
629. Determination of arsenic in glycerine by flow injection, hydride generation and inductively-coupled plasma/atomic emission spectrometry  
N. H. Tioh, Y. Israel and R. M. Barnes, *Anal. Chim. Acta*, 184, 205(1986)
630. Spectrophotometric flow-injection determination of ascorbic acid by generation of triiodide  
J. Hernandez-Mendez, A. Alonso Mateos, M. J. Almendral Parra and C. Garcia de Maria, *Anal. Chim. Acta*, 184, 243(1986)
631. Flow-injection determination of iron(II), iron(III), and total iron with chemiluminescence detection  
E. G. Sarantonis and A. Townshend, *Anal. Chim. Acta*, 184, 311(1986)
632. Cyclic regeneration of nicotinamide adenine dinucleotide with immobilized enzymes. Flow-injection spectrofluorometric determination of ethanol  
M. Masoom and A. Townshend, *Anal. Chim. Acta*, 185, 49(1986)
633. Individual and simultaneous enzymic determination of ethanol and acetaldehyde in wines by flow injection analysis

- F. Lazaro, M. D. Luque de Castro and M. Valcarcel, *Anal. Chim. Acta*, 185, 57(1986)
634. An automated flow-injection serial dynamic dialysis technique for drug-protein binding studies  
P. E. Macheras and M. A. Koupparis, *Anal. Chim. Acta*, 185, 65(1986)
635. Flow-injection spectrophotometric determination of aluminum in water with pyrocatechol violet  
O. Roeyset, *Anal. Chim. Acta*, 185, 75(1986)
636. The fluoride ion-selective electrode in flow injection analysis. Part I General methodology  
W. Frenzel and P. Bratter, *Anal. Chim. Acta*, 185, 127(1986)
637. Use of ion-selective electrodes in industrial flow analysis  
P. Petak and K. Stulik, *Anal. Chim. Acta*, 185, 171(1986)
638. Flow-injection extraction with a microvolume module based on integrated conduits  
Y. Sahlestrom and B. Karlberg, *Anal. Chim. Acta*, 185, 259 (1986)
639. The efficiency of Cellex-P for the preconcentration of lead and other trace metals from waters  
K. Brajter and K. Sonawska, *Anal. Chim. Acta*, 185, 271(1986)
640. Synthese und extraktionseigenschaften von 2-(sym-dibenzo-14-krone-4-oxy)essigsäure bzw. -n-hexansäure  
E. Uhlemann, H. Geyer, K. Gloe and P. Muhl, *Anal. Chim. Acta*, 185, 279(1986)
641. Determination of glycerol, 1,2-propanediol and triglycerides by high-performance liquid chromatography and a post-column reactor containing immobilized glycerol dehydrogenase  
N. Kiba, K. Goto and M. Furusawa, *Anal. Chim. Acta*, 185, 287 (1986)
642. Description of an axially-dispersed plug flow model for the flow pattern in elements of fluid systems  
S. D. Kolev and E. Pungor, *Anal. Chim. Acta*, 185, 315(1986)
643. Fiber-optic fluorescing sensor for ammonia  
O. S. Wolfbeis and H. E. Posch, *Anal. Chim. Acta*, 185, 321 (1986)
644. Chemiluminescence determination of buprenorphine hydrochloride by flow injection analysis  
A. A. Alwarthan and A. Townshend, *Anal. Chim. Acta*, 185, 329 (1986)

645. Membrane-dialyzer injection loop for enhancing the selectivity of anion-responsive liquid-membrane electrodes in flow systems. Part 1. A sensing system for  $\text{NO}_x$  and nitrite  
G. B. Martin and M. E. Meyerhoff, *Anal. Chim. Acta*, 186, 71(1987)
646. Membrane-dialyzer injection loop for enhancing the selectivity of anion-responsive liquid-membrane electrodes in flow systems. Part 2. A selective sensing system for salicylate  
Q. Chang and M. E. Meyerhoff, *Anal. Chim. Acta*, 186, 81(1986)
647. Bipolar Pulse conductometric detection of enzyme reactions in flow-injection systems. Urea in serum and urine  
D. Taylor and T. A. Nieman, *Anal. Chim. Acta*, 186, 91(1986)
648. Flow-injection determination of adenosine and inosine in blood plasma with immobilized enzyme columns connected in series and fluorimetric detection  
Y. Hayashi, K. Zaitso and Y. Ohkura, *Anal. Chim. Acta*, 186, 131(1986)
649. Flow-injection configurations for chromium speciation with a single spectrophotometric detector  
J. Ruz, A. Rios, M. D. Luque de Castro and M. Valcarcel, *Anal. Chim. Acta*, 186, 139(1986)
650. Determination of lead in the urine of exposed and unexposed adults by extraction and flow-injection/atomic absorption spectrometry  
J. L. Burguera, M. Burguera, L. La Cruz O and O. R. Naranjo, *Anal. Chim. Acta*, 186, 273(1986)
651. Spectrophotometric flow-injection determination of nitrate based on reduction with titanium(III) chloride  
A. Al-Wehaid and A. Townshend, *Anal. Chim. Acta*, 186, 289 (1986)
652. Fluoride ion-selective electrode in flow injection analysis. Part 2. Interference studies  
W. Frenzel and P. Bratter, *Anal. Chim. Acta*, 187, 1(1986)
653. Simultaneous flow-injection fluorimetric determination of ammonia and hydrazine with a novel mode of forming pH gradients  
A. Rios, M. D. Luque de Castro and M. Valcarcel, *Anal. Chim.*

- Acta, 187, 139(1986)
654. Dispersion in phase separators for flow-injection extraction systems  
K. Backstrom, L.-G. Danielsson and L. Nord, Anal. Chim. Acta, 187, 255(1986)
655. An automated flow-injection extraction method for determination of bittering compounds in beer  
Y. Sahlestrom, S. Twengstrom and B. Karlberg, Anal. Chim. Acta, 187, 339(1986)
656. Kinetic treatment of unsegmented flow systems. Part 4. Equations for a system with gradient chamber corrected to account for detectors with finite sensitivities  
P. Jager and H. L. Pardue, Anal. Chim. Acta, 187, 343(1986)
657. The fluoride ion-selective electrode in flow injection analysis. Part 3. Applications  
W. Frenzel and P. Bratter, Anal. Chim. Acta, 188, 151(1986)
658. Flow-injection catalytic determination of molybdenum with biamperometric detection in a microprocessor-controlled system  
M. Trojanowicz, A. Hulanicki, W. Matuszewski, M. Palys, A. Fuksiewicz, T. Hulanicka-Michalak, S. Raszewski, J. Szyller and W. Augustyniak, Anal. Chim. Acta, 188, 165(1986)
659. Voltammetric/amperometric detection for flow-injection systems.  
C. E. Lunte, Sy-Wen. Wong, T. H. Ridgway, W. R. Heineman and K. W. Chan, Anal. Chim. Acta, 188, 263(1986)
660. Automated flow-injection procedures for glycerol and triglycerides  
M. Masoom and P. J. Worsfold, Anal. Chim. Acta, 188, 281(1986)
661. Spectrophotometric flow-injection determination of cellobiose dehydrogenase activity in fermentation samples with 2,6-dichlorophenolindopheol  
K. A. Holm, Anal. Chim. Acta, 188, 285(1986)
662. Spectrophotometric determination of chlorhexidine with bromocresol green by flow-injection and manual methods  
J. M. Calatayud and P. C. Falco, Anal. Chim. Acta, 189, 323(1986)
663. Flow-injection analysis - a survey of its potential for continuous monitoring of industrial processes

- J. Ruzicka, Anal. Chim. Acta, 190, 155(1986)
664. Industrial process control by flow injection analysis  
M. Gisin and C. Thommen, Anal. Chim. Acta, 190, 165(1986)
665. On-line electrolytic dissolution of alloys in flow-injection analysis. Part 1. Principles and application in the determination of soluble aluminium in steels  
H. Bergamin F., F. J. Krug, E. A. G. Zagatto, E. C. Arruda and C. A. Coutinho, Anal. Chim. Acta, 190, 177(1986)
666. Potentiometric and spectrophotometric flow-injection determination of metal ions with use of metal ion buffers  
N. Ishibashi, T. Imato and K. Tsukiji, Anal. Chim. Acta, 190, 185(1986)
667. Removal of humic acid and surfactant interferences in trace metal determinations by differential-pulse anodic stripping voltammetry with use of adsorption and chelate ion-exchange columns in a flow-injection system  
X. Yang, L. Risinger and G. Johansson, Anal. Chim. Acta, 192, 1(1987)
668. Spectrofluorimetric flow-injection determination of tertiary amines in non-aqueous media  
I. R. C. Whiteside, P. J. Worsfold and A. Lynes, Anal. Chim. Acta, 192, 77(1987)
669. The spectrophotometric determination of iron(III) in a flow-injection system with a mixed solvent  
T. J. Cardwell, D. Caridi, R. W. Catrall and C. Hamilton, Anal. Chim. Acta, 192, 129(1987)
670. Novel flow injection/potentiometric measurement of slightly soluble salts in small volumes: Determination of solubility product constants of some silver salts.  
A. T. Haj-Hussein and G. D. Christian, Anal. Lett., 19, 825(1986)
671. Rapid determination of fluoride in potable waters by potentiometric flow injection analysis  
D. E. Davey, D. D. Mulcahy and G. R. O'Connell, Anal. Lett., 19, 1387(1986)
672. Flow-injection analysis of chloride in milk with a dialyzer and coated tubular inorganic chloride-selective electrode  
J. F. van Staden, Anal. Lett., 19, 1407(1986)
673. The analysis of galvanizing preflux solutions for zinc by flow injection-flame atomic absorption spectrometry



- D. E. Davey, *Anal. Lett.*, 19, 1573(1986)
674. Didodecyldimethylammonium bromide bilayer vesicle-catalyzed and uranine-sensitized chemiluminescence for determination of free cyanide at picogram levels by flow injection method  
M. Ishii, M. Yamada and S. Suzuki, *Anal. Lett.*, 19, 1591(1986)
675. Flow injection analysis of lactate and lactate dehydrogenase using an enzyme membrane in conjunction with a modified electrode  
F. Scheller, F. Schubert, B. Olsson, L. Gorton and G. Johansson, *Anal. Lett.*, 19, 1691(1986)
676. Flow injection spectrofluorimetric determination of terbium (III) based on solubilizing its ternary complex in micellar solution  
M. Aihara, M. Aarai and T. Takedatsu, *Anal. Lett.*, 19, 1907 (1986)
677. Determination of paracetamol by a flow injection-spectrophotometric method  
J. M. Calatayud, M. C. P. Marti and S. S. Vives  
*Anal. Lett.*, 19, 2023(1986)
678. Chemiluminescent method for flow injection analysis of anions.  
M. M. Cooper and S. R. Spurlin, *Anal. Lett.*, 19, 2221(1986)
679. Investigation of a chemiluminescent system for the determination of ammonia by flow-injection analysis  
P. R. Kraus and S. R. Crouch, *Anal. Lett.*, 20, 183(1987)
680. Simultaneous determination of three species by flow injection analytical method using enzyme-immobilized open-tubular reactors  
F. Morishita, Y. Nishikawa and T. Kojima, *Anal. Sci.*, 2, 411(1986)
681. Determination of potassium in river water by solvent extraction-flow injection analysis  
T. Iwachido, M. Onoda and S. Motomizu, *Anal. Sci.*, 2, 493 (1986)
682. Electrogenerated chemiluminescence detector for flow injection analysis  
M. Sato and T. Yamada, *Anal. Sci.*, 2, 529(1986)
683. Determination of glucose by flow injection analysis with merging zone technique

- K. Uchida, D. Yoshizawa, M. Tomoda and S. Saito, *Anal. Sci.*, 3, 181(1987)
684. Extended range calibrations by flow injection analysis  
J. F. Tyson, *Anal. Proc. (London)*, 23, 304(1986)
685. The determination of dissolved humic substances in river waters using flow injection analysis with fluorometric detection  
W. A. McCrum, *Anal. Proc. (London)*, 23, 307(1986)
686. Flow injection analysis as a sample handling technique for diode array spectroscopy  
K. Wol and P. J. Worsfold, *Anal. Proc. (London)*, 23, 365 (1986)
687. Problems in the application of ion-selective electrodes to serum lithium analysis  
U. P. Y. Gadzekpo, G. J. Moody and J. D. R. Thomas, *Analyst (London)*, 111, 567(1986)
688. Determination of iron in iron ores using enthalpimetric flow injection analysis  
C. Pasquini and W. A. De Oliveira, *Analyst (London)*, 111, 857(1986)
689. Reverse flow injection formation of monitorands in direct and indirect online flow injection analysis methods  
A. G. Fogg, *Analyst (London)*, 111, 859(1986)
690. Automated procedure for pH measurement using a flow cell  
M. R. Howson, W. A. House and A. D. Pethybridge, *Analyst*, 111, 1215(1986)
691. Flow injection determination of nitrite by amperometric detection at a modified electrode.  
J. A. Cox and K. R. Kulkarni, *Analyst (London)*, 111, 1219 (1986)
692. Electrodes in series. Simultaneous flow injection determination of chloride and pH with ion-selective electrodes  
J. F. Van Staden, *Analyst (London)*, 111, 1231(1986)
693. Modified platinum wire glucose oxidase amperometric electrode  
G. J. Moody, G. S. Sanghera and J. D. R. Thomas, *Analyst (London)*, 111, 1235(1986)
694. Automated flow injection spectrophotometric determination of zinc using zincon: Applications to analysis of waters, alloys,

and insulin formulations

M. A. Koupparis and P. I. Anagnostopoulou, *Analyst* (London), 111, 1311(1986)

- 695 Determination of the stoichiometry for complexes by flow procedures. Molar-ratio and asmus methods  
J. M. Calatayud, P. C. Falco and M. C. P. Marti, *Analyst*, 111, 1317(1986)
696. Bioluminescence assays with immobilised bacterial luciferase using flow injection analysis  
A. Nabi and P. J. Worsfold, *Analyst*, 111, 1321(1986)
697. Spectrophotometric determination of selenium(IV) and selenium(VI) with flow injection  
P. Linares, M. D. Luque de Castro and M. Valcarcel, *Analyst* 111, 1405(1986)
798. Lithium ion-selective electrodes containing TOPO:  
Determination of serum lithium by flow injection analysis  
R. Y. Xie and G. D. Christian, *Analyst*, 112, 61(1987)
799. Chemically immobilized bi-enzyme electrodes in the redox mediated mode for the flow injection analysis of glucose and hypoxanthine  
G. J. Moody, G. S. Sanghera and J. D. R. Thomas, *Analyst* (London),112, 65(1987)
700. Determination of potassium bromate in flour by flow injection analysis  
B. G. Osborne, *Analyst* (London), 112, 137(1987)
701. Determination of analytical parameters in drinking water by flow injection analysis. Part 1. Simultaneous determination of pH, alkalinity, and total ionic concentration  
F. Canete, A. Rios, M. D. Luque de Castro and M. Valcarcel, *Analyst* (London), 112, 263(1987)
702. Determination of analytical parameters in drinking water by flow injection analysis. Part 2. Simultaneous determination of calcium and magnesium  
F. Canete, A. Rios, M. D. Luque de Castro and M. Valcarcel, *Analyst* (London), 112, 267(1987)
703. Turbidimetric determination of chlorhexidine using flow injection analysis  
J. M. Calatayud, P. C. Falco, A. S. Sampedro, *Analyst*, 112, (1986)

704. Flow injection analysis-use of immobilized enzymes for the determination of ethanol in serum  
J. Ruz, M. D. Luque de Castro and M. Valcarcel, *Analyst* (London), 112, 259(1987)
705. Simultaneous determination of organic isomers in mixtures by flow injection analysis with a diode array photodetector  
B. Bermudez, F. Lazaro, Luque de Castro, D. Maria and M. Valcarcel, *Analyst* (London), 112, 535(1987)
706. Flow Injection Atomic Absorption Spectrometry with Air Compensation  
I. L. Garacia, M. H. Cordoba and C. S-Pedreno, *Analyst*, 112, 271(1987)
707. Iodimetric and bromimetric flow injection amperometric methods of determining sulphite in which iodine or bromine is monitored at a glassy carbon electrode  
A. G. Fogg, C. W. Guta and A. Y. Chamsi, *Analyst*, 112, 253 (1987)
708. Analytical information from doublet peaks in flow injection analysis. Part II. Determination of stability constants  
J. F. Tyson, *Analyst* (London), 112, 527(1987)
709. Diode array detectors in hydrodynamic analytical systems  
F. Lazaro, A. Rios, M. D. Luque de Castro and M. Valcarcel, *Analisis*, 14, 378(1986)
710. Some aspects of design, performance and applications of electrochemical detectors in HPLC and FIA  
K. Stulik and V. Pacakova, *Ann. Chem. (Rome)*, 76, 315(1986)
711. Automated flow injection analysis system for formaldehyde determination  
M. H. Ho, *ACS Symp. Ser.*, 316, 107(1986)
712. Determination of ultratraces of cyanide ion by FIA with surfactant bilayer vesicle-catalyzed and uranine-sensitized chemiluminescence  
M. Ishii, M. Yamada and S. Suzuki, *Bunseki Kagaku*, 35, 955 (1986)
713. Simple method for the determination of amino acids in Japanese Sake by using copper(II) ion selective electrode  
C. Ohtsuka, H. Wada, Y. Asano and G. Nakagawa, *Bunseki Kagaku*, 35, 990(1986)
714. Characteristics and suppression of flow pulsation from peristaltic pump

- T. Uchida, K. Goto and C. Iida, *Bunseki Kagaku*, 36, 54(1987)
715. Spectrophotometric determination of nitrate ion using nitrosation/FIA  
S. C. Rui, S. Motomizu and K. Toei, *Bunseki Kagaku*, 36, 207 (1987)
716. Rapid determination of zinc in seawater by column preconcentration/AAS  
S. Hirata and K. Honda, *Bunseki Kagaku*, 36, 213(1987)
717. Determination of Ni in Ni-Fe alloy thin films by FIA  
F. Shirato, Y. Okajima, T. Kuroishi and Y. Takata, *Bunseki Kagaku*, 36, 233(1987)
718. Rapid and sensitive determination of proteins in biological samples by FIA  
T. Shuto, M. Koga, I. Tanaka, T. Akiyama and H. Igisu, *Bunseki Kagaku*, 36, 256(1987)
719. Cyclic FIA for determination of free cyanide  
M. Ishii, M. Yamada and S. Suzuki, *Bunseki Kagaku*, 36, 316 (1987)
720. Asymmetric reduction of aromatic ketone in a continuous flow system  
S. Itsuno, K. Ito, T. Maruyama, N. Kanda, A. Hirao and S. Nakahama, *Bull. Chem. Soc. Jpn.*, 59, 3329(1986)
721. Applications of an on-line preconcentrating flow injection analysis system for inductively coupled plasma atomic emission spectrometry  
S. D. Hartenstein, G. D. Christian and J. Ruzicka, *Can. J. Spectrosc.*, 30, 144(1985)
722. Determination of water in organic solvents by the Karl Fischer method under flow injection conditions  
H. Mueller, J. Seelisch and D. Kirs, *Chem. Tech. (Leipzig)* 39, 25(1987) (in German)
723. Flow injection analysis revisited  
J. Ruzicka, *CHEMTECH*, 17, 96(1987)
724. Automated dissolution testing with flow-injection analysis. Dissolution profiles for the antiviral drugs, DHPG and acyclovir, in capsule formulations  
R. A. Kenley, S. E. Jackson, G. C. Visor and J. S. Winterle, *Drug Dev. Ind. Pharm.*, 13, 39(1987)
725. Optical methods of detection in flow-injection analysis  
J. Fejes and S. Melnik, *Chem. Listy*, 80, 1009(1986)

726. A new convenient method for microdetermination of hydroxyproline by flow injection analysis  
K. Uchida, T. Shibata, M. Tomoda, S. Saito and S. Inayama, Chem. Pharm. Bull., 34, 2649(1986)
727. Ion-selective electrode-flow injection analysis  
W. Han and L. Fan, Fenxi Huaxue, 14, 387(1986) (in Chinese)
728. Flow injection techniques in atomic spectroscopy  
Z. Fang, Fenxi Huaxue, 14, 549(1986) (in Chinese)
729. Determination of aluminium in hemodialysis fluids by a flow injection system with preconcentration on a synthetic chelate-forming resin and flame atomic absorption spectrophotometry  
P. Hernandez, L. Hernandez and J. Losada, Fresenius' Z. Anal. Chem., 325, 300(1986)
730. Incorporation of a coated tubular solid-state iodide-selective electrode into the conduits of a flow-injection system  
J. F. Van Staden, Fresenius' Z. Anal. Chem., 325, 247(1986)
731. Flow-injection determination of nitrate in natural waters with copper- and copperized cadmium tubes in the reaction manifold system  
J. F. Van Staden, A. E. Joubert and H. R. Van Vliet, Fresenius' Z. Anal. Chem., 325, 150(1986)
732. Evaluation of dispersion in a flow injection system by electrochemical detector and personal computer  
T. Kakizaki, K. Hasebe and H. Yoshida, Fresenius' Z. Anal. Chem., 326, 214(1987)
733. Rapid potentiometric determination of hypochlorite  
C. Macca, Fresenius' Z. Anal. Chem., 326, 559(1987)
734. Combined flow injection analysis and atomic absorption spectroscopy  
C. Fang, S. Xu, X. Wang and S. Zhang, Guangpuxue Yu Guangpu Fenxi, 6, 31(1986) (in Chinese)
735. Automated measuring system for biological wastewater treatment plant with biological removal of phosphate  
K. M. Pedersen, P. Haagensen, M. Kuemmel and H. Soeberg, IFAC Proc. Ser., 131(1986)
736. Catalytic kinetic method of analysis with flow injection system, T. Yamane

- J. Flow Injection Anal., 3(2), 77(1986) (in Japanese)
737. Simulation of FIA peak without molecular diffusion in laminar capillary flow injection  
T. Korenaga, H. Yoshida, Y. Yokota, S. Kaseno and T. Takahashi, J. Flow Injection Anal., 3(2), 91(1986) (in Japanese)
738. Flow injection analysis of organic acids and amino acids in Sake(Japanese Rice Wine) by using pH-sensitive glass electrode and acid-base buffer solution  
T. Imato, C. Azemori, Y. Asano and N. Ishibashi, J. Flow Injection Anal., 3(2), 103(1986) (in Japanese)
739. Flow-injection analysis  
J. Yamamoto, M. Yamamoto and M. Yasuda, Japan Kokai Tokkyo Koho ; JP 8607467 A2 ; JP 6107467, Date; 860114, (in Japanese)
740. Determination of total nonstructural carbohydrates in forage tissue by p-hydroxybenzoic acid hydrazide flow injection analysis  
J. D. Trent and S. Christiansen, J. Agric. Food Chem., 34, 1033 (1986)
741. A variable dispersion flow injection manifold for calibration and sample dilution in flame atomic absorption spectrometry  
J. F. Tyson, J. R. Mariara and J. M. H. Appleton, J. Anal. At. Spectrom., 1, 273(1986)
742. The ASYST language for the IBM PC: an application to flow injection analysis  
J. W. Keller, T. F. Gould and K. T. Aubert, J. Chem. Educ. 63, 709 (1986)
743. Use of a reversibly immobilized enzyme in the flow injection-amperometric determination of picomole glucose levels  
C. E. Lomen, U. De Alwis and G. S. Wilson, J. Chem. Soc., Faraday Trans. 1, 82, 1265(1986)
744. Pulsed amperometric detection of sulfur compounds. Part I. Initial studies at platinum electrodes in alkaline solutions  
T. Z. Polta and D. C. Johnson, J. Electroanal. Chem. Interfacial Electrochem., 209, 159(1986)
745. An investigation of the influences of the background material and layer thickness of sputtered palladium/gold on carbon electrodes for the amperometric determination of

- hydrogen peroxide  
L. Gorton and T. Svensson, *J. Mol. Catal.*, 38, 49(1986)
746. Determination of hydrogen sulfide in seawater using flow injection analysis and flow analysis  
C. M. Sakamoto-Arnold, K. S. Johnson and C. L. Beehler, *Limnol. Oceanogr.* 31, 894(1986)
747. Indirect atomic absorption determination of aluminum by flow injection analysis  
P. Martinez-Jimenez, M. Gallego and M. Valcarcel, *Microchem. J.*, 34, 190(1986)
748. Trace metal ion preconcentration for flame atomic absorption by an immobilized N,N,N'-tri-(2-pyridylmethyl)ethylenediamine (TriPEN) chelate ion exchanger in a flow injection system  
M. Bengtsson, F. Malamas, A. Torstensson, O. Regnell and G. Johansson, *Mikrochim. Acta*, 3, 209(1986)
749. Simultaneous determination of chromium(VI) and chromium(III) by flame atomic absorption spectrometry with the chelating ion-exchange flow injection system  
E. B. Milosavljevic, L. Solujic and J. H. Nelson, *Mikrochim. Acta*, 3, 353(1986)
750. Determination of calcium in chlor-alkali brine by flow injection analysis  
H. Wada, Y. Deguchi and G. Nakagawa, *Microchim. Acta*, 3, 395 (1986)
751. Correction for conductometric flow injection analysis of the salt content in food  
K. Matsumoto, K. Ishida and Y. Osajima, *Nippon Shokuhin Kogyo Gakkaishi*, 33, 345(1986)
752. Application of conductometric flow injection analysis to the salt contents in soy sauce and Worcester sauce  
K. Matsumoto, K. Ishida and Y. Osajima, *Nippon Shokuhin Kogyo Gakkaishi*, 33, 450(1986)
753. Pressure transient analysis of carbon dioxide and enriched gas injection and production wells  
D. J. MacAllister, *Proc. Annu. Southwest. Pet. Short Course*, 33, 165(1986)
754. Determination of cobalt and manganese in blood serum by flow injection analysis and atomic absorption spectroscopy  
N. Leon, J. L. Burguera, M. Burguera and O. M. Alarcon, *Rev. Roum. Chim.*, 31, 353(1986)



755. Studies of the analyte-carrier interface in multicomponent flow injection analysis  
D. S. Brown, Report, DOE/ER/13202-1 (1985)
756. Flow injection analysis: twelve years old and growing  
J. T. J. Dobbins and J. M. Martin, Spectroscopy (Springfield, Oreg.), 1, 20, 22, 24, 26-9(1986)
757. Determination of levamisole hydrochloride with tetraiodomercurate(2-) by a turbidimetric method and flow-injection analysis  
J. M. Calatayud and C. Falco, Talanta, 33, 685(1986)
758. Fluorometric determination of nitrite in natural waters with 3-aminonaphthalene-1,5-disulphonic acid by flow-injection analysis  
S. Motomizu, H. Mikasa and K. Toei, Talanta, 33, 729(1986)
759. Evaluation of single-point calibration in flow potentiometric stripping analysis  
B. Hoyer and L. Kryger, Talanta, 33, 883(1987)
760. Fluorimetric differential-kinetic determination of silicate and phosphate in waters by flow-injection analysis  
P. Linares, M. D. Luque de Castro and M. Valcarcel, Talanta, 33, 889(1987)
761. Comparison of inorganic films and poly(4-vinylpyridine) coatings as electrode modifiers for flow-injection systems  
J. A. Cox and K. R. Kulkarni, Talanta, 33, 911(1986)
762. Determination of cadmium, lead and copper in milk and milk powder by means of flow potentiometric stripping analysis  
L. Almestrand, D. Jagner and L. Renman, Talanta, 33, 991 (1986)
763. Determination of ultratrace amounts of cobalt by catalysis of the tiron-hydrogen peroxide reaction with an improved continuous-flow analysis system  
K. Isshiki and E. Nakayama, Talanta, 34, 277(1987)
764. Determination of nitrogen, phosphorus and anionic surfactant in water by flow injection analysis  
S. Motomizu and Kankyo Gijutsu, 15, 525(1986)
765. Flow-injection analysis. Determination of lead and sulfate ions by using a lead-selective electrode  
L. K. Shpigun, I. D. Eremina and Y. A. Zolotov, Zh. Anal. Khim., 41, 1557(1986)
766. Flow injection catalytic photometric determination of trace

iodine in rock and ore samples.

K. Li and P. Hua, Yanshi Kuangwu Ji Ceshi, 2, 314(1984)  
(in Chinese)

767. Flow-injection analysis. Spectrophotometric determination  
of nickel

L. K. Shpigun, I. Y. Kolotyrkina and Y. A. Zolotov, Zh.  
Anal. Chim, 41, 1224(1986)

768. Flow injection analysis and application in clinical  
chemistry

B. Xia and P. Mo, Zhonghua Yixue Jianyan Zazhi, 9, 117(1986)  
(in Chinese)

769. Method and apparatus for determination of multiple  
independent end points by flow injection titration

D. K. Wolcott, D. G. Hunt and E. D. Graves, Patent, DE  
3622468 A1 DATE: 870115 (in German)

770. Successive determination of nitrate and nitrite by flow  
injection analysis

M. Tomoda, A. Maho, H. Uchida, H. Satake, H. Ishikawa and S.  
Saito, Suido Kyokaishi, 56(3), 52 (1987) (in Japanese)