

FIA Bibliography (IX)

Toshihiko Imato* and Hiroki Ohura**
Kyushu University*
Kyushu Sangyo University**

FIA-related papers appeared since 1984 have been compiled in this FIA Bibliography section. About nine hundred papers were listed in the previous section (references 226-228, 342, 501, 598, 771, 953). All papers in this section are numbered in series and shown with the titles in English. The readers are requested to send us the reprints of their FIA-related papers that have not yet been listed in this section

* Department of Applied Analytical Chemistry, Faculty of Engineering, Kyushu University, Hakozaki, Higashi-ku, Fukuoka, 812, JAPAN

** Department of Industrial Chemistry, Faculty of Engineering, Kyushu Sangyo University, Matsugadai, Higashi-ku, Fukuoka, 813, JAPAN

953. FIA Bibliography (VIII)
T. Imato and H. Ohura, *J. Flow Injection Anal.*, 4, 146 (1987)
954. Recent developments in electrochemical detection for flow injection analysis
P. T. Tougas, *Am. Lab. (Fairfield, Conn.)*, 19, 38, 40, 44, 46, 48 (1987)
955. Direct nanogram quantitation of nucleic acid and protein with a continuous-flow microcell
J. Zhu, A. Rashidbaigi and S. Pestka, *Anal. Biochem.*, 169, 138 (1988)
956. Continuous solvent extraction in a closed-loop system
R. H. Atallah, J. Ruzicka and G. D. Christian, *Anal. Chem.*, 59, 2909 (1987)
957. Implementation of ion-exchanger absorptiometric detection in flow analysis systems
K. Yoshimura, *Anal. Chem.*, 59, 2922 (1987)
958. Gas-diffusion unit with tubular microporous poly(tetra-

- fluoroethylene) membrane for flow-injection determination of carbon dioxide
S. Motomizu, K. Toei, T. Kuwaki and M. Oshima, *Anal. Chem.*, 59, 2930 (1987)
959. Selective chlorine determination by gas-diffusion flow injection analysis with chemiluminescent detection
J. R. Gord, G. Gordon and G. E. Pacey, *Anal. Chem.*, 60, 2 (1988)
960. Simultaneous determination of glucose, fructose, and sucrose in mixtures by amperometric flow injection analysis with immobilized enzyme reactors
K. Matsumoto, H. Kamikado, H. Matsubara and Y. Osajima, *Anal. Chem.*, 60, 147 (1988)
961. Voltammetric determination of traces of nickel(II) with a medium exchange flow system and a chemically modified carbon paste electrode containing dimethylglyoxime
K. N. Thomsen, L. Kryger and R. P. Baldwin, *Anal. Chem.*, 60, 151 (1988)
962. Peak readout device for transient signals from flow injection analysis
W. E. Bauer, A. P. Wade and S. R. Crouch, *Anal. Chem.*, 60, 287 (1988)
963. Behavior of liposomes in flow injection systems
L. L.-Brown, A. L. Plant and R. A. Durst, *Anal. Chem.*, 60, 792 (1988)
964. Modeling chemical response surfaces with the Kalman filter
D. P. Wentzell, P. A. Wade, R. S. Crouch, *Anal. Chem.*, 60, 905 (1988)
965. Multidetector flow-injection techniques for manipulation of sensitivity. Amplification and dilution methods
A. Rios, F. Iazaro, M. D. Luque de castro and M. Valacarcel, *Anal. Chim. Acta*, 199, 15 (1987)
966. Versatile automatic stopped-flow system for routine analysis
A. Loriguillo, M. Silva and D. P.-Bendito, *Anal. Chim. Acta*, 199, 29 (1987)
967. Determination of nickel, cobalt, copper and uranium in water by cathodic stripping chronopotentiometry with continuous flow
M. P. Newton and C. M. G. van den Berg, *Anal. Chim. Acta*, 199, 59 (1987)
968. A simple stopped-flow method with continuous pumping for the spectrophotometric flow-injection determination of

boron in plants

- M. A. Z. Arruda and E. A. G. Zagatto, *Anal. Chim. Acta*, 199, 137 (1987)
969. Anodic response to oxygen of an electrochemical detector in high-performance liquid chromatography and flow-injection analysis
J. B. F. Lloyd, *Anal. Chim. Acta*, 199, 161 (1987)
970. Sandwich techniques in flow injection analysis. Part 1. Continuous recalibration techniques for process control
J. Alonso, J. Bartroli, M. del Valle, M. Escalada and R. Barder, *Anal. Chim. Acta*, 199, 191 (1987)
971. Determination of paraquat by flow-injection spectrophotometry
E. Chico Guijarro, P. Yanez-Sedeno and L. M. Polo Diez, *Anal. Chim. Acta*, 199, 203 (1987)
972. Continuous-flow determination of manganese in natural waters containing iron
D. J. Hydes, *Anal. Chim. Acta*, 199, 221 (1987)
973. Chemical kinetics with reagent dispersion in single-line flow-injection systems
J. M. Hungerford and G. D. Christian, *Anal. Chim. Acta*, 200, 1 (1987)
974. The trace determination of some heavy metals in waters by flow-injection spectrophotometry and potentiometry
Y. A. Zolotov, L. K. Shpigun, I. Y. Kolotyrkina, E. A. Novikov and O. V. Bazanova, *Anal. Chim. Acta*, 200, 21 (1987)
975. Fundamental and practical considerations in the design of on-line column preconcentration for flow-injection atomic spectrometric systems
Z. Fang, S. Xu and S. Zhang, *Anal. Chim. Acta*, 200, 35 (1987)
976. Effects of ultrasonic irradiation in flow-injection systems
P. Linares, F. Lazaro, M. D. Luque de Castro and M. Valcarcel, *Anal. Chim. Acta*, 200, 51 (1987)
977. Continuous-flow enzymatic determination of creatinine with improved on-line removal of endogeneous ammonia
M. E. Collison and M. E. Meyerhoff, *Anal. Chim. Acta*, 200, 61 (1987)
978. Deoxygenation of supporting electrolytes in stripping voltammetry by glucose oxidase and catalase in a flow system
L. Risinger, X. Yang and G. Johansson, *Anal. Chim. Acta*, 200, 313 (1987)

979. Simultaneous determination of iron and copper ions by flow-injection analysis with a multichannel photodiode-array detector
H. Wada, T. Murakawa and G. Nakagawa, *Anal. Chim. Acta*, 200, 515 (1987)
980. The application of strongly reducing agents in flow injection analysis. Part 6. Molybdenum(III)
W. T. Kok, D. T. Thuy, T. V. Nghi and G. den Boef, *Anal. Chim. Acta*, 200, 533 (1987)
981. Flow potentiometric and constant-current stripping analysis for mercury(II) with gold, platinum and carbon fibre working electrode. Application to the analysis of tap water
H. Huiliang, D. Jangner and L. Renman, *Anal. Chim. Acta*, 201, 1 (1987)
982. Micellar-catalyzed reactions for flow-injection systems. Determination of pyridoxal
M. A. H. Torres, M. G. Khaledi and J. G. Dorsey, *Anal. Chim. Acta*, 201, 67 (1987)
983. Reagent-injection flow analysis: application to the determination of nanomolar levels of hydrogen peroxide in seawater
K. S. Johnson, C. M. Sakamoto-Arnold, S. W. Willason and C. L. Beehler, *Anal. Chim. Acta*, 201, 83 (1987)
984. Unsteady motion in single-line flow-injection systems
S. D. Kolev and E. Pungor, *Anal. Chim. Acta*, 201, 109 (1987)
985. Automated determination of total arsenic in sea water by flow constant-current stripping analysis with gold fibre electrodes
C. Hua, D. Jangner and L. Renman, *Anal. Chim. Acta*, 201, 263 (1987)
986. Determination of mercury in air by means of computerized flow constant-current stripping analysis with a gold fibre electrode
H. Huiliang, D. Jangner and L. Renman, *Anal. Chim. Acta*, 201, 269 (1987)
987. Continuous flow extraction of indium with bis(2-ethylhexyl) phosphoric acid in 4-methylpentane-2-one coupled on-line with flame atomic absorption spectrometry
J. Coello, L.-G. Danielsson and S. Hernandez-Cassou, *Anal. Chim. Acta*, 201, 325 (1987)
988. Flow-injection determination of europium after on-line

- reduction
K. H. Al-Sowdani and A. Townshend, *Anal. Chim. Acta*, 201, 339 (1987)
989. Use of microemulsions in flow injection analysis: spectrophotometric determination of copper
M. H. Memon and P. J. Worsfold, *Anal. Chim. Acta*, 201, 345 (1987)
990. On-line electrochemical derivatization combined with diode-array detection in flow-injection analysis. Rapid determination of etoposide and teniposide in blood plasma
M. A. J. van Opstal, J. S. Blauw, J. J. M. Holthuis, W. P. van Bennekom and A. Bult, *Anal. Chim. Acta*, 202, 35 (1987)
991. Simultaneous determination of mercury(II), copper(III) and bismuth(III) in urine by flow constant-current stripping analysis with a gold fibre electrode
H. Huiliang, D. Jagner and L. Renman, *Anal. Chim. Acta*, 202, 117 (1987)
992. Flow constant-current stripping analysis for antimony(III) and antimony(V) with gold fibre working electrodes. Application to natural waters
H. Huiliang, D. Jagner and L. Renman, *Anal. Chim. Acta*, 202, 123 (1987)
993. A flow-through cell for use with an enzyme-modified field effect transistor without polymeric encapsulation and wire bonding
S. Shiono, Y. Hanazato, M. Nakako and M. Maeda, *Anal. Chim. Acta*, 202, 131 (1987)
994. Sequential determination of glucose and fructose in foods by flow-injection analysis with immobilized enzymes
P. Linares, M. D. L. de Castro and M. Valcarcel, *Anal. Chim. Acta*, 202, 199 (1987)
995. Determination of naphthols by flow-injection chemiluminescence
S. A. Al-Tamrah and A. Townshend, *Anal. Chim. Acta*, 202, 247 (1987)
996. Application of a stopped-flow time-difference technique to spectrophotometric determination of ultratrace levels of phosphate
K. I. Kanaya and K. Hiromi, *Anal. Chim. Acta*, 203, 35 (1987)
997. Flow-injection analysis as a diagnostic technique for development and testing of chemical sensors
T. D. Yerian, G. D. Christian and J. Ruzicka, *Anal. Chim.*

- Acta, 204, 7 (1988)
998. Optimization criteria for a single bead-string reactor in flow injection analysis based on consecutive kinetic reactions
J. J. F. van Veen, M. A. J. van Opstal, J. M. Reijn, W. P. van Bennekon and A. Bult, Anal. Chim. Acta, 204, 29 (1988)
999. Flow-injection determination of starch and total carbohydrate with an immobilized glucoamylase reactor and pulsed amperometric detection
L. A. Larew, D. A. Mead, Jr. and D.C. Johnson, Anal. Chim. Acta, 204, 43 (1988)
1000. Flow-injection spectrophotometric determination of silicate, phosphate and arsenate with on-line column separation
Y. Narusawa, Anal. Chim. Acta, 204, 53 (1988)
1001. Determination of sucrose in sugar-cane juice and malasses by flow-injection spectrophotometry
E. A. G. Zagatto, I. L. Mattos and A. O. Jacintho, Anal. Chim. Acta, 204, 259 (1988)
1002. Automated flow-injection determination of sulfonamides by the Bratton-Marshall reaction for clinical analysis, assays and dissolution studies of formulation
M. A. Koupparis and P. I. Anagnostopoulou, Anal. Chim. Acta, 204, 271 (1988)
1003. Continuous-flow molecular emission cavity analysis for organic sulphur compounds by alkaline hydrolysis
N. Grekas and A. C. Calokerinos, Anal. Chim. Acta, 204, 285 (1988)
1004. Photo-cured polymers in ion-selective electrode membranes. Part 3. A potassium electrode for flow injection analysis
T. J. Cardwell, R. W. Cattrall, P. J. Iles and I. C. Hamilton, Anal. Chim. Acta, 204, 329 (1988)
1005. Flow-injection determination of secondary amines in non-aqueous solution with fluorescence detection
I. R. C. Whiteside, P. J. Worsfold and E. H. Mckerrell, Anal. Chim. Acta, 204, 343 (1988)
1006. Direct coupling of intracerebral dialysis with flow injection analysis based on enzymatic/fluorescence detection of lactic acid
W. G. Kuhr and J. Korf, Anal. Chim. Acta, 205, 53 (1988)
1007. Flow-injection determination of sugars with immobilized enzyme reactors and chemiluminescence detection
C. A. Swindlehurst and T. A. Nieman, Ana. Chim. Acta, 205,

- 195 (1988)
1008. Bioluminescence flow system for determination of branched-chain L-amino acids in serum and urine
S. Girotti, A. Roda, M. A. Angellotti, S. Ghini, G. Carrea, R. Bovara, S. Piazzini and R. Merighi, *Anal. Chim. Acta*, 205, 229 (1988)
1009. Determination of tetracycline by flow injection with chemiluminescence detection
A. A. Alwarthan and A. Townshend, *Anal. Chim. Acta*, 205, 261 (1988)
1010. Flow injection manifold for simultaneous spectrophotometric determination of Bi(II) and Pb(II)
J. M. Calatayud, R. M. Albert and P. Camplo, *Anal. Lett.*, 20, 1379 (1987)
1011. Multifunction valve for flow injection analysis
J. Toei, *Anal. Lett.*, 20, 1951 (1987)
1012. Determination of urea in undiluted blood samples by flow injection analysis using optosensing
B. A. Petersson, H. B. Andersen and E. H. Hansen, *Anal. Lett.*, 20, 1977 (1987)
1013. Advances in flow injection analysis with coated tubular ion-selective electrode units
Van Staden, J. F., *Anal. Proc. (London)*, 24, 331 (1987)
1014. Solvent extraction-spectrophotometric determination of trace orthophosphate in water by stopped-flow time difference analysis technique
K. Kanaya and K. Hiromi, *Anal. Sci.*, 3, 531 (1987)
1015. Fluorometric flow injection analysis of saliva for nitrite
T. Ohta, Y. Arai and S. Takitani, *Anal. Sci.*, 3, 549 (1987)
1016. Simultaneous determination of triglycerides and B-D-Glucose by flow injection analysis using enzyme immobilized open tubular reactors
S. Yonezawa, F. Morishita, and T. Kojima, *Anal. Sci.*, 3, 553 (1987)
1017. Flow injection-fluorometric determination of amino acids utilizing enhanced catalytic reaction
H. Mori and K. Natsume, *Anal. Sci.*, 3, 581 (1987)
1018. Determination of sub-nmol hydrogen peroxide by electrochemiluminescence of luminol in aqueous solution
S. Sakura, H. Imai, *Anal. Sci.*, 4, 9 (1988)
1019. Continuous micro flow analysis system for monitoring total mercury at sub-ppb level in wastewater

- M. Goto, S. Kumagai and D. Ishii, *Anal. Sci.*, 4, 87 (1988)
1020. Applicability of chromogenic 14-crown-4 derivative to extraction-spectrophotometric flow injection analysis for lithium ion in blood serum
K. Kimura, S. Iketani, H. Sakamoto and T. Shono, *Anal. Sci.*, 4, 221 (1988)
1021. Rapid, miniaturised procedure for the determination of glucose based on flow injection principles
J. Toei, *Analyst (London)*, 112, 1565 (1987)
1022. Determination of reducing sugars in wine by flow injection analysis
A. Maquieira, M. D. L. de Castro and M. Valcarcel, *Analyst (London)*, 112, 1569 (1987)
1023. Catalytic-polarographic determination of vanillylmandelic acid in urine a continuous de-oxygenation-flow injection system
T. Kakizaki, K. Hasebe and H. Yoshida, *Analyst (London)*, 112, 1593 (1987)
1024. Chemically immobilised tri-enzyme electrode for the determination of sucrose using flow injection analysis
J. A. Hamid, G. J. Moody and J. D. R. Thomas, *Analyst (London)*, 113, 81 (1988)
1025. Membrane design and photocuring encapsulation of flatpack based ion-sensitive field effect transistors
J. G. Moody, M. J. Slater, R. D. J. Thomas, *Analyst (London)*, 113, 103 (1988)
1026. Continuous flow determination of low concentrations of ammonium ions using a gas dialysis concentrator and a gas electrode detector system
H. Hara, A. Motoike and S. Okazaki, *Analyst (London)*, 113, 113 (1988)
1027. Determination of ionic surfactants by flow injection pseudo titration
C. J. Dowle, B. G. Cooksey, (the late) J. M. Ottaway and W. C. Campbell, *Analyst (London)*, 113, 117 (1988)
1028. On-line pre-concentration and determination of lead in potable water by flow injection atomic absorption spectrometry
Y. Zhang, P. Riby, A. G. Cox, C. W. Mcleod, A. R. Date and Y. Y. Cheung, *Analyst (London)*, 113, 125 (1988)
1029. Spectrophotometric determination of boron in plants using monosegmented continuous flow analysis

- J. C. de Andrade, M. Ferreira, N. Baccan and O. C. Bataglia, *Analyst* (London), 113, 289 (1988)
1030. Simple digital counter for use with monosegmented continuous flow analysis and related techniques
J. C. de Andrade and E. M. Loboschi, *Analyst* (London), 113, 295 (1988)
1031. Measurement of rainwater pH by optosensing flow injection analysis
B. A. Woods, J. Ruzicka, G. D. Christian, N. J. Rose and R. J. Charlson, *Analyst* (London), 113, 301 (1988)
1032. Determination of clonazepam by flow injection analysis
C. Latorre, M. H. Blanco, E. L. Abad, J. Vicente and L. Hernandez, *Analyst* (London), 113, 317 (1988)
1033. Determination of ethanol using flow injection enthalpimetry
W. A. de Oliveira and C. Pasquini, *Analyst* (London), 113, 359 (1988)
1034. Continuous flow solvent extraction system for the determination of trace amounts of uranium in nuclear waste reprocessing solutions
R. H. Atallah, G. D. Christian and S.D. Hartenstein, *Analyst* (London), 113, 463 (1988)
1035. Application of ion-exchanger phase absorptiometry to flow analysis. Determination of trace amounts of chromium(VI) in water
K. Yoshimura, *Analyst* (London), 113, 471 (1988)
1036. Determination of glucose in clinical samples by flow reversal flow injection analysis
J. Toei, *Analyst* (London), 113, 475 (1988)
1037. Stopped-flow fluorimetric determination of theophylline in pharmaceutical preparations
M. C. Gutierrez, A. G.-Hens and D. P.-Bendito, *Analyst* (London), 113, 559 (1988)
1038. Continuous-flow chemiluminescence determination of sulphite and sulphur dioxide
I. I. Koukli, E. G. Sarantonis and A. C. Calokerinos, *Analyst* (London), 113, 603 (1988)
1039. Platinum-dispersed Nafion-modified glassy carbon electrode for the determination of hydrogen peroxide in a flow injection system
B. T. Tay, K. P. Ang and H. Gunasingham, *Analyst* (London), 113, 617 (1988)
1040. Surface enhanced Raman spectrometry on silver hydrosols

- studied by flow injection analysis
A. Berthod, J. J. Laserna, D. J. Winefordner, Appl. Spectrosc., 41, 1137 (1987)
1041. Automated kinetic enzyme assay for sodium/potassium ATPase by flow injection analysis
J. L. Blacik, G.H. Weinstein, M. Breen, Biochem. Arch., 3, 371 (1987)
1042. Flow chemiluminescence analysis
M. Yamada, Bunseki, (12) 83 (1987) (in Japanese)
1043. Flow injection analysis; its application to inorganic analysis
K. Oguma, Bunseki, (1) 75 (1988) (in Japanese)
1044. Determination of total carbonate-carbon in water by flow injection analysis with gas-diffusion unit
T. Kuwaki, K. Toei, M. Akiba, M. Oshima and S. Motomizu, Bunseki Kagaku, 36, T132 (1987) (in Japanese)
1045. Determination of sodium and potassium in silicates by FIA/AAS
(flow injection analysis/atomic absorption spectrometry)
T. Nara, K. Oguma, R. Kuroda, Bunseki Kagaku, 36, 851 (1987) (in Japanese)
1046. Continuous monitoring method of total nitrogen in wastewater using continuous micro flow analysis
M. Goto, S. Murofushi and D. Ishii, Bunseki Kagaku, 37, 47 (1988) (in Japanese)
1047. Continuous monitoring method of total phosphorus in wastewater using continuous micro flow analysis
M. Goto, M. Nishimura, T. Tominaga and D. Ishii, Bunseki Kagaku, 37, 52 (1988) (in Japanese)
1048. Continuous flow determination of total organic carbon in water by membrane separation / chemiluminescence detection
T. Aoki, K. Ito and M. Munemori, Bunseki Kagaku, 37, 133 (1988) (in Japanese)
1049. Bio-flow injection analysis system for estimation of fish freshness
T. Yao, Y. Matsumoto and T. Wasa, Bunseki Kagaku, 37, 236 (1988) (in Japanese)
1050. Determination of hydrogen peroxide by flow injection analysis based on the cobalt(II)-catalyzed oxidation reaction of stilbazo
T. Deguchi, R. Takeshita, A. Tanaka and I. Sanemasa, Bunseki Kagaku, 37, 248 (1988) (in Japanese)

1051. Coaparative study of solvent systems for liquid carriers and sample solvents in flow injection analysis-atomic absorption spectrometry in measurement of zinc
Attiyat, Abdulrahman S., *Can. J. Spectrosc.*, 32, 118 (1988)
1052. Assay of purine nucleoside phosphorylase in erythrocytes by flow injection analysis with fluorescence detection
Y. Hayashi, K. Zaitso, Y. Ohkura, *Chem. Pharm. Bull.*, 35, 4574 (1987)
1053. Merzing zone flow injection analysis for nitrite nitrogen and ammonia nitrogen in natural waters
Y. Yuan, *Fenxi Huaxue*, 15, 454 (1987) (in Chinese)
1054. Flow injection study of the potentiometric lithium selectivity of cyclic dioxdiamides containing oxygen and nitrogen atoms
A. S. Attiyat, Y. A. Ibrahim, A. M. Kadry, R. Y. Xie and G. D. Christian, *Fresenius' Z. Anal. Chem.*, 329, 12 (1987)
1055. Some applications of enthalpimetric detection in flow injection analysis
W. E. van der Linden, M. Bos, H. H. Heskamp and H. Wilms, *Fresenius' Z. Anal. Chem.*, 329, 440 (1987)
1056. Flow injection analysis - A survey of its potential as solution handing and data gathering technique in chemical research and industry
J. Ruzicka, *Fresenius' Z. Anal. Chem.*, 329, 653 (1987)
1057. Exploitation of gradient techniques in flow injection analysis
E. H. Hansen, *Fresenius' Z. Anal. Chem.*, 329, 656 (1987)
1058. Flow injection extraction in theory and practice
K. Karlberg, *Fresenius' Z. Anal. Chem.*, 329, 660 (1987)
1059. Flow injection calibration techniques
J. Tyson, *Fresenius' Z. Anal. Chem.*, 329, 663 (1987)
1060. Potential of modified reverse flow injection analysis for continuous monitoring and process control
W. Frenzel, *Fresenius' Z. Anal. Chem.*, 329, 668 (1987)
1061. A simple lecture demonstration of flow injection analysis
J. Tyson, *Fresenius' Z. Anal. Chem.*, 329, 675 (1987)
1062. Expansion of the dynamic range of FIA-systems for complete batch process monitoring
C. Thommen, M. Garn and M. Gisin, *Fresenius' Z. Anal. Chem.*, 329, 678 (1987)
1063. New injection valves and their application in flow injection analysis

- L. Moller, *Fresenius' Z. Anal. Chem.*, 329, 685 (1987)
1064. A new microdialysis unit for flow injection analysis
U. Sundqvist, *Fresenius' Z. Anal. Chem.*, 329, 688 (1987)
1065. Flow injection analysis with electrochemical detection
K. Cammann, *Fresenius' Z. Anal. Chem.*, 329, 691 (1987)
1066. Ion sensitive electrodes in flow injection analysis -
Improved performance and unique applications
W. Frenzel, *Fresenius' Z. Anal. Chem.*, 329, 698 (1987)
1067. Flow-injection analysis in soil research and plant analysis
K. Schaller, R. Lenhardt, V. Weber and C. Euler,
Fresenius' Z. Anal. Chem., 329, 701 (1987)
1068. Determination of sulphate by a modified FIA method and
comparison with the method DIN 38405 Part 5
B. Koch, *Fresenius' Z. Anal. Chem.*, 329, 707 (1987)
1069. Investigations on the equivalence of analytical procedures-
flow injection analysis and DIN-method in the determination
of orthophosphate in surface water
G. Schulze and A. Thiele, *Fresenius' Z. Anal. Chem.*, 329,
711 (1987)
1070. Dual-detection for optimization of gas diffusion in flow
injection analysis - Determination of ammonium and sulfide
G. Schulze, M. Brodowski, O. Elsholz and A. Thiele,
Fresenius' Z. Anal. Chem., 329, 714 (1987)
1071. On-line determination of enzymes in bioprocessing with the
emphasis on flow injection(FIA) and continuous sampling
K. H. Kroner, *Fresenius' Z. Anal. Chem.*, 329, 718 (1987)
1072. Determination of esterase activity in biological samples
G. Kloss and K. Gottmann, *Fresenius' Z. Anal. Chem.*, 329,
726 (1987)
1073. Determination of phenol in water by flow injection analysis
J. Moller and M. Martin, *Fresenius' Z. Anal. Chem.*, 329,
728 (1987)
1074. Determination of hydroxyproline in meat products by flow
injection analysis
J. Moller and A. Sjodin, *Fresenius' Z. Anal. Chem.*, 329,
732 (1987)
1075. Chemically modified electrodes as biosensors: amperometric
glucose sensor for flow injection analysis
M. A. Yacynych, V. S. Sasso, R. E. Reynolds, J. R. Geis,
GBF Monogr. Ser., 10, 69 (1987)
1076. Determination of alkylating antitumor drugs by flow
injection analysis

- M. Suzuki, T. Nishinaka, S. Takitani, *Iyakuin Kenkyu*, 5, 749 (1987) (in Japanese)
1077. Flow injection analysis of hydrogen peroxide, sulfite, formaldehyde and hydroxymethanesulfonic acid in precipitation samples
P. M. Keuken, P. F. Bakker, A. W. Lingerak, J. Slania, *Int. J. Environ. Anal. Chem.*, 31, 263 (1987)
1078. Flow phenomena in flow injection analysis and flow electrolysis
E. R. Sioda, J. D. Curran, *J. Electroanal. Chem. Interfacial Electrochem.*, 239, 1 (1988)
1079. Flow injection analysis of ultra-trace free chlorine in water by fluorometric detection
T. Aoki, K. Kato and M. Munemori, *J. Flow Injection Anal.*, 4, 98 (1987)
1080. Flow injection analysis study of effect of certain additives on the response and selective of liquid membrane ion-selective electrodes
A. S. Attiyat and G. D. Christian, *J. Flow Injection Anal.*, 4, 103 (1987)
1081. Flow-injection analysis system for simultaneous determination of acetylcholine and choline by use of immobilized enzyme reactors and enzyme electrode
T. Yao, Y. Matsumoto and T. Wasa, *J. Flow Injection Anal.*, 4, 112 (1987)
1082. The application of a manually operated sample injector employing a pair of six-way valve system
M. Tomoda, K. Uchida, K. Fukushima and S. Saito, *J. Flow Injection Anal.*, 4, 120 (1987)
1083. Enzymic determination of total cholesterol in serum by flow injection analysis
M. J. Fernandez-Romero, D. M. Luque de Castro, M. Valcarcel, *J. Pharm. Biomed. Anal.*, 5, 333 (1987)
1084. Enzymic determination of ethanol in saliva by flow injection analysis
P. Linares, J. Ruz, D. M. Luque de Castro, M. Valcarcel, *J. Pharm. Biomed. Anal.*, 5, 701 (1987)
1085. Simultaneous enzymatic determination of methanol and ethanol by flow injection analysis
A. Maquieira, D. M. Luque de Castro, M. Valcarcel, *Microchem. J.*, 36, 309 (1987)
1086. Flow injection determination of ethanol in whole blood using

immobilized enzymes

- J. Ruz, D. M. Luque de Castro, M. Valcarcel, *Microchem. J.*, 36, 316 (1987)
1087. A sample and versatile photodetector system for peak width measurement-based flow injection analysis
K. P. Dasgupta, S. J. Rhee, L. E. Loree, *Spectroscopy (Eugene, Oreg.)*, 2, 39 (1987)
1088. Diode-array detectors in flow-injection analysis. Mixture resolution by multi-wavelength analysis
M. Blanco, J. Gene, H. Iturriaga, S. MasPOCH and J. Riba, *Talanta*, 34, 987 (1987)
1089. End effects in flow-analysis and process systems
S. D. Kolev and E. Pungor, *Talanta*, 34, 1009 (1987)
1090. Determination of water in organic solvents by flow-injection analysis with Karl Fischer reagent and a biamperometric detection system
C. Liang, P. Vacha and Willem E. van der Linden, *Talanta*, 35, 59 (1988)
1091. Optical-fibre sensing of fluoride ions in a flow-stream
R. Narayanaswamy, D. A. Russell and F. Sevilla, III, *Talanta*, 35, 83 (1988)
1092. Determination of the sum of rare-earth elements by flow-injection analysis with Arsenazo III, 4-(2-pyridylazo)resorcinol, Chrome Azurol S and 5-bromo-2-(2-pyridylazo)-5-diethylaminophenol spectrophotometric reagents
D. B. Gladilovich, V. Kuban and L. Sommer, *Talanta*, 35, 259 (1988)
1093. Dialysis - analysis by flow injection: an association with a promising future
P. Linares, A. Rios, M. D. Luque de Castro, *Tec. Lab.*, 11, 258 (1987) (in Spanish)
1094. Application and prospects of flow injection analysis of rocks and minerals
Y. Lu, Pan, *Zhonghua, Yankuang Ceshi*, 6, 151 (in Chinese)
1095. Flow-injection analysis and its uses
K. L. Shpigun, A. Y. Zolotov, *Zavod. Lab.*, 53 12 (1987) (in Russian)
1096. Flow-injection analysis. Spectrophotometric determination of sulfate ions in atmospheric precipitations
D. I. Eremina, K. L. Shpigun, A. Y. Zolotov, *Zh. Anal. Khim.*, 42, 1631 (1987) (in Russian)
1097. Flow-injection analysis. Lead-selective electrode detector

with a membrane based on macrocyclic reagents

A. E. Novikov, K. L. Shpigun, A. Y. Zolotov, Zh. Anal. Khim., 42, 1945 (1987) (in Russian)

1098. Determination of α -amylase by flow-injection analysis
V. Mueller, H. Mueller, Z. Chem., 27, 333 (1987)
(in German)

1099. Flow-injection analysis of substances in water. Part I.
Anions. A critical review
F. J. Van Staden, Water SA, 13, 197 (1987)