

## FIA Bibliography(19)

Hiroko Wada, Hiromichi Yamada,  
and Akio Yuchi  
Nagoya Institute of Technology

FIA-related papers and monographs appeared since 1984 have been compiled in this bibliography. All papers are numbered in series and shown with the titles in English.

2413. FIA Bibliography(18)  
Y. Baba, J. Flow Injection Anal., 9, 216 (1992).
2414. Enzyme packed bed system for the on-line measurement of glucose, glutamate and lactate in brain microdialysate  
M. G. Boutelle, L. K. Fellows, and C. Cook, Anal. Chem., 64, 1790 (1992).
2415. Determination of boron in light- and heavy-water samples by flow injection analysis with indirect UV-visible spectrophotometric detection  
T. Lussier, R. Gilbert, and J. Hubert, Anal. Chem., 64, 2201 (1992).
2416. Tissue bioreactor for eliminating interferences in flow analysis  
J. Wang and N. Naser, Anal. Chem., 64, 2469 (1992).
2417. The fountain cell: a tool for flow-based spectroscopies  
K. M. Scudder, C. H. Pollema, and J. Ruzicka, Anal. Chem., 64, 2657 (1992).
2418. Determination of manganese in seawater using flow injection analysis with on-line preconcentration and spectrophotometric detection  
J. A. Resing and M. J. Mottl, Anal. Chem., 64, 2682 (1992).
2419. Flow electroanalysis of compound semiconductor thin films: application to the compositional assay of cathodically electrosynthesized cadmium selenide  
N. Myung, C. Wei, and K. Rajeshwar, Anal. Chem., 64, 2701 (1992).
2420. Determination of chromium(III) and chromium(VI) in water using flow injection on-line preconcentration with selective adsorption on activated alumina and flame atomic absorption spectrometric detection  
M. Sperling, S. Xu, and B. Welz, Anal. Chem., 64, 3101 (1992).
2421. Sensor array for carbohydrates and amino acids based on electrocatalytic modified electrodes  
Q. Chen, J. Wang, G. Rayson, B. Tian, and Y. Lin, Anal.

M. Yang and M. Thompson, Anal. Chim. Acta, 269, 167 (1992).

2432. Determination of nanomole amounts of sulphur dioxide in air by flow-injection conductimetry with on-line preconcentration  
I. Gacs and R. Ferraroli, Anal. Chim. Acta, 269, 177 (1992).
2433. Flow-injection determination of glucose in serum with an immobilized pyranose oxidase reactor  
N. Kiba, F. Ueda, M. Furusawa, and T. Yamane, Anal. Chim. Acta, 269, 187 (1992).
2434. Flow-injection determination of sulphonamides with fluorimetric or photochemical-fluorimetric detection  
M. C. Mahedero and J. J. Aaron, Anal. Chim. Acta, 269, 193 (1992).
2435. Spectrophotometric determination of cardiac glycosides by flow-injection analysis  
P. Solich, V. Sedliakova, and R. Karlicek, Anal. Chim. Acta, 269, 199 (1992).
2436. Cobalt-based glassy carbon chemically modified electrode for constant-potential amperometric detection of carbohydrates in flow-injection analysis and liquid chromatography  
T. R. I. Cataldi, I. G. Casella, and E. Desimoni, Anal. Chim. Acta, 270, 161 (1992).
2437. Experimental evaluation of theoretical response equations for an unsegmented flow system with a well-stirred mixing chamber  
J. M. Jordan and H. L. Pardue, Anal. Chim. Acta, 270, 195 (1992).
2438. Flow-injection on-line fibre column separation and preconcentration system for efficient determination of trace gold in ores and metallurgical samples by flame atomic absorption spectrometry  
W. Qi, X. Wu, C. Zhou, H. Wu, and Y. Gao, Anal. Chim. Acta, 270, 205 (1992).
2439. Flow-injection extraction-spectrophotometric determination of manganese(VII) with benzyltributylammonium cations  
D. T. Burns, S. A. Barakat, M. Harriott, and M. S. El-Shahawi, Anal. Chim. Acta, 270, 213 (1992).
2440. Determination of chloride ion concentration in natural and waste waters by flow-injection analysis with a silver chloranilate reaction column  
F. Sagara, T. Tsuji, I. Yoshida, D. Ishii, and K. Ueno, Anal. Chim. Acta, 270, 217 (1992).
2441. Determination of arsenic and selenium in environmental

Chem., 65, 251 (1993).

2422. Adaptation of poly(tetrafluoroethylene) tips to mercury drop electrodes and evaluation by flow injection analysis  
I. G. R. Gutz, L. Angnes, and J. J. Pedrotti, Anal. Chem., 65, 500 (1993).
2423. Determination of total mercury in waters and urine by flow injection atomic absorption spectrometry procedures involving on- and off-line oxidation of organomercury species  
C. P. Hanna, J. F. Tyson, and S. McIntosh, Anal. Chem., 65, 653 (1993).
2424. Coupled flow-injection analysis-flame atomic absorption spectrometry for the quantitative determination of aluminum in beverages and waters incorporating on-line cation exchange  
H. J. Salacinski, P. G. Riby, and S. J. Haswell, Anal. Chim. Acta, 269, 1 (1992).
2425. Comparison of three propulsion systems for application in flow-injection zone penetration dilution and sorbent extraction preconcentration for flame atomic absorption spectrometry  
Z.-L. Fang, M. Sperling, and B. Welz, Anal. Chim. Acta, 269, 9 (1992).
2426. Enhanced automatic flow-injection determination of the total polyphenol index of wines using Folin-Ciocalteu reagent  
M. Celeste, C. Tomas, A. Cladera, J. M. Estela, and V. Cerdá, Anal. Chim. Acta, 269, 21 (1992).
2427. Automated continuous-flow titration  
J. Bartroli and L. Alerm, Anal. Chim. Acta, 269, 29 (1992).
2428. Characteristics and readout correlation of flow-injection analysis for penicillin  
X.-M. Li, M.-X. Chen, F.-C. Ruan, and W.-Y. Ng, Anal. Chim. Acta, 269, 35 (1992).
2429. Amperometric techniques in flow-injection analysis: determination of magnesium in sera and natural waters  
A. J. Downard, J. B. Hart, H. K. J. Powell, and S. Xu, Anal. Chim. Acta, 269, 41 (1992).
2430. Flow injection and liquid chromatographic postcolumn detection of amino acids by mimetic peroxidase-catalysed chemiluminescence reaction  
Y.-X. Ci, J.-K. Tie, Q.-W. Wang, and W.-B. Chang, Anal. Chim. Acta, 269, 109 (1992).
2431. Thickness-shear mode acoustic wave sensors and flow-injection analysis

samples by flow-injection hydride generation atomic absorption spectrometry

C. C. Y. Chan and R. S. Sadana, Anal. Chim. Acta, 270, 231 (1992).

2442. Determination of L-glutamate and L-glutamine by flow-injection analysis and chemiluminescence detection: comparison of an enzyme column and enzyme membrane sensor G. Blankenstein, F. Preuschhoff, U. Spohn, K.-H. Mohr, and M.-R. Kula, Anal. Chim. Acta, 271, 231 (1993).
2443. Simultaneous determination of sucrose and reducing sugars using indirect flow-injection biampmetery J. Micholowski, A. Kojlo, M. Trojanowicz, B. Szostek, and E. A. G. Zagatto, Anal. Chim. Acta, 271, 239 (1993).
2444. Spectrofluorimetric flow-injection determination of calcium using calcein N. Chimpalee, D. Chimpalee, R. Jarungpattananon, S. Lawratchavee, and D. T. Burns, Anal. Chim. Acta, 271, 247 (1993).
2445. Evaluation of different data-processing options for a flow system with a well-stirred mixing chamber J. M. Jordan, S. H. Hoke, and H. L. Pardue, Anal. Chim. Acta, 272, 115 (1993).
2446. Evaluation of a predictive curve-fitting method for processing data from flow systems; Part 1. Flow system with a mixing chamber J. M. Jordan, M. D. Love, and H. L. Pardue, Anal. Chim. Acta, 272, 125 (1993).
2447. Flow-injection extraction spectrophotometric determination of chromium(VI) with the benzyltributylammonium cation S. A. Barakat, D. T. Burns, and M. Harriott, Anal. Chim. Acta, 272, 135 (1993).
2448. Determination of chemical oxygen demand by flow-injection method using cerium(IV) sulphate as oxidizing agent T. Korenaga, X. Zhou, K. Okada, T. Moriwake, and S. Shinoda, Anal. Chim. Acta, 272, 237 (1993).
2449. Determination of bromide in sodium chloride matrices by flow-injection analysis using blank peak elimination and kinetic discrimination W. J. M. Emaus and H. J. Henning, Anal. Chim. Acta, 272, 245 (1993).
2450. Continuous-flow chemiluminometric determination of dihydralazine, rifampicin and rifamycin SV by oxidation with N-bromosuccinimide S. A. Halvatzis, M. M. Timotheou-Potamia, and T. P. Hadjiloannou, Anal. Chim. Acta, 272, 251 (1993).

2451. Flow-injection chemiluminometric determination of sodium cyclamate  
I. M. Psarellis, E. G. Sarantonis, and A. C. Calokerinos, Anal. Chim. Acta, 272, 265 (1993).
2452. Analysis of difficult samples by flow injection inductively coupled plasma mass spectrometry  
A. Stroh and U. Vollkopf, Anal. Proc., 29, 274 (1992).
2453. Flow injection techniques for improving the precision and accuracy of analytical atomic spectrometry  
J. F. Tyson, Anal. Proc., 29, 436 (1992).
2454. Simultaneous determination of hydride and non-hydride forming elements by inductively coupled plasma atomic emission spectrometry  
Z. Li, S. McIntosh, and W. Slavin, Anal. Proc., 29, 438 (1992).
2455. Application of super modified simplex optimization to the flow injection spectrophotometric determination of promethazine hydrochloride in drug formulations  
S. M. Sultan and F.-E. O. Suliman, Anal. Sci., 8, 841 (1992).
2456. Amperometric flow-injection biosensor system for the simultaneous determination of urea and creatinine  
C.-S. Rui, K. Sonomoto, and Y. Kato, Anal. Sci., 8, 845 (1992).
2457. Determination of mercury by flow injection-atomic fluorescence spectrometry using chromium(II) reduction-cold vapor generation  
H. Tanaka, M. Kouno, H. Morita, K. Okamoto, and S. Shimomura, Anal. Sci., 8, 857 (1992).
2458. Selective chemiluminescent determination of adenosine-5'-triphosphate by a flow-injection method  
Y. Ohno, T. Hobo, M. Suyama, R. Tamura, and M. Ishii, Anal. Sci., 9, 233 (1993).
2459. Combined generator/sePARATOR, Part 2. Stibine generation combined with flow injection for the determination of antimony in metal samples by atomic emission spectrometry  
H. Chen, I. D. Brindle, and S. Zheng, Analyst, 117, 1603 (1992).
2460. Automated simultaneous determination of metal ions by use of variable flow rates in unsegmented systems  
J. Marcos, A. Rios, and M. Valcarcel, Analyst, 117, 1629 (1992).
2461. Determination of ascorbic acid in pharmaceuticals and urine by reverse flow injection  
M. I. Albero, M. S. Garcia, C. Sanchez-Pedreno, and J.

- Rodriguez, Analyst, 117, 1635 (1992).
2462. Poly(vinyl chloride) matrix membrane electrodes for manual and flow injection determination of metal azides  
S. S. M. Hassan, F. M. El Zawasy, S. A. M. Marzouk, and E. M. Elnemima, Analyst, 117, 1683 (1992).
2463. Photochemical determination of ascorbic acid using unsegmented flow methods  
A. Sanz-Marinez, A. Rios, and M. Vlcarcel, Analyst, 117, 1761 (1992).
2464. Studies on the application of photochemical reactions in a flow injection system, Part 2. Simultaneous determination of iron(II) and iron(III) based on the photoreduction of the iron(III)-phenanthroline complex  
R.-M. Liu, D.-J. Liu, and A.-L. Sun, Analyst, 117, 1767 (1992).
2465. Batch and flow injection spectrophotometric determination of aztreonam  
M. I. G. Martin, C. G. Perez, and M. A. B. Lopez, Analyst, 117, 1789 (1992).
2466. Micellar catalysis in flow injection systems: the nitrosation reaction  
B. F. Johnson, R. E. Malick, B. Ghearing, and J. G. Dorsey, Analyst, 117, 1833 (1992).
2467. Novel single standard calibration and dilution method performed by the sequential injection technique  
A. Baron, M. Guzman, J. Ruzicka, and G. D. Chirstian, Analyst, 117, 1839 (1992).
2468. Determination of zinc and acid in zinc plant electrolyte by discontinuous flow analysis  
R. I. Mrzljak, A. M. Bond, T. J. Cardwell, R. W. Cattrall, O. M. G. Newman, and G. R. Scollary, Analyst, 117, 1845 (1992).
2469. Simultaneous determination of ortho-, meta- and para-xylene by flow injection-Fourier transform infrared spectroscopy  
S. Garrigues, M. Gallignani, and M. de la Guardia, Analyst, 117, 1849 (1992).
2470. Determination of 2,4-dimethylphenol by anodic voltammetry and flow injection with amperometric detection at a glassy carbon electrode  
C. Fernandez, E. Chico, P. Yznez-Sedeno, J. M. Pingarron, and L. M. Polo, Analyst, 117, 1919 (1992).
2471. Evaluation of thermal lens detection in flow injection with high background absorbance  
A. Chartier, C. G. Fox, and J. Georges, Analyst, 118, 157 (1993).

2472. Micelle-mediated methodology for the preconcentration of uranium prior to its determination by flow injection  
M. E. F. Laespada, J. L. P. Pavon, and B. M. Cordero,  
*Analyst*, 118, 209 (1993).
2473. Catalytic determination of molybdenum(VI) in plants using mono-segmented continuous-flow analysis and spectrophotometric detection  
J. C. de Andrade and R. E. Bruns, *Analyst*, 118, 213 (1993).
2474. Semi-xylenol orange complex of zirconium(VI) as a photometric reagent system for fluoride based on mixed ligand complex formation  
A. Yuchi, N. Hokari, H. Wada, and G. Nakagawa, *Analyst*, 118, 219 (1993).
2475. Organic-phase biosensors for monitoring phenol and hydrogen peroxide in pharmaceutical antibacterial products  
J. Wang, Y. Lin, and L. Chen, *Analyst*, 118, 277 (1993).
2476. Determination of total phosphorus in biological samples by flow injection analysis with spectrophotometric detection  
E. Munaf, W. Hu, and H. Haraguchi, *Bull. Chem. Soc. Jpn.*, 66, 966 (1992).
2477. Flow injection analysis; its application for inorganic analysis  
T. Sakai, *Bunseki*, 1992, 903.
2478. Flow injection analysis; its application to organic analysis  
T. Yao, *Bunseki*, 1993, 31.
2479. FIA for the determination of higher concentration sulfuric acid by means of chemiluminescent enhancement with natural reddish dye in red rose petals  
M. Ishii, T. Takahashi, and S. Babasaki, *Bunseki Kagaku*, 41, 617 (1992).
2480. Spectrophotometric determination of cobalt in high-salt concentration solutions by flow injection method  
Y. Hayashibe, M. Takeya, and Y. Sayama, *Bunseki Kagaku*, 41, 633 (1992).
2481. Flow-injection determination of boron by using poly(vinyl chloride) membrane-based tetrafluoroborate ion-selective electrode  
T. Imato, T. Yoshizuka, and N. Ishibashi, *Bunseki Kagaku*, 42, 91 (1993).
2482. Determination of small amount of lactone by a supercritical fluid FIA with chemiluminescent detection  
M. Ishii and M. Koike, *Bunseki Kagaku*, 42, 173 (1993).

2483. Selective determination of triphosphonucleotide by a flow injection/chemiluminescence method  
Y. Ohno, T. Hobo, R. Tamura, and M. Ishii, Bunseki Kagaku, 42, 183 (1993).
2484. Flow chemiluminescence sensing in microheterogeneous systems as reaction media  
J. Hayashi and M. Yamada, J. Flow Injection Anal., 9, 139 (1992).
2485. A microbial sensor for determination of short-chain fatty acids and its application to raw milk samples  
H. Ukeda, G. Wagner, U. Bilitewski and R. D. Schmid, J. Flow Injection Anal., 9, 164 (1992).
2486. Reversed flow-injection analysis and on-line chemical monitoring in thermal power plants  
Y.-S. Li, and Y. Narusawa, J. Flow Injection Anal., 9, 175 (1992).
2487. Flow injection analysis of hydrogen peroxide in the bleaching solution using a flow-through type ORP electrode detector  
Y. Maeshima, T. Inui, A. Sakai, A. Henmi, S. Ito, Y. Asano, and T. Imato, J. Flow Injection Anal., 9, 187 (1992).
2488. Suction-flow injection/on-line preconcentration system with oxine-loaded active-carbon column and its application to sensitive determination of copper by atomic absorption spectrometry  
K. Murakami, Y. Okamoto, and T. Kumamaru, J. Flow Injection Anal., 9, 195 (1992).
2489. Flow injection analysis of wine-accomplishments and needs  
K. Wagner, U. Bilitewski, and R. D. Schmid, Microchem. J., 45, 114 (1992).
2490. Flow-injection immunoassays: Present and future  
C. H. Pollema, J. Ruzicka, A. Lernmark, and G. D. Christian, Microchem. J., 45, 121 (1992).
2491. Determination of promethazine hydrochloride with bromophenol blue by a turbidimetric method and flow injection analysis  
J. M. Calatayud, S. N. Sarrion, A. S. Sampedro, and C. G. Benito, Microchem. J., 45, 129 (1992).
2492. Nonequilibrated sample manipulation-The essence of flow-injection analysis  
Z. Fang, Microchem. J., 45, 137 (1992).
2493. Putting the chemistry back into analytical chemistry  
J. F. Tyson, Microchem. J., 45, 143 (1992).
2494. Flow-injection on-line sorbent extraction preconcentration

- and separation for flame and graphite furnace atomic absorption spectrometry.  
B. Welz, Microchem. J., 45, 163 (1992).
2495. Spectrophotometric flow injection techniques for the multicomponent monitoring of process streams  
P. MacLaurin and P. J. Worsfold, Microchem. J., 45, 178 (1992).
2496. Sensitivity in flow injection analysis  
M. Valcarcel and M. D. Luque de Castro, Microchem. J., 45, 189 (1992).
2497. Preconcentration of metal ions using an immobilized dialkyldithiocarbamate in a flow system  
A. Townshend and K. A. J. Habib, Microchem. J., 45, 210 (1992).
2498. Injection analysis-From flow-injection analysis to batch-injection analysis  
J. Wang, Microchem. J., 45, 219 (1992).
2499. Flow-injection analysis in the USSR  
Yu. A. Zolotov and L. K. Shpigun, Microchem. J., 45, 225 (1992).
2500. Flow injection potentiometry for the assay of potassium in biological fluids  
J. Jeney, K. Toth, E. Lindner, and E. Pungor, Microchem. J., 45, 232 (1992).
2501. Development of a flow injection analysis system utilizing piezoelectric crystals for the determination of cyanide employing small sample sizes  
R. L. Bunde and J. J. Rosentreter, Microchem. J., 47, 148 (1993).
2502. Spectrophotometric determination of cationic and anionic surfactants with anionic dyes in the presence of nonionic surfactants, Part II: development of batch and flow injection methods  
S. Motomizu, M. Oshima, and Y. Hosoi, Mikrochim. Acta, 106, 67 (1992).
2503. Fluorometric determination of diphenhydramine by flow-injection analysis  
J. M. Calatayud, F. J. B. Martinez, and S. S. Vives, Mikrochim. Acta, 106, 319 (1992).
2504. Some observations on the automation by flow injection analysis of the spectrophotometric determination of amino acids and proteins with o-phthalaldehyde  
M. J. M. Hernandez, S. S. Vives, and M. C. G. Alvarez-Coque, Mikrochim. Acta, 108, 293 (1992).

2505. The role of flow injection analysis in speciation studies  
M. D. Luque de Castro, Mikrochim. Acta, 109, 165 (1992).
2506. Development of flow injection and continuous flow system using 1,10-phenanthroline chemiluminescent detection for determination of small amounts of rare earth metal ions  
M. Ishii, Y. Anazawa, and T. Akai, Nippon Kagaku Kaishi, 1992, 1332.
2507. Individual and simultaneous determination of uric acid and ascorbic acid by flow injection analysis  
A. M. Almuaibed and A. Townshend, Talanta, 39, 1459 (1992).
2508. A flow-cell optosensor for lead based on immobilized dithizone  
W. A. de Oliveira and R. Narayanaswamy, Talanta, 39, 1499 (1992).
2509. Closed-loop recirculating manifold for matrix isolation in flow injection flame atomic absorption spectrometry.  
Analysis of silver electrolysis solutions  
E. Debrah, J. F. Tyson, and M. W. Hinds, Talanta, 39, 1525 (1992).
2510. Rapid sequential determination of inorganic mercury and methylmercury in natural waters by flow injection-cold vapour-atomic fluorescence spectrometry  
W. Jian and C. W. McLeod, Talanta, 39, 1537 (1992).
2511. Solid interfaces as analytical problem solvers in flow injection analysis  
M. D. Luque de Castro and M. T. Tena, Talanta, 40, 21 (1993).
2512. Light emitting diode based flow-through optical absorption detectors  
P. K. Dasgupta, H. S. Bellamy, H. Liu, J. L. Lopez, E. L. Loree, K. Morris, K. Petersen, and K. A. Mir, Talanta, 40, 53 (1993).
2513. Flow injection determination of chromium(III) by pyrogallol chemiluminescence  
S. Nakano, M. Fukuda, S. Kageyama, H. Itabashi, and T. Kawashima, Talanta, 40, 75 (1993).
2514. Sequential injection technique for automation of complex analytical procedures: fluorometric assay of factor thirteen  
M. Guzman, C. Pollema, J. Ruzicka, and G. D. Christian, Talanta, 40, 81 (1993).
2515. FIA-FT-IR determination of ibuprofen in pharmaceuticals  
S. Garrigues, M. Gallignani, and M. de la Guardia, Talanta, 40, 89 (1993).

2516. Potentiometric and spectrophotometric determination of calcium in the wet end of paper machines by flow injection analysis  
J. Nyman and A. Ivaska, *Talanta*, 40, 95 (1993).
2517. Reverse flow injection analysis of complexing agents and its application to estimation of complexing capacity  
N. Teshima, H. Itabashi, and T. Kawashima, *Talanta*, 40, 101 (1993).
2518. Direct FIA-AS determination of potassium and magnesium in cement samples by use of the slurries approach  
R. Martinez-Avila, V. Carbonell, A. Salvador, and M. de la Guardia, *Talanta*, 40, 107 (1993).
2519. Determination of hydrogen peroxide in reactor moderator solutions by flow injection analysis  
M. J. Whitaker, *Talanta*, 40, 113 (1993).
2520. Kinetic spectrophotometric determination of Ga(III)-Al(III) mixtures by stopped-flow injection analysis using principal component regression  
M. Blanco, J. Coello, H. Iturriaga, S. Maspoch, J. Riba, and E. Rovira, *Talanta*, 40, 261 (1993).
2521. Rapid determination of phosphate adsorption quantity in the farm soil by flow injection analysis  
H. Nakajima, *Tohoku Agric. Res.*, 45, 129 (1992).
2522. Rapid determination of 0.5 M  $H_2SO_4$  and 1 M HCl extraction forms of phosphate in the farm soils by flow injection analysis  
H. Nakajima and Y.-Y. Ma, *Tohoku Agric. Res.*, 45, 131 (1992).
2523. Flow injection analysis for determination of choline-containing phospholipids by luminol chemiluminescence  
C. Matsubara, K. Ishii and K. Takamura, *Yakugaku Zasshi(J. Pharma. Soc. Japan)*, 112, 50 (1992).
2524. Flow injection systems for the spectrophotometric determination of palladium, gold, and silver  
L. K. Shpigun and R. F. Gur'eva, *Zh. Anal. Khim.*, 46, 1585 (1991).
2525. Use of a flowing nitrate-selective membrane microelectrode for flow injection and ion chromatographic determination of nitrates  
I. M. Kutas E. M. Rakhman'ko, I. Gonsales, V. N. Tarasevich, and V. A. Vinarskii, *Zh. Anal. Khim.*, 46, 1590 (1991).
2526. Use of ion-selective electrodes as anion detectors in flow-injection analysis and ion chromatography  
N. V. Kolycheva and G. Muller, *Zh. Anal. Khim.*, 46, 1626

(1991).

2527. Direct injection of liquid samples into capillary column  
I. N. Stan'kov, S. N. Tarasov, A. N. Beresnev, and O. T. Morozova, Zh. Anal. Khim., 47, 383 (1992).
2528. Ionometric determination of thiocyanate by the method of additions in continuous-flow analysis  
L. G. Evsevleeva, Yu. I. Urusov, O. M. Petrukhin, and Yu. A. Borzhitskii, Zh. Anal. Khim., 47, 442 (1992).
2529. Potentiometric determination of trace amounts of chloride ion in flow analysis using ion-exchange preconcentration  
L. N. Moskvin, L. V. Epimakhova, and N. V. Voronina, Zh. Anal. Khim., 47, 510 (1992).
2530. Flow-injection determination of boric acid  
O. V. Krokhin, A. V. Pirogov, O. N. Obrezkov, and O. A. Shpigun, Zh. Anal. Khim., 47, 561 (1992).
2531. Continuous flow analysis determination of iron in industrial solutions  
T. V. Rodionova, M. K. Beklemishev, L. V. Dracheva, and Yu. A. Zolotov, Zh. Anal. Khim., 47, 888 (1992).