

FIA Bibliography (X)

Toshihiko Imato* and Hiroki Ohura**
Kyushu University*
Kyushu Sangyo University**

FIA-related papers appeared since 1984 have been compiled in this FIA Bibliography section. About one thousand and one hundred papers were listed in the previous section (references 226-228, 342, 501, 598, 771, 953, 1100). All papers in this section are numbered in series and shown with the titles in English. The readers are requested to send us the reprints of their FIA-related papers that have not yet been listed in this section.

* Department of Applied Analytical Chemistry, Faculty of Engineering, Kyushu University, Hakozaiki, Higashi-ku, Fukuoka, 812, JAPAN

** Department of Industrial Chemistry, Faculty of Engineering, Kyushu Sangyo University, Matsugadai, Higashi-ku, Fukuoka, 813, JAPAN

1100. FIA Bibliography (IX)

T. Imato and H. Ohura, *J. Flow Injection Anal.*, 5, 31 (1988)

1101. Simultaneous determination of nitrites and nitrates by flow injection analysis

R. Karliceck, J. Dolejsova and M. Polasek, *Agrochemia* (Bratislava), 28, 119 (1988) (in Czech)

1102. Immobilization of linamarase and its use in the determination of bound cyanide in cassava using flow injection analysis

D. Narinesingh, D. Jaipersad and I. Chang-Yen, *Anal. Biochem.*, 172, 89 (1988)

1103. A continuous fluorometric assay for cytochrome P-450-dependent mixed function oxidases using 3-cyano-7-ethoxycoumarin

Ian N. H. White, *Anal. Biochem.*, 172, 304 (1988)

1104. A stopped-flow assay for glycogen phosphorylase appropriate

- to measure catalytic activity at high enzyme concentrations
M. Company, J. Zuluaga, P. Martinez and J. S. Jimenez,
Anal. Biochem., 173, 235 (1988)
1105. A continuous spectrophotometric assay for the enzymatic
marker glucose 6-phosphatase
M. Stio, P. Vanni and G. Pinzauti, Anal. Biochem., 174, 32
(1988)
1106. Flow injection analysis as a diagnostic tool for
development and testing of a penicillin sensor
T. D. Yerian, G. D. Christian and J. Ruzicka, Anal. Chem.,
60, 1250 (1988)
1107. Design and evaluation of an interface between a continuous
flow system and a graphite furnace atomic absorption
spectrometer
K. Backstrom and L.-G. Danielsson, Anal. Chem., 60, 1354
(1988)
1108. Computer-controlled flow injection analysis system for on-
line determination of distribution ratios
H. L. Nekimken, B. F. Smith, G. D. Jarvinen, E. J. Peterson
and M. M. Jones, Anal. Chem., 60, 1390 (1988)
1109. Analytical potential of flow-reversal injection analysis
A. Rios, M. D. Luque de Castro and M. Valcarcel, Anal.
Chem., 60, 1540 (1988)
1110. Cobalt phthalocyanine/cellulose acetate chemically modified
electrodes for electrochemical detection in flowing
streams.
Multifunctional operation based upon the coupling of
electrocatalysis and permselectivity
J. Wang, T. Golden and R. Li, Anal. Chem., 60, 1642 (1988)
1111. Mathematical modeling of single-line flow-injection
analysis systems without chemical reaction
S. D. Kolev and E. Pungor, Anal. Chem., 60, 1700 (1988)
1112. Stable modified electrodes for flow injection amperometry:
Application to the determination of thiocyanate
J. A. Cox, T. Gray and K. R. Kulkarni, Anal. Chem., 60,
1710 (1988)
1113. Flow injection analysis of electroinactive anions at a
polyaniline electrode
J. Ye and R. P. Baldwin, Anal. Chem., 60, 1979 (1988)
1114. Surface-enhanced raman spectroscopy at a silver electrode
as a detector in flow injection analysis

- R. K. Force, Anal. Chem., 60, 1987 (1988)
1115. Pulsed coulometric detection with automatic rejection of background signal in surface-oxide-catalyzed anodic detections at gold electrodes in flow-through cells
G. G. Neuburger and D. C. Johnson, Anal. Chem., 60, 2288 (1988)
1116. Liquid-liquid extraction in continuous flow systems without phase separation
F. Canete, A. Rios, M. D. Luque de Castro and M. Valcarcel, Anal. Chem., 60, 2354 (1988)
1117. Determination of myo-inositol in a flow-injection system with co-immobilized enzyme reactors and amperometric detection
B. Olsson, G. Marko-Varga, L. Gorton, R. Appelqvist and G. Johansson, Anal. Chim. Acta, 206, 49 (1988)
1118. An improved monosegmented continuous-flow system for sample introduction in flame atomic spectrometry
B. F. Reis, M. A. Z. Arruda, E. A. G. Zagatto and J. R. Ferreira, Anal. Chim. Acta, 206, 253 (1988)
1119. Theoretical and practical aspects of acid-base determinations by spectrophotometric flow-injection analysis
Y. Israel, Anal. Chim. Acta, 206, 313 (1988)
1120. Selective flow-injection determination of residual chlorine at low levels by amperometric detection with two polarized platinum electrodes
W. Matuszewski and M. Trojanowicz, Anal. Chim. Acta, 207, 59 (1988)
1121. Extensive flow-injection dilution for in-line sample pretreatment. Comparison between single-stage and dual-stage modules
M. B. Garn, M. Gisin, H. Gross, P. King, W. Schmidt and C. Thommen, Anal. Chim. Acta, 207, 225 (1988)
1122. Flow-injection system for simultaneous assay of free and total cholesterol in blood serum by use of immobilized enzymes
T. Yao and T. Wasa, Anal. Chim. Acta, 207, 319 (1988)
1123. Simple antilog converter for conventional and flow-injection measurements with ion-selective electrodes
M. Trojanowicz, T. Krawczynski Vel Krawczyk and W. Augustyniak, Anal. Chim. Acta, 207, 325 (1988)
1124. Continuous-flow system for the determination of cobalt in

- sea and river water. In-line preconcentration/separation coupled with catalytic determination
T. Yamane, K. Watanabe and H. A. Mottola, Anal. Chim. Acta, 207, 331 (1988)
1125. Flow-injection spectrophotometric determination of aluminum based on chrome azurol S and cetylpyridinium chloride
B. Bouzid and A. M. G. Macdonald, Anal. Chim. Acta, 207, 337 (1988)
1126. Determination of ammonium ion in a flow-injection system with a gas-diffusion membrane. Selection of optimal conditions for the pH indicator
R. Nakata, T. Kawamura, H. Sakashita and A. Nitta, Anal. Chim. Acta, 208, 81 (1988)
1127. Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 1. Dispersion characteristics of the main sections of the flow system
S. D. Kolev and E. Pungor, Anal. Chim. Acta, 208, 117 (1988)
1128. Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 2. Simulation of the mathematical models
S. D. Kolev and E. Pungor, Anal. Chim. Acta, 208, 133 (1988)
1129. Continuous-flow potentiometric determination of horseradish peroxidase with a fluoride-selective electrode
P. W. Alexandar and C. Maitra, Anal. Chim. Acta, 208, 173 (1988)
1130. Flow-injection determination of L-ascorbate with cucumber juice as carrier
S. Uchiyama, Y. Tofuku and S. Suzuki, Anal. Chim. Acta, 208, 291 (1988)
1131. Flow-injection determination of creatine in animal tissues
Z. Dvorak, Anal. Chim. Acta, 208, 307 (1988)
1132. Determination of residual chlorine in tap water by flow-injection spectrophotometry
M. Zenki, H. Komatsubara and K. Toei, Anal. Chim. Acta, 208, 317 (1988)
1133. Flow-injection system for determination of critical micelle concentrations of ionic and nonionic surfactants
S. H. Brooks, A. Berthod, B. A. Kirsch and J. G. Dorsey, Anal. Chim. Acta, 209, 111 (1988)

1134. A flow-injection system based on immobilized penicillinase and a linear pH-buffer for potentiometric determination of penicillin
B. Olsson, Anal. Chim. Acta, 209, 123 (1988)
1135. Optimization of parameters for gas-diffusion flow-injection systems
J. S. Canham, G. Gordon and G. E. Pace, Anal. Chim. Acta, 209, 157 (1988)
1136. Determination of the pesticides Fenthion and Fenitrothion by flow injection with amperometric detection
J. Hernandez Mendez, R. Carabias Martinez, F. Becerro Dominguez and J. I. Jimenez, Anal. Chim. Acta, 209, 205 (1988)
1137. Amperometric assay of glucose and lactic acid by flow injection analysis
B. A. Petersson, Anal. Chim. Acta, 209, 231 (1988)
1138. Enzymatic determination of urea in undiluted whole blood by flow injection analysis using an ammonium ion-selective electrode
B. A. Petersson, Anal. Chim. Acta, 209, 239 (1988)
1139. Determination of phosphorus in biological tissues by aluminum block digestion and flow-injection spectrophotometry
W. Maher, D. Lambert, J. Furlonger and P. Cullen, Anal. Chim. Acta, 209, 299 (1988)
1140. Determination of lead in whole blood with a simple flow-injection system and computerized stripping potentiometry
L. Almestrand, M. Betti, C. Hua, D. Jagner and L. Renman, Anal. Chim. Acta, 209, 339 (1988)
1141. Multicomponent determinations in flow systems by partial least squares modeling
I. Lukkari and W. Lindberg, Anal. Chim. Acta, 211, 1 (1988)
1142. The application of strongly oxidizing agents in flow injection analysis. Part 4. Manganese(VI) and copper(III)
W. E. van der Linden, G. den Boef and W. Ozinga, Anal. Chim. Acta, 211, 99 (1988)
1143. Flow-injection methods for the determination of uracil derivatives with voltammetric detection
B. Bouzid and A. M. G. Macdonald, Anal. Chim. Acta, 211, 175 (1988)
1144. Preparation and examination of calcium ion-selective

- electrodes for flow analysis
H. Wada, T. Ozawa, G. Nakagawa, Y. Asano and S. Ito, Anal. Chim. Acta, 211, 213 (1988)
1145. Determination of glucose in alcoholic beverages by flow injection with two internally coupled injection valves and an enzyme reactor
J. Ruz, A. Rioz, M. D. Luque de Castro and M. Valcarcel, Anal. Chim. Acta, 211, 281 (1988)
1146. Flow-injection cyclic voltammetry
F. Canete, A. Rios, M. D. Luque de Castro and M. Valcarcel, Anal. Chim. Acta, 211, 287 (1988)
1147. Flow-injection determination of some sulphur anions via the catalyzed iodine-azide reaction
O. F. Kamson, Anal. Chim. Acta, 211, 299 (1988)
1148. Continuous-flow extraction of organophosphorus pesticides coupled on-line with high-performance liquid chromatography
A. Farran, J. de Pablo and S. Hernandez, Anal. Chim. Acta, 212, 123 (1988)
1149. Application of a wave-guide capillary cell in the determination of copper by flow injection analysis
K. Fujiwara, Anal. Chim. Acta, 212, 245 (1988)
1150. Simultaneous spectrophotometric determination of calcium and magnesium with chlorophosphonazo-III by flow injection analysis
Y. Youxian, Anal. Chim. Acta, 212, 291 (1988)
1151. On-line flow-injection monitoring of the enzyme inductor L-phenylalanine in the continuous cultivation of Rhodococcus sp. M4
U. Nalbach, H. Schiemenz, W. W. Stamm, W. Hummel and M.-R. Kula, Anal. Chim. Acta, 213, 55 (1988)
1152. Continuous, reliable on-line analysis of fermentation media by simple enzymatic/spectrophotometric assays
T. D. Gibson and J. R. Woodward, Anal. Chim. Acta, 213, 61 (1988)
1153. Recording of the streaming potential over an affinity column in a continuous flow system as a means of quantifying proteins biospecifically
B. Mattiasson and A. Miyabayashi, Anal. Chim. Acta, 213, 79 (1988)
1154. A flow-injection method for the amperometric determination of L-lactate with immobilized enzymes and a chemically modified electrode

- L. Gorton and A. Hedlund, Anal. Chim. Acta, 213, 91 (1988)
1155. A flow-injection system for the amperometric determination of xylose and xylulose with co-immobilized enzymes and a modified electrode
E. Dominguez, B. H.-Hagerdal, G. M.-Varga and L. Gorton, Anal. Chim. Acta, 213, 139 (1988)
1156. Flow microcalorimetry in monitoring biological activity of aerobic and anaerobic wastewater-treatment processes
C. Jolicoeur, T. C. To, A. Beaubien and R. Samson, Anal. Chim. Acta, 213, 165 (1988)
1157. Flow fluorimetric investigations on reaction kinetics of a growing analytical bioreactor
H. Willems and M. Sernetz, Anal. Chim. Acta, 213, 245 (1988)
1158. Comparison of aqueous, micellar and microemulsion carriers in flow injection analysis. The base hydrolysis of acetylsalicylic acid
S. H. Brooks, R. N. Williams and J. G. Dorsey, Anal. Lett., 21, 583 (1988)
1159. Continuous flow determination of residual aqueous ozone with membrane separation-chemiluminescent detection
T. Aoki, Anal. Lett., 21, 835 (1988)
1160. Photometric flow injection determination of psychotropic drugs: brotizolam and midazolam
B. Gallo, R. M. Alonso, F. Vicente, J.-C. Vire and G. J. Patriarche, Anal. Lett., 21, 1211 (1988)
1161. Spectrophotometric determination of cyanide by flow injection analysis
A. T. Haj-Hussein, Anal. Lett., 21, 1285 (1988)
1162. Utilization of dual phase gas diffusion FIA with a mass spectrometer as a detector
J. S. Canham and G. E. Pace, Anal. Lett., 21, 1619 (1988)
1163. Determination of bromazepam by flow injection analysis with amperometric detection
Z. E. Ruiz, B. M. Hernandez, A. E. Lorenzo and Y. L. Hernandez, An. Quim., Ser. B, 84, 120 (1988) (in Spanish)
1164. Gas diffusion/flow injection analysis: applications and trends
F. Lazaro and M. D. Luque de Castro, Analisis, 16, 216 (1988)
1165. An improved zone sampling method for flow injection

analysis

J. Toei, Anal. Lett., 21, 1633 (1988)

1166. Continuous flow determination of carbon dioxide in water by membrane separation-chemiluminescent detection

T. Aoki, K. Ito and M. Munemori, Anal. Lett., 21, 1881 (1988)

1167. On line preconcentration with a boron-specific resin in flow injection-inductively coupled plasma emission spectrometry

D. R. Anderson and C. W. McLeod, Anal. Proc. (London), 25, 67 (1988)

1168. Nylon mesh and platinum wire enzyme amperometric electrodes G. S. Sanghera, Anal. Proc. (London), 25, 108 (1988)

1169. Flow injection-spectrophotometric determination of trace amounts of bromide by its catalytic effect on the hydrogen peroxide oxidation of pyrocatechol violet

N. Yonehara, S. Akaike, H. Sakamoto and M. Komada, Anal. Sci., 4, 273 (1988)

1170. Stopped-flow time difference analysis. A review

K. Hiromi and K. Kanaya, Anal. Sci., 4, 445 (1988)

1171. A flow injection technique for measurement of penicillinase activity

S. Kudoh and H. Nakamura, Anal. Sci., 4 493 (1988)

1172. Spectrophotometric determination of silicon in silicate rocks by flow injection analysis

T. Uchida, K. Yamamoto, H. Inoue, I. Kojima and C. Iida, Anal. Sci., 4, 523 (1988)

1173. Determination of total aliphatic amines in alcoholic drink by on-line liquid-liquid extraction/flow injection analysis H. Koizumi and Y. Suzuki, Anal. Sci., 4, 537 (1988)

1174. Reductive amperometric determination of nitrofurantoin and acetazolamide at a sessile mercury drop electrode using flow injection analysis

A. G. Fogg and A. B. Ghawji, Analyst (London), 113, 727 (1988)

1175. Multi-function valve for flow injection analysis

J. Toei, Analyst (London), 113, 731 (1988)

1176. Graphite paste-based enzymatic glucose electrode for flow injection analysis

W. Matuszewski and M. Trojanowicz, Analyst (London), 113, 735 (1988)

1177. Determination of pH, conductivity, residual chlorine and

- ammonium and nitrite ions in water with an unsegmented flow configuration
F. Canete, A. Rios, M. D. Luque de Castro and M. Valcarcel, Analyst (London), 113, 739 (1988)
1178. Spectrophotometric determination of potassium in river water based on solvent extraction of the complex formed with a crown ether and an anionic azo dye using flow injection
S. Motomizu, M. Onoda, M. Oshima and T. Iwachido, Analyst (London), 113, 743 (1988)
1179. Spectrophotometric determination of anionic surfactants in water after solvent extraction coupled with flow injection
S. Motomizu, M. Oshima and T. Kuroda, Analyst (London), 113, 747 (1988)
1180. Automated flow injection spectrophotometric non-aqueous pseudotitrations of amines and their hydrohalide salts
C. A. Georgiou and M. A. Koupparis, Analyst (London), 113, 755 (1988)
1181. Iodimetric determination of penicillins by a triangle programmed flow-through titration technique
Z. Feher, I. Kolbe and E. Pungor, Analyst (London), 113, 881 (1988)
1182. Determination of sulphide using flow injection analysis with a coated tubular solid-state silver sulphide ion-selective electrode
J. F. van Staden, Analyst (London), 113, 885 (1988)
1183. Enhanced performance of ion-selective electrodes in flow injection analysis: Non-Nernstian response, indirect determination, differential detection and modified reverse flow injection analysis
W. Frenzel, Analyst (London), 113, 1039 (1988)
1184. Prospects of using chemiluminescence emission generated during oxidation of pyrogallol with periodate for the determination of pyrogallol with flow injection
N. P. Evmiridis, Analyst (London), 113, 1051 (1988)
1185. Flow injection determination of oxidants with leuco-thionine blue
C. M.-Lozano, T. P.-Ruiz, V. Tomas and E. Yague, Analyst (London), 113, 1057 (1988)
1186. Spectrophotometric determination of N-nitroso compounds by flow injection analysis
T. Ohta, N. Goto and S. Takitani, Analyst (London), 113,

1187. Factors concerning the design and calibration of an amperometric enzyme electrode system for the flow injection analysis of cholesterol
G. J. Moody, G. S. Sanghera and J. D. R. Thomas, Analyst (London), 113, 1419 (1988)
1188. Flow injection amperometric detection based on ion transfer across a water-solidified nitrobenzene interface for the determination of tetracycline and terramycin
H. Ji and E. Wang, Analyst (London), 113, 1541 (1988)
1189. Versatile manifold for the simultaneous determination of ions in flow injection analysis
P. C. Hauser, S. S. Tan, T. J. Cardwell, R. W. Cattrall and I. C. Hamilton, Analyst (London), 113, 1551 (1988)
1190. Simultaneous determination of iron(III) and total iron by flow injection analysis using kinetic spectrophotometry with tiron
R. Kuroda, T. Nara and K. Oguma, Analyst (London), 113, 1557 (1988)
1191. Inverse spectrophotometric detection in flow injection analysis: Determination of nitrite using cerium(IV) as the chromophore
T. P. Lynch, Analyst (London), 113, 1597 (1988)
1192. Aqueous infrared pharmaceutical analysis of two choline compounds by flow injection analysis using the CIRCLE cell
B. E. Miller, N. D. Danielson and J. E. Katon, Appl. Spectrosc. 42, 401 (1988)
1193. A detector for liquid chromatography and flow injection analysis using surface-enhanced Raman spectroscopy
R. D. Freeman, R. M. Hammaker, C. E. Meloan and W. G. Fateley, Appl. Spectrosc., 42, 456 (1988)
1194. Evaluation of an isolated droplet sample introduction system for laser induced breakdown spectroscopy
H. A. Archontaki and S. R. Crouch, Appl. Spectrosc., 42, 741 (1988)
1195. Simultaneous determination of trace amounts of cobalt and manganese in high purity aluminium by FIA with catalytic method
T. Kitamura and T. Yamane, Bunseki kagaku, 37, 360 (1988)
1196. FIA system for measurement of optical purities of amino acids utilizing amino acid enzyme-electrodes
T. Yao and T. Wasa, Bunseki kagaku, 37, 386 (1988)

1197. Determination of ethanol in alcoholic beverages by gas-diffusion /FIA
T. Imato, H. Ohura, Y. Asano, S. Yamasaki and N. Ishibashi, Bunseki kagaku, 37, T105 (1988)
1198. FIA for trace amounts of silicon based on spectrophotometric determination of molybdosilicic acid S. Motomizu and K. Korechika, Bunseki kagaku, 37, T115 (1988)
1199. Application of FIA for process control of wet non-ferrous metal refinement
H. Shimizu and M. Murakami, Bunseki Kagaku, 37, T171 (1988)
1200. Analysis technique allows online control
G. D. Christian and J. Ruzicka, Chem. Eng. (N. Y.), 95, 57 (1988)
1201. Flow models in flow-through enthalpimetry with a small tube cross section
H. Berge and R. Lammert, Chem. Tech. (Leipzig), 40, 305 (1988) (in German)
1202. Flow injection analysis (FIA) - what is this?
G. Schwedt, CLB, Chem. Labor Betr., 39, 292 (1988) (in German)
1203. Multicomponent determination by flow-injection analysis using the PU 4021 diode array detector. Direct determination of lanthanides
V. Kuban and P. Dolezel, Collect. Czech. Chem. Commun., 53, 543 (1988).
1204. Simultaneous determination of iron and copper in waters by multiligand flow injection analysis
V. Kuban and D. B. Gladilovich, Collect. Czech. Chem. Commun., 53, 1461 (1988)
1205. Stop-flow reverse flow injection analysis for trace manganese - the manganese(2+)-sodium phosphinate (NaH_2PO_2) - potassium periodate-NTA system
Y. Yuan, Y. Wang and K. Qu, Fenxi Huaxue, 16, 315 (1988) (in Chinese)
1206. Preparation of PVC tubular flow-through potassium ion-selective electrode and its application in flow injection analysis
H. Cui and S. Zhang, Fenxi Huaxue, 16, 320 (1988) (in Chinese)
1207. Preparation and performance of a coated tubular solid-state cadmium-selective electrode in flow-injection analysis

- J.F. van Staden, Fresenius' Z. Anal. Chem., 331, 594 (1988)
1208. Removal of interferences in the spectrophotometric determination of cyanide by dialysis using flow injection analysis
E. Figuerola, A. Florido, M. Aguilar and J. de Pablo, Fresenius' Z. Anal. Chem., 331, 620 (1988)
1209. Kinetic-photometric determination of spermine, spermidine and their mixtures by the stopped-flow technique
M. C. Gutierrez, A. G.-Hens and D. P.-Bendito, Fresenius' Z. Anal. Chem., 331, 642 (1988)
1210. Improvements to the CHN performance of a Carlo-Erba 1106 elemental analyser by blank evaluation, drift correction using a pair of dissimilar standards and modifications to the gas flow system
W. J. Swindall and D. Thorburn Burns, Fresenius' Z. Anal. Chem., 331, 730 (1988)
1211. Computerized flow injection potentiometric stripping analysis with large-volume wall-jet cell
W. Matuszewski, M. Trojanowicz and W. Frenzel, Fresenius' Z. Anal. Chem., 332, 148 (1988)
1212. Determination of silver in photographic material by flow-injection analysis with a coated tubular solid-state silver sulphide ion-selective electrode as detector
J. F. van Staden, Fresenius' Z. Anal. Chem., 332, 157 (1988)
1213. Simultaneous determination of silicon and phosphorus in biological standard materials with on-line column flow-injection spectrophotometry
Y. Narusawa, T. Katsura and F. Kato, Fresenius' Z. Anal. Chem., 332, 162 (1988)
1214. Rapid, miniaturized procedure for the stopped-flow determination of glucose based on flow injection analysis
J. Toei, Fresenius' Z. Anal. Chem., 332, 167 (1988)
1215. Twin-channel flow system for the investigation of gas- and liquid-phase interferences in hydride generation atomic absorption spectrometry
A. Hulanicki, E. Bulska and M. Walcerz, Fresenius' Z. Anal. Chem., 332, 176 (1988)
1216. The use of flow-injection analysis for the determination of drugs in pharmaceutical dosage forms
E. Lamparter and C. Lunkenheimer, GIT Fachz. Lab., 32, 215 (1988) (in German)

1217. Catalytic determination of copper in natural water at .mu.g/L level by flow injection analysis
Y. Yuan, K. Qu, Haiyang Yu Huzhao, 19, 157 (1988)
(in Chinese)
1218. Electrochemical detection for flow-injection analysis
I. H. Yen and T. Y. Um, Hwahak Kwa Kongop Ui Chinbo, 28, 314 (1988) (in Korean)
1219. Enzymatic determination of dimethylformamide in wastewater using flow injection analysis
H. Luedi, M. Garn, O. Ghisalba and H. Schaer, Int. J. Environ. Anal. Chem., 33, 131 (1988)
1220. Determination of nitrite by reverse flow injection analysis
P. Vinas, C. M. Hernandez and C. Sanchez-Pedreno, Int. J. Environ. Anal. Chem., 32, 279 (1988)
1221. Imobilized enzymes in flow-injection analysis: present and trends
J. Ruz, F. Lazaro and M. D. Luque de Castro, J. Autom. Chem., 10, 15 (1988)
1222. Automated continuous monitoring of inorganic and total mercury in waste water and other waters by flow-injection analysis and cold-vapor atomic absorption spectrometry
S. E. Birnie, J. Autom. Chem., 10, 140 (1988)
1223. Investigation of temperature effects on dispersion in a flow injection analyzer. A laboratory exercise
C. L. M. Stults, A. P. Wade and S. R. Crouch, J. Chem. Educ., 65, 645 (1988)
1224. Chromatography, flow injection analysis and electrophoresis in computer-assisted comparative biochemistry: its application and possibilities in clinical research.
Preliminary studies on Crohn's disease
V. R. Villanueva and M. Mardon, J. Chromatogr., 440, 261 (1988)
1225. Theoretical study of critical micelle concentration determination by flow injection analysis
A. Berthod, S. H. Brooks and J. G. Dorsey, J. Colloid Interface Sci., 122, 514 (1988)
1226. Determination of nitrites and nitrates in milk and its products using flow injection analysis
L. L. Munksgaard and L. Thymark, Latte, 13, 410 (1988)
(in Italian)
1227. Flow-injection analysis with immobilized chemiluminescent and bioluminescent columns

- K. Kurkijarvi, P. Turunen, T. Heinonen, O. Kolhinen, R. Raunio, A. Lundin and T. Lovgren, Methods Enzymol., 137, 171 (1988)
1228. Flow-injection analysis for automated determination of .beta.-lactams using immobilized enzyme reactors with thermistor or ultraviolet spectrophotometric detection G. Decristoforo, Methods Enzymol., 137, 197 (1988)
1229. Use of immobilized enzyme reactors in flow-injection analysis M. H. Ho, Methods Enzymol., 137, 271 (1988)
1230. Rapid determination of some 1,4-benzodiazepines by flow injection analysis D. Prada, E. Lorenzo, M. Hernandez and L. Hernandez, Microchem. J., 37, 257 (1988)
1231. Flow injection analysis - recent developments and future trends E. H. Hansen, NATO ASI Ser., Ser. C, 226, 291 (1988)
1232. US A regulation of flow injection analysis methods for NPDES and NIPDWR monitoring of waters and wastes C. B. Ranger, Proc. - Water Qual. Technol. Conf., 15, 499 (1988)
1233. Simultaneous assay of glucose and total cholesterol in blood serum using a flow-injection system with immobilized enzymes T. Yao, R. Akasaka and T. Wasa, J. Flow Injection Anal., 5, 5 (1988)
1234. Flow injection determination of manganese using malachite green-periodate catalytic reaction S. Kawakubo, T. Fukasawa, M. Iwatsuki and T. Fukasawa, J. Flow Injection Anal., 5, 14 (1988)
1235. Potential of the flow-gradient function in FIA with a multifunction pump delivery system J. Toei, Talanta, 35, 425 (1988)
1236. Amperometric flow detection with a copper working electrode-response mechanism and application to various compounds K. Stulik, V. Pacakova, K. Le and B. Hennissen, Talanta, 35, 455 (1988)
1237. Determination of pentachlorophenol by flow-injection analysis with spectrophotometric detection M. R.-Alcala, P. Y.-Sedeno and L. Ma. Polo Diez, Talanta, 35, 601 (1988)

1238. Determination of phosphate at low concentrations in surface waters by flow injection analysis
J. J. Pauer, H. R. Van Vliet and J. F. Van Staden, Water SA, 14, 125 (1988)
1239. Voltammetric detector for flowing systems
G. Jokuszies and H. Emons, Z. Chem., 28, 113 (1988)
(in German)
1240. Determination of glucose by flow injection analysis
K. Peisker, H. Matschiner and H. H. Ruettlinger, Z. Med. Laboratoriumsdiagn., 29, 268 (1988) (in German)
1241. The rapid examination for phosphate fertility in grazing and farm land soil derived from neutral volcanic ash. 3. Application of flow injection analysis to 10^{-2} M H_2SO_4 extraction
H. Nakajima and H. Ichiki, Tohoku Agric. Res., 37, 135 (1985) (in Japanese)
1242. The rapid examination for phosphate fertility in grazing and farm land soil derived from neutral volcanic ash. 4. Application of flow injection analysis to $\text{NH}_4\text{F}-\text{HCl}$ extraction
H. Nakajima and H. Ichiki, Tohoku Agric. Res., 37, 137 (1985) (in Japanese)
1243. Determination of N in rice paddy Soil by flow-injection method
K. Watanabe and H. Nakajima, Tohoku Agric. Res., 39, 61 (1986) (in Japanese)
1244. Rapid method of determination total N in the farm soils by $\text{HClO}_4-\text{H}_2\text{SO}_4$ digestion-flow injection analysis
H. Nakajima and H. Ichiki, Tohoku Agric. Res., 39, 143 (1986) (in Japanese)
1245. The rapid examination for phosphate fertility in grazing and farm land soil derived from neutral volcanic ash. 6. Rapid determination of phosphate absorption coefficient using the flow injection analysis
H. Nakajima and T. Kuno, Tohoku Agric. Res., 40, 169 (1987) (in Japanese)
1246. Rapid determination of cation exchange capacity in farm soil using flow cell method
K. Takahashi and H. Nakajima, Tohoku Agric. Res., 40, 173 (1987)
1247. Determination of Kjedahl nitrogen in farm soils and crops using flow injection analysis

H. Nakajima. Misc. Publ. Tohoku Natl. Agric. Exp. Stn., 7,
37 (1987)